

FUTURE PERSPECTIVES

MyKartell



TECHNICAL CATALOGUE 2025

Kartell
2025



MyKartell

FUTURE PERSPECTIVES

Kartell's mission is to look forward, see ahead and move into the future. This is the natural mindset of a company that, by choice, has always led the field in experimentation, innovation, research, creativity and communication.

Looking into the future is not just a great way to display products in a new shape; it maps Kartell's values and interprets the strategic choices that Kartell continues to make as its character evolves.

Our 2025 catalogue covers all our product families, which are constantly welcoming new ideas, along with new designs and favourite classics that have been revisited in colour and material.

Ongoing research into high-impact sustainable raw materials, a focus on production processes that respect the environment and reduce energy consumption and CO² emissions, and extensive experimentation with recycled and recyclable materials have allowed Kartell to acquire the certifications that ensure customers of the full traceability of our products and of their production processes, from the selection of raw

materials to the delivery of the finished article. Our catalogue, along with its product data sheets, is arranged in 10 chapters:

*Chairs
Sofas and armchairs
Tables
Lighting
Furnishing complements
Tableware
Bookcases
Fabrics
Marble-look ceramics
Wood*

Each chapter includes product data sheets containing photos, characteristics, colour variants, materials, dimensions and prices.

This rational arrangement makes our data sheets easy to consult and facilitates information searches. The information provided is detailed and complete.

At the end, readers can find product certifications, technical notes and a summary of materials.

HOW TO READ THE DATA SHEETS

GENERAL INFORMATION

The pages are organised vertically for each family of products, simply scroll down to read the technical information for each one. Specifically, you will find the following information for each product:

A PRICES

The prices shown in the following price list apply from 1st February 2025, subject to Kartell's right to revise the same following prior notification. All prices are shown in the reference country currency. For each individual item, the price including VAT will be shown, with the price excluding VAT indicated below. VAT is calculated in compliance with the law in force when the price list is printed. Prices are always per unit. Exceptions to this rule are countries in which dual pricing has not been specifically set out, and therefore only the net price is indicated.

B CODE

This is the number which accompanies each product or individual component, and must be indicated on every order. It is located next to the technical drawing or finish.

C DIMENSIONS

The maximum dimensions are indicated in order to provide all of the necessary elements to assess the space occupied by the product. Depending on the country of reference, the units of measurement are cm or inches.

D WEIGHT

The net weight of the product is stated, as this is a useful piece of information for products such as tables and chairs, to evaluate the suitability of the product for a specific use (e.g. for use in public spaces). Depending on the country of reference, the units of measurement are kg or pounds.

E DESCRIPTION AND MATERIALS

This section contains details of the materials and any essential technical and functional aspects.

F COLOUR SAMPLES

Details of the colours or colour combinations available. The full-colour guide symbol identifies the colours available to be freely combined, the two-way guide symbol identifies the fixed seat/colour pairing that cannot be changed. The colours shown are as close as possible to the actual product shade. However they are to be considered as general indications for consultation.

G SYMBOLS

INDICATES THAT THE CHAIR IN QUESTION IS STACKABLE AND SPECIFIES THE MAXIMUM NUMBER OF UNITS ALLOWED

INDICATES THAT THE PRODUCT IS SUITABLE FOR OUTDOOR USE

INDICATES THAT THE PRODUCT IS CUSTOMISABLE

PRODUCT IS DISHWASHER SAFE

PRODUCT IS SUITABLE FOR FOOD CONTACT

PRODUCT IS NOT SUITABLE FOR MICROWAVE USE

PRODUCT IS SUITABLE FOR INDOOR USE

PRODUCT IS NOT SUITABLE FOR CHILDREN AGED UNDER 18 MONTHS

PRODUCT IS NOT SUITABLE FOR CHILDREN AGED UNDER 3 YEARS

PRODUCT WITH REMOVABLE COVER

MADE FROM RECYCLED MATERIAL

BIOPOLYMER MADE FROM RENEWABLE RAW MATERIALS, DERIVED FROM NON-GMO AGRICULTURAL WASTE

MADE FROM FSC™ CERTIFIED WOOD

MADE FROM 2.0 POLYCARBONATE FROM RENEWABLE RAW MATERIAL

MADE WITH THE RECOVERY OF WASTE PLASTIC MATERIALS FROM ILLYCAFFE IPERESPRESSO CAPSULES

MADE FROM RECYCLED PMMA

100% RECYCLABLE PRODUCT

MADE FROM RECYCLED FABRIC

SYMBOLS AND SPECIFICATIONS ASSOCIATED WITH INDIVIDUAL LIGHTS

INSULATION CLASSES

CL. I

CL. I INDICATES THE LEVEL OF PROTECTION AGAINST ELECTRIC SHOCK. IN THE CASE OF CLASS I, INSULATION IS "SIMPLE" AND THE APPLIANCE'S EARTHING DEVICES ARE REQUIRED.

INDICATES THE LEVEL OF PROTECTION AGAINST ELECTRIC SHOCK. IN THE CASE OF CLASS II, INSULATION IS "REINFORCED" AND THE APPLIANCE'S EARTHING DEVICES ARE NOT REQUIRED.

INDICATES THE TYPE OF SURFACE ON WHICH THE APPLIANCE CAN BE MOUNTED. THE SYMBOL "F" INDICATES THAT THE APPLIANCE CAN BE MOUNTED DIRECTLY ON NORMALLY INFLAMMABLE SURFACES.

PROTECTION RATING

IP20

INDICATES THE DEGREE OF PROTECTION AGAINST THE PENETRATION OF DUST, SOLID BODIES AND MOISTURE. IP20 RATING REFERS TO ORDINARY APPLIANCES THAT HAVE NO SPECIFIC REQUIREMENTS.

VOLTAGE

INDICATES THE APPLIANCE POWER SUPPLY VOLTAGE.

ATTACHMENT

INDICATES THE LAMP HOLDER ATTACHMENT TYPE ON THE APPLIANCE.

MAX POWER

INDICATES THE MAXIMUM POWER OF THE BULB THAT CAN BE CONNECTED TO THE APPLIANCE WITHOUT COMPROMISING ITS SAFETY.

ENERGY CLASS

A

THE COLOUR RENDERING INDEX IS THE NUMERICAL VALUE THAT INDICATES THE ABILITY OF A LIGHT SOURCE TO REPLICATE THE COLOUR TONES AND THE COLOURS OF THE OBJECTS ILLUMINATED.

AVERAGE LIFE OF LIGHT SOURCE

10000

LUMEN

LUMINOUS FLUX OF THE LIGHT SOURCE

DIMMABLE VERSION

Yes

BATTERY LIFE

10000

TYPE OF BULB

E27

H CERTIFICATIONS

Reliability test information. More information is available in the "CERTIFICATIONS: Reference legislation" section

I INFORMATION REGARDING PACKAGING UNITS

At the bottom of the page, you will see the following information indicated for each package in the order: the number of pieces, weight, volume and dimensions in cm or inches, depending on the reference country. The pieces within a package cannot be purchased separately.

N.B. The company reserves the right to make changes to the technical characteristics of the products in the catalogue, without notice. Any new product or variation to the technical characteristics of the products will be made known to the public via the most effective methods. How to read and use the Price List

NAME 0000
Designer

B 0000

UNIT PRICE

000 £

A

C

62
50

77
65
43

54

D

2.64

E STRUCTURE

Material description

COLOUR

00 Colour

00 Colour

00 Colour

00 Colour

00 Colour

00 Colour

F

E SEAT

Material description

COLOUR

00 Colour

00 Colour

00 Colour

00 Colour

00 Colour

00 Colour

F

G

I

0000

0

0.0

0.0

000X000X000

	level reached
EN 1022:2005	Compliant
EN 16139:2013+AC 2013	Compliant
EN 1728:2012+AC 2013	
0.0	L2
0.0	L2
0.0	L2
0.0	L2
0.0	L1
0.0	L2
0.0	L2
0.0	L2
0.0	L2
0.0	L2
0.0	L2
0.0	L2
0.0	L2
0.0	L2




SEATING

NEW!



5915



MATERIAL

Recycled thermoplastic technopolymer with mineral filler and painted



Product made of recycled material



	level reached
EN 1022 2005	Compliant
EN 16139:2013+AC 2013	Compliant
EN 1728:2012+AC 2013	
4.1	Compliant
4.2	Compliant
6.4	L2
6.5	L2
6.6	L2
6.10	L1
6.11	L2
6.15	L2
6.16	L2
6.17	L2
6.18	L2
6.20	L2
6.24	L2
6.25	L2
6.26	L2



5915




1



8.0



0.360



62X60X97



NEW!


H.H.H. HER HIGHEST HIGHNESS **UPHOLSTERED FABRIC**
Design Philippe Starck

2024
Kartell × **LIBERTY.**



5918

A5918





STRUCTURE

Recycled thermoplastic technopolymer with mineral filler and painted

SEAT

Recycled ABS and recycled soft polyurethane covered with Liberty® fabric made from natural fibers, subjected to a special water-repellent treatment (for non-fireproof versions)



Fire-resistant version
EN 1021-1:2006 - EN 1021-2:2006
BS5852: Part 2 - BS5852-Part 5 Crib UK
CAL 117

*All KartellXLiberty products are not available for sale in India.



Kartell × LIBERTY.

	level reached
EN 1022 2005	Compliant
EN 16139:2013+AC 2013	Compliant
EN 1728:2012+AC 2013	
4.1	Compliant
4.2	Compliant
6.4	L2
6.5	L2
6.6	L2
6.10	L1
6.11	L2
6.15	L2
6.16	L2
6.17	L2
6.18	L2
6.20	L2
6.24	L2
6.25	L2
6.26	L2




5918

1

9.0

0.360

62X60X97



Flowers - BE Lichen



Flowers - XD Dragonfly



Patricia - BI Ink



Patricia - RQ Lacque




Patricia - SR Ink-Ochre



Patricia - UM Multi



Moon Flower - UO Ink-Ochre



Moon Flower - BE Lichen




Moon Flower - XQ Lacquer




Mabelle - UH Ochre




Mabelle - VM Cream



Harvest Time - BP Lapis



Harvest Time - SI Ink-Ochre




Tumbling Wilde - UK Ink-Ochre



Tumbling Wilde - BL Lacquer

5919



MATERIAL

Recycled thermoplastic technopolymer with mineral filler, painted and printed using "Graphic impression" technology

Moon Flower

UO Blue Ink-Ochre, BE White Lichen, XQ Burgundy Lacquer

Mabelle

UH Blue Ochre, VM Green Cream, BP White Lapis, SI Mustard Ink-Ochre

Harvest Time

UK Blue Ink-Ochre, BL Burgundy Lacquer

Tumbling Wilde

UK Blue Ink-Ochre, BL Burgundy Lacquer

Product made of recycled material

To create this exclusive finish, Kartell has developed a special new "Graphic impression" technique that uses a high-tech printing process to produce graphic patterns directly on the chair body. This version comes in 4 floral and geometric patterns and in 9 colour variants. An original and ultramodern way to experience Liberty® prints.




Kartell × LIBERTY.

*All KartellXLiberty products are not available for sale in India.




	level reached
EN 1022 2005	Compliant
EN 16139:2013+AC 2013	Compliant
EN 1728:2012+AC 2013	
4.1	Compliant
4.2	Compliant
6.4	L2
6.5	L2
6.6	L2
6.10	L1
6.11	L2
6.15	L2
6.16	L2
6.17	L2
6.18	L2
6.20	L2
6.24	L2
6.25	L2
6.26	L2

5919





5918






STRUCTURE

Recycled thermoplastic technopolymer with mineral filler and painted


SEAT

Recycled ABS and recycled soft polyurethane coated with "Eco-Friendly Texture" fabric




"Eco-Friendly Texture" fabric is a technically innovative covering material obtained partly from recycled material and partly from renewable sources. Available in black and tobacco.

5918



5917





STRUCTURE

Recycled thermoplastic technopolymer with mineral filler and painted

SEAT

Recycled ABS and recycled soft polyurethane, coated with genuine leather tanned in natural processes using olive oil waste




AVOTAN® A new, ecological, sustainable and circular tanning process. Italy is one of the world's largest producers of leather goods and the world's second largest producer of olive oil. Olive oil production generates oil vegetation water as a waste product. This waste product, however, contains substances that are highly valuable for the tanning industry: phenols and polyphenolic compounds with an effective antimicrobial and phytotoxic action, antioxidants and tanning agents. In this way, two food industry waste products can be used to create a valuable, long-lasting, ecologically sustainable and circular product. Unlike other vegetable tanning solutions, this Avotan uses no natural resources, does not contribute to deforestation, and uses existing waste that would otherwise have to be disposed of.




discover AVOTAN™

5917




	level reached
EN 1022 2005	Compliant
EN 16139:2013+AC 2013	Compliant
EN 1728:2012+AC 2013	
4.1	Compliant
4.2	Compliant
6.4	L2
6.5	L2
6.6	L2
6.10	L1
6.11	L2
6.15	L2
6.16	L2
6.17	L2
6.18	L2
6.20	L2
6.24	L2
6.25	L2
6.26	L2



5886

MATERIAL
recycled thermoplastic technopolymer with mineral filler and soft-touch treatment





discover A.I. Chair

	level reached
EN 1022 2005	Compliant
EN 16139:2013+AC 2013	Compliant
EN 1728:2012+AC 2013	
4.1	Compliant
4.2	Compliant
6.4	L2
6.5	L2
6.6	L2
6.10	L2
6.11	L2
6.15	L2
6.16	L2
6.17	L2
6.18	L2
6.20	L2
6.24	L2
6.25	L2
6.26	L2




5886




5887

MATERIAL
Recycled thermoplastic technopolymer with mineral and metallic filler.





5887







17

A.I. STOOL 2021
Design Philippe Starck


A.I. STOOL LIGHT 2022
Design Philippe Starck



MATERIAL
recycled thermoplastic technopolymer with mineral filler and soft-touch treatment



MATERIAL
recycled thermoplastic technopolymer with mineral filler and soft-touch treatment



discover A.I. Family



Table with 2 columns: Standard, level reached. Rows include EN 16139.2013+AC2013, EN 1022:2018 7.2, EN 1728.2012, and various L2 levels.






Table with 4 columns: Standard, H. 45, H. 65/75, level reached. Rows include EN 16139.2013+AC2013, EN 1022:2018 7.2, EN 1728.2012, and various L2 levels.




5802




MATERIAL

Complex thermoplastic polymer with carbon fibre and soft touch treatment



Production video

5803



MATERIAL

post-industrial recycled thermoplastic technopolymer obtained from Illy coffee pods



A new major partnership with the Illy Group supplements the unwavering research conducted by Kartell to develop innovative materials and promote sustainable production. For the first time ever, post industrial waste coffee pods are being used to regenerate material, which is ground into a granule-like consistency to give rise to the second raw material, giving the material a new lease on life so it can be injected into a Kartell mould to produce a designer product. The partnership with Illy does not stop with the mere supply of recycled material, but it embraces a new way of managing the circular economy process between two excellences. The quality of a consumer industrial product leads to an industrial project which generates beauty and is in itself based on quality. It took almost two years of work to achieve the quality standard and the necessary mechanics to produce a chair from waste coffee pods. The symbol of this project is a chair, whose name brings to mind the subject of experimentation on recycled material. Re-Chair is the latest creation by Antonio Citterio for Kartell made from recycled material and now the special ambassador of project powered Illy caffè

MATERIAL

recycled thermoplastic technopolymer with mineral filler




discover Re-Chair powered by illy



	level reached
EN 1022:2005	Compliant
EN 16139:2013+AC 2013	Compliant
EN 1728:2012+AC 2013	
6.4	L2
6.5	L2
6.6	L2
6.10	L2
6.15	L2
6.16	L2
6.17	L2
6.18	L2
6.20	L2
6.24	L2
6.25	L2
6.26	L2

5802




1

5.30

0.335

61X67X82

5803



2

10.0


0.29

65X54X82







	level achieved
EN 1022:2005	Compliant
EN 16139:2013+AC 2013	Compliant
EN 1728:2012+AC 2013	
6.4	L2
6.5	L2
6.6	L2
6.15	L2
6.16	L2
6.17	L2
6.18	L2
6.24	L2
6.25	L2


21



MATERIAL
recycled thermoplastic technopolymer with mineral filler and soft-touch treatment



MATERIAL
Recycled thermoplastic technopolymer with mineral and metallic filler



	level reached
EN 16139.2013+AC2013	Compliant
EN 1022 2005	Compliant
EN 1728.2012	
6.4	(maximum level) L2
6.5	(maximum level) L2
6.6	(maximum level) L2
6.10	(maximum level) L2
6.11	(maximum level) L2
6.15	(maximum level) L2
6.16	(maximum level) L2
6.17	(maximum level) L2
6.18	(maximum level) L2
6.20	(maximum level) L2
6.24	(maximum level) L2
6.25	(maximum level) L2
6.26	(maximum level) L2



MASTERS STOOL 2013


Design Philippe Starck with Eugeni Quitllet

SMATRIK STOOL 2019

Design Tokujiin Yoshioka




5868



5869

5849
Metallic



MATERIAL

recycled thermoplastic technopolymer with mineral filler and soft-touch treatment


5868/5869




MATERIAL

Recycled thermoplastic technopolymer with mineral and metallic filler.

5849



Product made of recycled material




SEAT

Polycarbonate 2.0 from transparent or mass-dyed renewable raw material

FRAME


Painted or chrome-plated steel and stainless steel in the outdoor version

5881




5882

OUTDOOR




discover Smatrik

	level reached
EN 16139:2013+AC2013	Compliant
EN 1022 2005	Compliant
EN 1728:2012	
6.2.1	(maximum level) L2
6.4	(maximum level) L2
6.5	(maximum level) L2
6.6	(maximum level) L2
6.8	(maximum level) L2
6.10	(maximum level) L2
6.11	(maximum level) L2
6.15	(maximum level) L2
6.16	(maximum level) L2
6.17	(maximum level) L2
6.18	(maximum level) L2
6.20	(maximum level) L2
6.24	(maximum level) L2
6.25	(maximum level) L2
6.26	(maximum level) L2




5868	1	6.4	0.29	50X52X112
5869/5849	1	6.0	0.27	50X52X102.5



5881/5882	1	6.2	0.166	45X45X82
-----------	---	-----	-------	----------

	level reached
EN 16139:2013+AC 2013	Compliant
EN 1728:2012	
6.4	L2
6.5	L2
6.6	L2
6.8	L2
6.15	L2
6.16	L2
6.17	L2
6.18	L2



SEAT

Polycarbonate 2.0 from transparent or mass-dyed renewable raw material

FRAME

Painted or chrome-plated steel and stainless steel in the outdoor version

5834

TRANSPARENT



B4
Crystal
Chrome

MAT



O3
White
White



B3
White
Chrome



O9
Black
Black



B9
Black
Chrome



PR
Plum
Plum



BP
Plum
Chrome

5836

OUTDOOR

MAT



O3
White
White



O9
Black
Black



PR
Plum
Plum



New polycarbonate 2.0, a material that uses a renewable raw material from the pulp and paper industry in the synthesis phase. The process used for the production of the material is ISCC certified* (International Sustainability and Carbon Certification)



5834/5836

2



6.0

5.6




0.12

0.12



51X48X49

56X49X44



SEAT

Polycarbonate 2.0 from transparent or mass-dyed renewable raw material

FRAME

Chrome-plated steel

ROCKING CHAIR

Oak-coloured wood finish

5835

ROCKING CHAIR



B9
Black
Chrome



BP
Plum
Chrome



B3
White
Chrome



B4
Crystal
Chrome



New polycarbonate 2.0, a material that uses a renewable raw material from the pulp and paper industry in the synthesis phase. The process used for the production of the material is ISCC certified* (International Sustainability and Carbon Certification)



discover Smatrik



	level reached
EN 16139:2013+AC 2013	Compliant
EN 1728:2012+AC 2013	
6.4	L2
6.5	L2
6.6	L2
6.10	L2
6.15	L2
6.16	L2
6.17	L2
6.18	L2
6.20	L2
6.24	L2
6.25	L2
6.26	L2

	level reached
EN 16139:2013+AC 2013	Compliant
EN 1728:2012+AC 2013	
6.4	L2
6.5	L2
6.6	L2
6.10	L2
6.15	L2
6.16	L2
6.17	L2
6.18	L2
6.20	L2
6.24	L2
6.25	L2
6.26	L2



5835

2



6.0

8.0



0.12

0.165




51X48X49

70X48X49


5814

 Generic A




MATERIAL

 Mass-dyed modified polypropylene




5816

 Generic C



MATERIAL


 Mass-dyed modified polypropylene



	level reached
EN 1022 2005	Compliant
EN 16139:2013+AC 2013	Compliant
EN 1728:2012+AC 2013	
4.1	Compliant
4.2	Compliant
6.4	L2
6.5	L2
6.6	L2
6.10	L2
6.15	L2
6.16	L2
6.17	L2
6.18	L2
6.20	L2
6.24	L2
6.25	L2
6.26	L2


5814

 2 8.75 0.27 55X58X84



5816


 2 8.6 0.27 53X58X88




	level reached
EN 1022 2005	Compliant
EN 16139:2013+AC 2013	Compliant
EN 1728:2012+AC 2013	
4.1	Compliant
4.2	Compliant
6.4	L2
6.5	L2
6.6	L2
6.10	L2
6.15	L2
6.16	L2
6.17	L2
6.18	L2
6.20	L2
6.24	L2
6.25	L2
6.26	L2




G5818




MATERIAL
recycled thermoplastic technopolymer with mineral filler and soft-touch treatment



5806




MATERIAL
Mass-dyed or painted polycarbonate with soft touch treatment




	level achieved
EN 1022:2005	Compliant
EN 16139:2013+AC 2013	Compliant
EN 1728:2012+AC 2013	
6.4	L2
6.5	L2
6.6	L2
6.15	L2
6.16	L2
6.17	L2
6.18	L2
6.24	L2
6.25	L2



G5818	2	12.5	0.322	91X56X64
-------	---	------	-------	----------




5806	2	12.6	0.276	57X57X85
------	---	------	-------	----------



	level achieved
EN 1022:2005	Compliant
EN 16139:2013+AC 2013	Compliant
EN 1728:2012+AC 2013	
6.4	L2
6.5	L2
6.6	L2
6.10	L2
6.15	L2
6.16	L2
6.17	L2
6.18	L2
6.20	L2
6.24	L2
6.25	L2
6.26	L2


LOUIS GHOST 2002
Design Philippe Starck

VICTORIA GHOST 2005
Design Philippe Starck




MATERIAL
Polycarbonate 2.0 from transparent or mass-dyed renewable raw material

4852



4853 B4
4 items packaging

4854
2 items packaging




5853
4 items packaging

MATERIAL
Transparent polycarbonate




4852/4854	2	13.1	0.389	58X100X67
4853/5853	4	24.4	0.472	56X108X78




MATERIAL
Polycarbonate 2.0 from transparent or mass-dyed renewable raw material

4857




4856
4 items packaging



5856
4 items packaging

MATERIAL
Transparent polycarbonate



4857	2	9.2	0.214	40X97X55
4856/5856	4	17.2	0.284	40X106X67



	level achieved
EN 1022:2005	Compliant
EN 16139:2013+AC 2013	Compliant
4.1-4.2	Compliant
EN 1728:2012	
6.4	(maximum level) L2
6.5	(maximum level) L2
6.11	(maximum level) L2
6.18	(maximum level) L2
6.20	(maximum level) L2
6.24	(maximum level) L2
6.25	(maximum level) L2
6.26	(maximum level) L2


	level reached
EN 16139:2013+AC 2013	Compliant
EN 1022 2005	Compliant
4.1-4.2	Compliant
EN 1728:2012	
6.4	(maximum level) L2
6.5	(maximum level) L2
6.6	(maximum level) L2
6.15	(maximum level) L2
6.16	(maximum level) L2
6.17	(maximum level) L2
6.18	(maximum level) L2
6.24	(maximum level) L2
6.25	(maximum level) L2

LOU LOU GHOST CUSTOM/SPECIAL EDITION 2016

Design Philippe Starck

LOU LOU GHOST 2008


Design Philippe Starck



MATERIAL
Polycarbonate 2.0 from transparent or mass-dyed renewable raw material

N2855

Choose the color of your Lou Lou Ghost



Choose the font for your name





Choose the color for your name




For delivery times, please see the procedure

G2855



New polycarbonate 2.0, a material that uses a renewable raw material from the pulp and paper industry in the synthesis phase. The process used for the production of the material is ISCC certified* (International Sustainability and Carbon Certification)




MATERIAL
Batch-dyed polycarbonate

2852



MATERIAL
Polycarbonate 2.0 from transparent renewable raw material or batch-dyed polycarbonate for the black version

G2853
1 item packaging




2854

EE



EE Customised





New polycarbonate 2.0, a material that uses a renewable raw material from the pulp and paper industry in the synthesis phase. The process used for the production of the material is ISCC certified* (International Sustainability and Carbon Certification)

It can be customised at the specific request of the customer for a minimum order of 12 pieces.





N2855	1	2.7	0.102
G2855	1	2.7	0.102


2852	4	7.74	0.155
G2853/2854	1	2.7	0.102




MATERIAL
Transparent or batch-dyed polycarbonate




MATERIAL
Transparent or batch-dyed polycarbonate



EN 15373:2007	Level achieved
5.1	Compliant
5.2	Compliant
EN 1728:2000	
6.2.1	(maximum level) 3
6.2.2	(maximum level) 3
6.4	(maximum level) 3
6.7	(maximum level) 3
6.8	(maximum level) 3
6.12	(maximum level) 3
6.13	(maximum level) 3
6.15	(maximum level) 3
6.16	(maximum level) 3



EN 15373:2007	Level achieved
5.1	Compliant
5.2	Compliant
EN 1728:2000	
6.2.1	(maximum level) 3
6.2.2	(maximum level) 3
6.4	(maximum level) 3
6.7	(maximum level) 3
6.8	(maximum level) 3
6.12	(maximum level) 3
6.13	(maximum level) 3
6.15	(maximum level) 3
6.16	(maximum level) 3



CHARLES GHOST

2005

Design Philippe Starck


LA MARIE

1999


Design Philippe Starck




4897





4898



4899




MATERIAL
Transparent or batch-dyed polycarbonate





4897	2	4.4	0.077	36X58X36
4898	2	7.6	0.171	40X107X40
4899	2	8.2	0.218	43X118X43

4850



MATERIAL
Transparent polycarbonate





4850	2	9.3	0.228	59X41X94
------	---	-----	-------	----------





	level achieved
h. 65/75	
EN 1022:2005	Compliant
EN 15373:2007	
5.1	Compliant
5.2	Compliant
Attachment A para. A.5	(maximum level) 3
EN 1728:2000	
6.2.1	(maximum level) 3
6.2.2	(maximum level) 3
6.4	(maximum level) 3
6.7	(maximum level) 3
6.8	(maximum level) 3
6.12	(maximum level) 3
6.13	(maximum level) 3
6.15	(maximum level) 3
6.16	(maximum level) 3

	Level achieved
EN 15373:2007	
5.1	Compliant
5.2	Compliant
EN 1728:2000	
6.2.1	(maximum level) 3
6.2.2	(maximum level) 3
6.7	(maximum level) 3
6.8	(maximum level) 3
6.12	(maximum level) 3
6.13	(maximum level) 3
6.15	(maximum level) 3
6.16	(maximum level) 3



SEAT
Curved 3D wood
FRAME
Chrome-plated or painted steel



SEAT
Curved 3D wood
FRAME
Chrome-plated or painted steel
SPOKES
Chrome-plated or painted die-cast aluminium




Table with 2 columns: Standard, level achieved

EN 1022:2005	Compliant
EN 16139:2013+AC 2013	Compliant
EN 1728:2012+AC 2013	
6.4	L2
6.5	L2
6.6	L2
6.17	L2
6.18	L2
6.24	L2
6.25	L2


Table with 2 columns: Standard, level achieved

EN 1022:2005	Compliant
EN 16139:2013+AC 2013	Compliant
EN 1728:2012+AC 2013	
6.4	L2
6.5	L2
6.6	L2
6.17	L2
6.24	L2
6.25	L2





5928
Q/Wood Soft - h. seat 42.5 cm. - Basic Veneer



SHELL

Curved 3D wood


SEAT

Aquaclean® fabric-upholstered mass-dyed thermoplastic technopolymer

FRAME

Chrome-plated or painted steel

Basic Veneer




This ecological fabric has a structure designed to simplify cleaning and strength, reducing the risk of accidental tearing sometimes caused by our pets. It is also subject to Safe Front treatment, which prevents the proliferation of bacteria and dust mites.



5928 1 9.6 0.308 58X59X90

4913
h. seat 43.5 cm. - Basic Veneer
4914
h. seat 43.5 cm. - Slatted Ash




5913

h. seat 41.5 cm. - Basic Veneer

5914

h. seat 41.5 cm. - Slatted Ash



SHELL

Curved 3D wood

SEAT

Mass-dyed thermoplastic technopolymer


FRAME

Chrome-plated or painted steel

Basic Veneer



Slatted Ash




discover
Smart Wood Collection





	level achieved
EN 1022:2005	Compliant
EN 16139:2013+AC 2013	Compliant
EN 1728:2012+AC 2013	
6.4	L2
6.5	L2
6.6	L2
6.10	L2
6.11	L2
6.15	L2
6.16	L2
6.17	L2
6.18	L2
6.20	L2
6.24	L2
6.25	L2
6.26	L2

	level achieved
EN 1022:2005	Compliant
EN 16139:2013+AC 2013	Compliant
EN 1728:2012+AC 2013	
6.4	L2
6.5	L2
6.6	L2
6.10	L2
6.11	L2
6.15	L2
6.16	L2
6.17	L2
6.18	L2
6.20	L2
6.24	L2
6.25	L2
6.26	L2



4913/4914 1 9.6 0.308 58X59X90
5913/5914 1 9.6 0.308 58X59X90

NEW!







SHELL
Curved 3D wood

SEAT
Mass-colored or fabric-coated thermoplastic technopolymer with Aquaclean®



FRAME
Chrome-plated or painted steel

SPOKES
Chrome-plated or painted die-cast aluminium



SEAT
Curved 3D wood


FRAME
Chrome-plated or painted steel



	level achieved
EN 1022:2005	Compliant
EN 16139:2013+AC 2013	Compliant
EN 1728:2012+AC 2013	
6.4	L2
6.5	L2
6.6	L2
6.10	L2
6.11	L2
6.17	L2
6.20	L2
6.24	L2
6.25	L2
6.26	L2



6260



FRAME

Mass-colored thermoplastic technopolymer, post-industrially recycled from Illy pods and recyclable for the black version



B
White



N
Black



Made with the recovery of waste plastic materials from illycaffè iperespresso capsules

SEAT

Partly post-industrial recycled fabric-upholstered polyurethane

Melange



1
Black



2
Dove Grey



3
Sky blue



4
Mustard



5
Rust



Made from recycled fabric



EN 1022:2005	Compliant
EN 1022:2018 7.2	Compliant
EN 16139:2013	Compliant
EN 1728:2012+AC2013	level reached
4.1	Compliant
4.2	Compliant
6.4	(maximum level) L2
6.5	(maximum level) L2
6.6	(maximum level) L2
6.10	(maximum level) L2
6.11	(maximum level) L2
6.15	(maximum level) L2
6.16	(maximum level) L2
6.17	(maximum level) L2
6.18	(maximum level) L2
6.20	(maximum level) L2
6.24	(maximum level) L2
6.25	(maximum level) L2
6.26	(maximum level) L2



6260




1
1



7.50
5.10




0.183
0.137



60X61X50
50X55X55

6265



FRAME

Mass-colored thermoplastic technopolymer, post-industrially recycled from Illy pods and recyclable for the black version



B
White



N
Black



Made with the recovery of waste plastic materials from illycaffè iperespresso capsules

SEAT

Partly post-industrial recycled fabric-upholstered polyurethane

Melange



1
Black



2
Dove Grey



3
Sky blue



4
Mustard



5
Rust



Made from recycled fabric



EN 1022:2005	Compliant
EN 1022:2018 7.2	Compliant
EN 16139:2013	Compliant
EN 1728:2012+AC2013	level reached
4.1	Compliant
4.2	Compliant
6.4	(maximum level) L2
6.5	(maximum level) L2
6.6	(maximum level) L2
6.10	(maximum level) L2
6.11	(maximum level) L2
6.15	(maximum level) L2
6.16	(maximum level) L2
6.17	(maximum level) L2
6.18	(maximum level) L2
6.20	(maximum level) L2
6.24	(maximum level) L2
6.25	(maximum level) L2
6.26	(maximum level) L2

6265




1
1



7.00
5.10




0.183
0.137



60X61X50
50X55X55





6275



FRAME
post-industrial recycled thermoplastic technopolymer obtained from illy coffee pods


SEAT
Missoni fabric-upholstered polyurethane




A new major partnership with the Illy Group supplements the unwavering research conducted by Kartell to develop innovative materials and promote sustainable production. For the first time ever, post industrial waste coffee pods are being used to regenerate material, which is ground into a granule-like consistency to give rise to the second raw material, giving the material a new lease on life so it can be injected into a Kartell mould to produce a designer product.

Fire tested version
ZIGZAG FABRIC only on request

Table with 2 columns: Standard and Compliance status. Rows include EN 1022:2005, EN 1022:2018 7.2, EN 16139:2013, EN 1728:2012+AC2013, and various L2 levels (6.4 to 6.26).





6276



FRAME
post-industrial recycled thermoplastic technopolymer obtained from illy coffee pods

SEAT
Missoni fabric-upholstered polyurethane



Fire tested version
ZIGZAG FABRIC only on request

Table with 2 columns: Standard and Compliance status. Rows include EN 1022:2005, EN 1022:2018 7.2, EN 16139:2013, EN 1728:2012+AC2013, and various L2 levels (6.4 to 6.26).





Table with 2 columns: Standard and Compliance status. Rows include EN 1022:2005, EN 1022:2018 7.2, EN 16139:2013, EN 1728:2012+AC2013, and various L2 levels (6.4 to 6.26).




STRUCTURE
Recycled and recyclable batch-dyed thermoplastic technopolymer




SEAT
Polyurethane with fabric upholstery

4215
Orsetto fabric
A4215




In order to better satisfy the needs of common areas, Charla is also available in a personalised version with fabrics provided by the client, for orders of at least 4 items.
Dimensions of customised fabric to cover a single piece: 140x125 cm.

Fire-resistant version
UK Standard BS 5852 S5, S.I. 1324



4215/A4215 1 7.10 0.138 56X62X40
1 3.97 0.120 51X51X46



STRUCTURE
Recycled and recyclable batch-dyed thermoplastic technopolymer




SEAT
Polyurethane with fabric upholstery

4218
Antibes fabric
A4218



In order to better satisfy the needs of common areas, Charla is also available in a personalised version with fabrics provided by the client, for orders of at least 4 items.
Dimensions of customised fabric to cover a single piece: 140x125 cm.

Fire tested version
IT UNI 9175, EN1021 fire reaction test class 1 IM ministerial certification
MI1848D20D1IM00034
UK Standard BS 5852 S5, S.I. 1324




4218/A4218 1 7.10 0.138 56X62X40
1 3.97 0.120 51X51X46



EN 1022:2005	Compliant
EN 1022:2018 7.2	Compliant
EN 16139:2013	Conforme
EN 1728:2012+AC2013	level attained
4.1	Compliant
4.2	Compliant
6.4	(maximum level) L2
6.5	(maximum level) L2
6.6	(maximum level) L2
6.10	(maximum level) L2
6.11	(maximum level) L2
6.15	(maximum level) L2
6.16	(maximum level) L2
6.17	(maximum level) L2
6.18	(maximum level) L2
6.20	(maximum level) L2
6.24	(maximum level) L2
6.25	(maximum level) L2
6.26	(maximum level) L2

EN 1022:2005	Compliant
EN 1022:2018 7.2	Compliant
EN 16139:2013	Conforme
EN 1728:2012+AC2013	level attained
4.1	Compliant
4.2	Compliant
6.4	(maximum level) L2
6.5	(maximum level) L2
6.6	(maximum level) L2
6.10	(maximum level) L2
6.11	(maximum level) L2
6.15	(maximum level) L2
6.16	(maximum level) L2
6.17	(maximum level) L2
6.18	(maximum level) L2
6.20	(maximum level) L2
6.24	(maximum level) L2
6.25	(maximum level) L2
6.26	(maximum level) L2



STRUCTURE
Batch-dyed thermoplastic technopolymer, recycled and recyclable for the black, burgundy and powder version




SEAT
Shirley fabric

4182




STRUCTURE
Batch-dyed thermoplastic technopolymer, recycled and recyclable for the black, burgundy and powder version



SEAT
Aquaclean® fabric

4187



This ecological fabric has a structure designed to simplify cleaning and strength, reducing the risk of accidental tearing sometimes caused by our pets. It is also subject to Safe Front treatment, which prevents the proliferation of bacteria and dust mites.

SEAT
Rubelli Quatrefoil® design by Luke Edward Hall fabric


4188



4180




STRUCTURE
Batch-dyed thermoplastic technopolymer, recycled and recyclable for the black version




SEAT
Embossed fabric

4182



SEAT
Pied de poule fabric


4182




Fire tested version
IT UNI 9175, EN1021 fire reaction test class 1 IM ministerial certification
MI1848D20D1IM00018
US - California Standard TB 117 - UK Standard BS 7176 Medium Hazard - S.I. 1324

In order to better satisfy the needs of common areas, Clap is also available in a personalised version with fabrics provided by the client, for orders of at least 4 items. Dimensions of customised fabric to cover a single piece: 140x125 cm.

EN 1022:2005	Compliant
EN 16139:2013	Compliant
EN 1728:2012	level attained
6.4	(maximum level) L2
6.5	(maximum level) L2
6.6	(maximum level) L2
6.10	(maximum level) L2
6.11	(maximum level) L2
6.15	(maximum level) L2
6.16	(maximum level) L2
6.17	(maximum level) L2
6.18	(maximum level) L2
6.20	(maximum level) L2
6.24	(maximum level) L2
6.25	(maximum level) L2
6.26	(maximum level) L2




4180/4182	1	6.15	0.161	54X49X61
	1	3.97	0.120	51X51X46




4187/4188	1	6.15	0.161	54X49X61
	1	3.97	0.120	51X51X46

5848




FRAME

Transparent or mass-dyed polycarbonate



SEAT


Rubelli® Déjeuner sur l'Herbe Fabric-covered polyurethane foam




In order to better satisfy the needs of common areas, Madame is also available in a personalised version with fabrics provided by the client, for orders of at least 4 items. Dimensions of customised fabric to cover a single piece: 140x115 cm.

Table with 2 columns: Standard, Compliance status. Rows include EN 1022:2005, EN 16139:2013, EN 1728:2012, and various fire safety levels (6.4 to 6.26).

5848



5838




FRAME

Transparent or mass-dyed polycarbonate

SEAT

Fabric-covered polyurethane



Fire tested version
IT UNI 9175, EN1021 fire reaction test class 1 IM ministerial certification
MI1848D20D1IM00020
UK Standard BS 7176 Medium Hazard - S.I. 1324
US - California Standard TB 117

5838





Table with 2 columns: Standard, Compliance status. Rows include EN 1022:2005, EN 16139:2013 + AC2013, EN 1728:2012 + AC 2013, and various fire safety levels (6.4 to 6.26).



5851

STRUCTURE
Transparent or mass-dyed polycarbonate

SEAT
Polyurethane covered with Liberty® fabric made from natural fibers

Fanfare

BS

Transparent Mustard

BR

Transparent Red

BU

Transparent Blue

SS

Mustard Mustard

XR

Burgundy Red

UU

Blue Blue

4902

STRUCTURE
Transparent or mass-dyed polycarbonate

SEAT
Polyurethane covered with Liberty® fabric made from natural fibers

House Floreals

BS

Transparent Scallop spot

BA

Transparent Ayelsbury

BT

Transparent Tapestry Trellis

BP

Transparent Poppy Meadowfield

SS

Mustard Scallop spot

UA

Blue Ayelsbury

AT

Rust orange Tapestry Trellis

AP

Rust orange Poppy Meadowfield



EN 1022:2005	Compliant
EN 16139:2013	Compliant
EN 1728:2012	level reached
6.4	(maximum level) L2
6.5	(maximum level) L2
6.6	(maximum level) L2
6.10	(maximum level) L2
6.11	(maximum level) L2
6.15	(maximum level) L2
6.16	(maximum level) L2
6.17	(maximum level) L2
6.18	(maximum level) L2
6.20	(maximum level) L2
6.24	(maximum level) L2
6.25	(maximum level) L2
6.26	(maximum level) L2
6.24	(maximum level) L2
6.25	(maximum level) L2
6.26	(maximum level) L2

*All KartellXLiberty products are not available for sale in India.

5851

1

6.83

0.145

58X43X58

1

5.18

0.114

53X44X49

*All KartellXLiberty products are not available for sale in India.

4902

1

5.3

0.10

55X36X54


1

5.2

0.12

52X53X47

	level achieved
EN 1728:2000	
6.7	(maximum level) 5
6.12	(maximum level) 5
6.13	(maximum level) 5
6.15	(maximum level) 5
6.16	(maximum level) 5



FRAME
Transparent or batch-dyed polycarbonate

SEAT
Polyurethane foam with fabric upholstery


4900
Transparent frame
4901
Black frame
Rubelli Quatrefoil® design by Luke Edward Hall fabric



4892
Black frame
4893
Transparent frame




MISSION
FABRIC



MATERIAL
Transparent or batch-dyed polycarbonate

SEAT
Fabric covered polyurethane

4192
Black frame
4193
Transparent frame



4392
Black frame
4393
Transparent frame



In order to better satisfy the needs of common areas, Mademoiselle is also available in a personalised version with fabrics provided by the client, for orders of at least 4 items.
Dimensions of customised fabric to cover a single piece: 140x110 cm.

EN 1728:2000	level achieved
6.7	(maximum level) 5
6.12	(maximum level) 5
6.13	(maximum level) 5
6.15	(maximum level) 5
6.16	(maximum level) 5


4900/4901	1	5.3	0.10	55X36X54
	1	5.2	0.12	52X53X47
4892/4893	1	5.3	0.10	55X36X54
	1	5.2	0.12	52X53X47

4192/4193	1	5.3	0.10	55X36X54
	1	5.2	0.12	52X53X47
4392/4393	1	5.3	0.10	55X36X54
	1	5.2	0.12	52X53X47


EN 1728:2000	level achieved
6.7	(maximum level) 5
6.12	(maximum level) 5
6.13	(maximum level) 5
6.15	(maximum level) 5
6.16	(maximum level) 5



5875



5876







FRAME

Painted aluminium


SEAT AND BACK

Batch-dyed modified polypropylene or painted




5875	2	13.2	0.279	57X86X57
5876	2	14.8	0.304	57X86X62

5975




5976



FRAME


Painted aluminium



5879

Stacking support

Audrey Soft is the fabric version of this chair. If required, a support accessory is also available, enabling the chairs to be stacked without damaging the upholstery.




5975	2	14.6	0.286	57X88X57
5976	2	16.6	0.311	57X88X62

SEAT AND BACK

Polyurethane

UPHOLSTERY

Noma fabric made of 100% recycled polyester



Made from recycled fabric




Fire tested version



NOMA FABRIC IT UNI 9175, EN1021 fire reaction test, class 1 IM Ministerial approval pending

	level achieved without arms
EN 16139:2013	Compliant
EN 1022:2005	Compliant
EN 1728:2012	
6.4	(maximum level) L2
6.5	(maximum level) L2
6.6	(maximum level) L2
6.15	(maximum level) L2
6.16	(maximum level) L2
6.17	(maximum level) L2
6.18	(maximum level) L2
6.24	(maximum level) L2
6.25	(maximum level) L2


	Level achieved with arms	Level achieved without arms
EN 1022:2005	Compliant	Compliant
EN 15373:2007		
5.1	Compliant	Compliant
5.2	Compliant	Compliant
Attachment A para. A.2	3	3
EN 1728:2000		
6.2.1	3	3
6.2.2	3	3
6.5	3	-
6.6	3	-
6.7	3	3
6.8	3	3
6.10	3	-
6.12	3	3
6.13	3	3
6.15	3	3
6.16	3	3
6.17	3	-
maximum level=3		





MATERIAL
Thermoplastic technopolymer, mass-coloured or painted



MATERIAL
Transparent or batch-coloured polycarbonate




	level reached
EN 16139:2013	Compliant
EN 1022 2005	Compliant
EN 1728:2012	
6.4	(maximum level) L2
6.5	(maximum level) L2
6.6	(maximum level) L2
6.15	(maximum level) L2
6.16	(maximum level) L2
6.17	(maximum level) L2
6.18	(maximum level) L2
6.24	(maximum level) L2
6.25	(maximum level) L2



	level achieved
EN 1022:2005	Compliant
EN 15373:2007	
5.1	Compliant
5.2	Compliant
Attachment A para. A.2	(maximum level) 3
EN 1728:2000	
6.2.1	(maximum level) 3
6.2.2	(maximum level) 3
6.7	(maximum level) 3
6.8	(maximum level) 3
6.12	(maximum level) 3
6.13	(maximum level) 3
6.15	(maximum level) 3
6.16	(maximum level) 3



5830



NEW

MATERIAL

Polycarbonate 2.0 from transparent or mass-dyed renewable raw material

TRANSPARENTS



B4
Crystal



Z3
Olive
green



Z5
Smoke
brown



Z4
Powder blue




Z2
Amber



New polycarbonate 2.0, a material that uses a renewable raw material from the pulp and paper industry in the synthesis phase. The process used for the production of the material is ISCC certified* (International Sustainability and Carbon Certification)

4835



FRAME

Die-cast aluminium

SEAT

Transparent polycarbonate

TRANSPARENTS



B4
Crystal



EN 15373:2007	Level achieved
Attachment A para. A.2	(maximum level) 3
EN 1728:2000	
6.2.1	(maximum level) 3
6.2.2	(maximum level) 3
6.5	(maximum level) 3
6.6	(maximum level) 3
6.7	(maximum level) 3
6.8	(maximum level) 3
6.10	(maximum level) 3
6.12	(maximum level) 3
6.13	(maximum level) 3
6.15	(maximum level) 3
6.16	(maximum level) 3
6.17	(maximum level) 3

5830

2

15.2

0.339

63X61X88



4835

1

12.2

0.357

66X83X65






EN 1728:2000	level achieved
6.2.1	(maximum level) 5
6.7	(maximum level) 5
6.8	(maximum level) 5
6.15	(maximum level) 5
6.16	(maximum level) 5




65



2870
Chrome-plated structure
N2870
Black structure
2891
Self-extinguishing chair chrome-plated structure




2875
Trolley for chairs
2873
Linking device




2870/N2870	2	12.0	0.302	59X58X90
2891	4	22.6	0.381	59X100X58
2872	2	14.3	0.302	58X58X90
2874	2	17.0	0.303	59X90X58
2869	2	17.0	0.303	59X90X58

2878
Swivel chair adjustable in height



2879
Swivel armchair adjustable in height




FRAME
Chrome-plated or painted steel


SHELL/ARMS
Mass-dyed recycled polypropylene; mass-dyed polypropylene in the non-fire-retardant version

TABLET
Laminated stratified H.P.L.

2870/N2870/2872/2874/2869/2878/2879



2891



2878	1	9.8	0.220	58X90X58
2879	1	11.0	0.256	57X84X52



EN 1022:2005	Compliant
EN 15373:2007	Level achieved
5.1	Compliant
5.2	Compliant
Attachment A para. A.2	(maximum level) 3
EN 1728:2000	Level achieved
6.2.1	(maximum level) 3
6.2.2	(maximum level) 3
6.7	(maximum level) 3
6.8	(maximum level) 3
6.12	(maximum level) 3
6.13	(maximum level) 3
6.15	(maximum level) 3
6.16	(maximum level) 3

EN 1022:2005	Compliant
EN 15373:2007	Level achieved
5.1	Compliant
5.2	Compliant
Attachment A para. A.2	(maximum level) 3
EN 1728:2000	Level achieved
6.2.1	(maximum level) 3
6.2.2	(maximum level) 3
6.7	(maximum level) 3
6.8	(maximum level) 3
6.12	(maximum level) 3
6.13	(maximum level) 3
6.15	(maximum level) 3
6.16	(maximum level) 3



MAUI SOFT NOMA 2013


Tribute to Vico Magistretti

MAUI SOFT TREVIRA 2013


Tribute to Vico Magistretti



2895 
Chrome-plated structure
N2895 
Black structure
T2895
Customer fabric chrome-plated structure
X2895
Customer fabric black structure




2897
Armchair on casters with gas lift pump



FRAME
Chrome-plated or painted steel

SHELL
Fabric-covered nylon

COVER
New Noma fabric made of 100% recycled polyester




T2895/X2895
 In order to better satisfy the needs of common areas, Maui Soft is also available in a personalised version with fabrics provided by the client, for orders of at least 4 items. Dimensions of customised fabric to cover a single piece: 140x125 cm.

 **Fire-resistant version**
NOMA FABRIC IT UNI 9175, EN1021 fire reaction test, class 1 IM Ministerial approval MI1848D20D11M00028 UK Standard BS7176




2895/N/T/X	2	13.8	0.327	59X59X94
2897	1	11.6	0.255	57X52X86

2895 
Chrome-plated structure
N2895 
Black structure



2897
Armchair on casters with gas lift pump




FRAME
Chrome-plated or painted steel

SHELL
Fabric-covered nylon

COVER
Trevira fabric



 **Fire-resistant version**
TREVIRA FABRIC
IT UNI 9175, EN1021 fire reaction test, class 1 IM ministerial certification MI1848D20D11M00015 UK Standard BS5852 S5, BS 7176 Medium Hazard - S.I. 1324 US California Standard TB 117



2895/N	2	13.8	0.327	59X59X94
2897	1	11.6	0.255	57X52X86



EN 1022:2005	Compliant
EN 15373:2007	Level achieved
Attachment A para. A.2	(maximum level) 3
EN 1728:2000	Level achieved
6.2.1	(maximum level) 3
6.2.2	(maximum level) 3
6.7	(maximum level) 3
6.8	(maximum level) 3
6.12	(maximum level) 3
6.13	(maximum level) 3
6.15	(maximum level) 3
6.16	(maximum level) 3

EN 1022:2005	Compliant
EN 15373:2007	Level achieved
Attachment A para. A.2	(maximum level) 3
EN 1728:2000	Level achieved
6.2.1	(maximum level) 3
6.2.2	(maximum level) 3
6.7	(maximum level) 3
6.8	(maximum level) 3
6.12	(maximum level) 3
6.13	(maximum level) 3
6.15	(maximum level) 3
6.16	(maximum level) 3

SPOON/SPOON CHAIR
 2007


Design Antonio Citterio with Toan Nguyen

BE BOP
 2019


Design Ludovica Serafini + Roberto Palomba




4828




MATERIAL
 Batch-dyed and painted polypropylene




4819



MATERIAL
 Batch-dyed polypropylene





5826



MATERIAL
 Mass-dyed modified polypropylene and soft touch treatment




	4819	level achieved	4828
EN 15373:2007			
5.1	Compliant		
5.2	Compliant		
EN 1728:2000			
6.2.1	(maximum level) 3	(maximum level) 5	
6.2.2	(maximum level) 3	-	
6.4	(maximum level) 5	-	
6.6	(maximum level) 3	-	
6.7	2 (maximum level) 5	-	
6.8	(maximum level) 3	-	
6.10	(maximum level) 3	-	
6.15	(maximum level) 3	-	
6.16	(maximum level) 3	-	
6.17	(maximum level) 3	-	



EN 1022:2005	Compliant
EN 16139:2013	Compliant
EN 1728:2012	Level achieved
6.4	(maximum level) L2
6.5	(maximum level) L2
6.6	(maximum level) L2
6.15	(maximum level) L2
6.16	(maximum level) L1
6.17	(maximum level) L2
6.18	(maximum level) L2
6.24	(maximum level) L2
6.25	(maximum level) L2

4848




LEGS


Sturdy aluminium

SEAT

Smooth batch-dyed polypropylene



4536



LEG


Painted polypropylene

BASE

Painted die-cast aluminium


TOP

Coated with scratch resistant SMC




level achieved	
EN 1728:2000	
6.2.1	(maximum level) 5
6.2.2	(maximum level) 5
6.5	(maximum level) 5
6.6	(maximum level) 5
6.7	(maximum level) 5
6.10	(maximum level) 5
6.12	(maximum level) 5
6.13	(maximum level) 5
6.15	(maximum level) 5
6.16	(maximum level) 5
6.17	(maximum level) 5

4848



4536




SOFAS AND ARMCHAIRS






6210
Sofa with 3 main cushions




STRUCTURE
Painted galvanized steel

SEAT
Polyurethane covered with Trama fabric made of waterproof-resistant fiber

BACKREST
Polyester fiberfill covered with Trama fabric made of waterproof-resistant fiber




62150
Protective cover





6210 1 42.0 1.162 90X170X76

7185
Throw pillow



MATERIAL
Polyester padding coated in fabric with Trama waterproof-resistant fiber




7185 1 1.85 0.039 51X51X15




EN 1022:2005	Compliant
EN 1728:2012+AC2013	level reached
6.4	L1
6.5	L1
6.6	L1
6.10	L1
6.11	L1
6.15	L1
6.16	L1
6.17	L1
6.20	L1
6.25	L1
6.26	L1
6.27	L1




6193
sofa



MATERIAL
Painted galvanised steel



6197
cushion




MATERIAL
Heat-formed polyurethane upholstered in a fabric containing laser-cut, water-repellent recycled material with the lower side coated in a non-slip rubberised effect.




6193	1	25.0	0.534	123X62X70
6197	1	1.8	0.012	96X44X3


6192
armchair




MATERIAL
Painted galvanised steel



6196
cushion



MATERIAL
Heat-formed polyurethane upholstered in a fabric containing laser-cut, water-repellent recycled material with the lower side coated in a non-slip rubberised effect.



6192	1	13.0	0.371	73X76X67
6196	1	0.7	0.006	47X43X3




EN 1022:2005	Compliant
EN 1728:2012+AC2013	level reached
6.4	L1
6.5	L1
6.6	L1
6.10	L1
6.11	L1
6.15	L1
6.16	L1
6.17	L1
6.20	L1
6.25	L1
6.26	L1
6.27	L1


EN 1022:2005	Compliant
EN 1728:2012+AC2013	level reached
6.4	L1
6.5	L1
6.6	L1
6.10	L1
6.11	L1
6.15	L1
6.16	L1
6.17	L1
6.20	L1
6.25	L1
6.26	L1
6.27	L1




6194
coffee table




MATERIAL
Painted galvanised steel




6199
table



6198
table



MATERIAL
Painted galvanised steel




EN 15372:2016	level reached
5.1	Compliant
5.2	Compliant
EN 1730:2012	level reached
6.2	L3
6.3	L3
6.4.2	L3
6.6	L3
7.2	Compliant

6194	1	22.0	0.2314	42X92X60
-------------	---	------	--------	----------


6199	1	20.5	0.366	77X69X69
6198	1	17.5	0.366	77X69X69

EN 15372:2016	level reached
5.1	Compliant
5.2	Compliant
EN 1730:2012	level reached
6.2	L3
6.3	L3
6.4.2	L3
6.6	L3
7.2	Compliant


6190
chair




MATERIAL
Painted galvanised steel



6195
cushion




MATERIAL
Heat-formed polyurethane upholstered in a fabric containing laser-cut, water-repellent recycled material with the lower side coated in a non-slip rubberised effect.




6190	1	10.0	0.166	58X56X82
6195	1	0.5	0.003	35X36X3


6191
armchair




MATERIAL
Painted galvanised steel



6195
cushion



MATERIAL
Heat-formed polyurethane upholstered in a fabric containing laser-cut, water-repellent recycled material with the lower side coated in a non-slip rubberised effect.



6191	1	11.0	0.277	58X57X84
6195	1	0.5	0.003	35X36X3




EN 1022:2005	Level reached
EN 1728:2012+AC2013	Compliant
6.4	L1
6.5	L1
6.6	L1
6.15	L1
6.16	L1
6.17	L1
6.20	L1
6.25	L1
6.27	L1


EN 1022:2005	Level reached
EN 1728:2012+AC2013	Compliant
6.4	L1
6.5	L1
6.6	L1
6.10	L1
6.11	L1
6.15	L1
6.16	L1
6.17	L1
6.20	L1
6.25	L1
6.26	L1
6.27	L1




6220




MATERIAL
Painted galvanised steel




6200




MATERIAL
Painted galvanised steel




6195
cushion



MATERIAL
Heat-formed polyurethane upholstered in a fabric containing laser-cut, water-repellent recycled material with the lower side coated in a non-slip rubberised effect.



6220 1 18.2 0.452 114X63X63



6200 1 12.5 0.336 100X56X60
6195 1 0.5 0.003 35X36X3

UNCLE JACK, UNCLE JIM 2014
Design Philippe Starck




Compasso D'Oro 2001

BUBBLE CLUB 2000
Design Philippe Starck





6410




MATERIAL

Transparent or mass-dyed polycarbonate and soft touch effect treatment

TRANSPARENT




6400



MATERIAL


Transparent polycarbonate

TRANSPARENT



6410

6400



1

14.6

0.675

79X111X77


1

35.4


1.806

200X105X86


6050



6070






6080



MATERIAL

Smooth batch-dyed polyethylene


MAT



6050

6070

6080



1

41.2

1.181

192X75X82

1

25.0

0.657

104X77X82

1

6.5



0.124

53X44X53





	Level attained	
	armchair	sofa
EN 1022:2005	Compliant	Compliant
EN 16139:2013	Compliant	Compliant
EN 1728:2012		
6.4	L2	L2
6.5	L2	L2
6.10	L2	L2
6.11	L2	L2
6.15	L2	L2
6.16	L2	L2
6.17	L2	L2
6.18	L2	L2
6.20	L2	L2
6.24	L2	L2
6.25	L2	L2
6.26	L2	L2
maximum level = L2		

	level achieved	
	armchair	sofa
EN 15373:2007		
5.1	Compliant	Compliant
5.2	Compliant	Compliant
Attachment A para. A.2	3	3
EN 1728:2000		
6.2.1	3	3
6.2.2	3	3
6.5	3	3
6.6	3	3
6.7	3	-
6.15	3	-
maximum level=3		



SEAT
Curved 3D wood

FRAME
Chrome-plated or painted steel





SHELL
Curved 3D wood

SEAT
Curved 3D wood with leather seat upholstery



FRAME
Chrome-plated or painted steel

Slatted Ash




SEAT
Curved 3D wood

FRAME
Painted steel




discover
Smart Wood Collection

	level achieved	
	armchair	ottoman
EN 1022:2005	Comp.	Comp.
EN 16139:2013+AC2013	Comp.	Comp.
EN 1728:2012+AC2013		
6.4	L2	L2
6.5	L2	L2
6.10	L2	-
6.11	L2	-
6.15	L2	L2
6.16	-	L2
6.17	L2	L2
6.18	L2	L2
6.20	L2	-
6.24	L2	L2
6.25	L2	L2
6.26	L2	-



4915/4916	1	12.8	0.57	70X70X115
4918/4919	1	6.5	0.135	53X53X61
4917	1	13.7	0.57	70X70X115
4920	1	7.8	0.135	53X53X61




4921	1	14.7	0.57	70X70X115
-------------	---	------	------	-----------

NEW!



5904




FRAME

recycled thermoplastic technopolymer with mineral filler and soft-touch treatment


SEAT

Non-deformable recycled foam polyurethane with differentiated density and polyester fiber, covered in removable fabric




A5904 Fire-resistant version
BOUCLÉ RICCIO FABRIC - BS5852-2:1979 UK DOMESTIC

5904



5904



FRAME


recycled thermoplastic technopolymer with mineral filler and soft-touch treatment

SEAT

Indeformable expanded recycled polyurethane with differentiated density, covered with water-repellent (welded) fabric, coated in water-repellent or draining fabric, removable



5904




	level reached
EN 1022:2005	Compliant
EN 16139:2013+AC 2013	Compliant
EN 1728:2012+AC 2013	
6.4	L2
6.5	L2
6.6	L2
6.10	L2
6.11	L2
6.12	L2
6.15	L2
6.16	L2
6.17	L2
6.18	L2
6.20	L2
6.24	L2
6.25	L2
6.26	L2



	level reached
EN 1022:2005	Compliant
EN 16139:2013+AC 2013	Compliant
EN 1728:2012+AC 2013	
6.4	L2
6.5	L2
6.6	L2
6.10	L2
6.11	L2
6.12	L2
6.15	L2
6.16	L2
6.17	L2
6.18	L2
6.20	L2
6.24	L2
6.25	L2
6.26	L2





FRAME
Batch-dyed and painted polycarbonate with soft touch treatment

SEAT
Draining polyurethane coated with Liberty® fabric and non-slip bottom

5847

Tamba

STRUCTURE

SEAT

TS

White Sage

TR

White Rust

TB

White Beige

TY

White Yellow

Obi Check

STRUCTURE

SEAT

OS

White Sage

OR

White Rust

OB

White Blue

OY

White Yellow

Artemis

STRUCTURE

SEAT

AS

White Sage

AR

White Rust

AB

White Blue

AY

White Yellow

STRUCTURE

SEAT

REMOVABLE COVER

Removable cover

Kartell

×

LIBERTY.

*All KartellXLiberty products are not available for sale in India.

5847	1	11.5	0.383	72X73X73
	1	4.2	0.105	65X65X25

FRAME
Batch-dyed and painted polycarbonate with soft touch treatment

SEAT
Padded with fabric-upholstered polyurethane foam

5847

New Dyed Fiber

STRUCTURE

SEAT

1J

White White

1K

White Grey

1Z

White Sage

1X

White Burgundy

1W

White Green Stripes

1Y

White Brick stripes

STRUCTURE

SEAT

4J

Black White

4K

Black Grey

4X

Black Burgundy

STRUCTURE

SEAT

1I

White Beige

1L

White Blue

4N

Black Dove Grey Black

STRUCTURE

SEAT

REMOVABLE COVER

Removable cover

STRUCTURE

SEAT

LIGHT FAST

Light-fast colour 7/8

STRUCTURE

SEAT

WATER REPELLENT

Water-repellent

STRUCTURE

SEAT

OIL REPELLENT

Oil-repellent

STRUCTURE

SEAT

MOULD RESISTANT

Mould-resistant

STRUCTURE

SEAT


STAIN RESISTANT

Stain-resistant

5847	1	11.5	0.383	72X73X73
	1	4.2	0.105	65X65X25



92

93



FRAME
Batch-dyed polycarbonate
SEAT
Fabric-covered polyurethane

5842



Fire tested version
UK Standard BS5852 S5, S.I. 1324
US - California Standard TB 117

*Any combination of collection fabrics can be used on request.

In order to better satisfy the needs of common areas, Cara is also available in a personalised version with fabrics provided by the client, for orders of at least 4 items.
Dimensions of customised fabric to cover a single piece: 140x110 cm.





Table with 5 columns: Model, Quantity, Weight (kg), Volume (m³), and Dimensions (cm).



FRAME
Batch-dyed polycarbonate
SEAT
Fabric-covered polyurethane

5844

Dyed fiber



*Any combination of collection fabrics can be used on request.

In order to better satisfy the needs of common areas, Cara is also available in a personalised version with fabrics provided by the client, for orders of at least 4 items.
Dimensions of customised fabric to cover a single piece: 140x110 cm.





Table with 5 columns: Model, Quantity, Weight (kg), Volume (m³), and Dimensions (cm).



Table with 2 columns: Standard and level reached.

Table with 2 columns: Standard and level reached.




FRAME
Batch-dyed and painted polycarbonate with soft touch treatment.

SEAT
Padded with fabric-upholstered polyurethane foam

5845

A5845
Solid




5846

Fancy




Fire tested version
UK Standard BS5852 S5, S.I. 1324
US - California Standard TB 117


5867




MATERIAL
Transparent or batch-dyed PMMA



	level reached
EN 1022:2005	Compliant
EN 16139:2013+AC 2013	Compliant
EN 1728:2012+AC 2013	
6.4	L2
6.5	L2
6.6	L2
6.10	L2
6.11	L2
6.12	L2
6.15	L2
6.16	L2
6.17	L2
6.18	L2
6.20	L2
6.24	L2
6.25	L2
6.26	L2




5867



	level achieved
EN 1022:2005	Compliant
EN 1728:2000	
6.2.1	1
6.2.2	1
6.5	1
6.6	1
6.7	1
6.8	1
6.10	1
6.12	1
6.13	1
6.15	1
6.16	1


7275

17275 




7276

17276 



7277

17277 



FRAME


Painted steel

SEAT AND BACK

Fabric-upholstered polyurethane

 Fire tested version
PANAMINO - BS5852-S2 Domestic UK - 11M CLASS
BOUCLÉ NEW - BS5852-S2 Domestic UK - CALIFORNIA TB 117:2013

7180




MATERIAL
Goose down and flock cushions

Cotone Plain



Panamino



Bouclé New




Cotone Structure



 Removable cover




EN 1022:2005	Compliant
EN 1728:2012+AC2013	level reached
6.6	(maximum level) L2
6.10	(maximum level) L2
6.11	(maximum level) L2
6.15	(maximum level) L2
6.16	(maximum level) L2
6.17	(maximum level) L2
6.18	(maximum level) L2
6.20	(maximum level) L2
6.25	(maximum level) L2
6.26	(maximum level) L2




7275/17275	1	41.3	0.525	89X82X72
7276/17276	1	89.2	0.998	169X82X72
7277/17277	1	124.5	1.381	234X82X72
7180	1	1.85	0.039	51X51X15




7278



7279



7280



FRAME
Painted steel

SEAT AND BACK
Polyurethane coated with genuine leather tanned in natural processes using olive oil waste


Full-grain leather



discover AVOTAN™


AVOTAN® A new, ecological, sustainable and circular tanning process. Italy is one of the world's largest producers of leather goods and the world's second largest producer of olive oil. Olive oil production generates oil vegetation water as a waste product. This waste product, however, contains substances that are highly valuable for the tanning industry: phenols and polyphenolic compounds with an effective antimicrobial and phytotoxic action, antioxidants and tanning agents. In this way, two food industry waste products can be used to create a valuable, long-lasting, ecologically sustainable and circular product. Unlike other vegetable tanning solutions, this Avotan uses no natural resources, does not contribute to deforestation, and uses existing waste that would otherwise have to be disposed of.

7180




MATERIAL
Goose down and flock cushions


Cotone Plain



Panamino



Bouclé New



Cotone Structure



Removable cover




EN 1022:2005	Compliant
EN 1728:2012+AC2013	level reached
6.6	(maximum level) L2
6.10	(maximum level) L2
6.11	(maximum level) L2
6.15	(maximum level) L2
6.16	(maximum level) L2
6.17	(maximum level) L2
6.18	(maximum level) L2
6.20	(maximum level) L2
6.25	(maximum level) L2
6.26	(maximum level) L2

7278	1	41.3	0.525	89X82X72
7279	1	89.2	0.998	169X82X72
7280	1	124.5	1.381	234X82X72


7180	1	1.85	0.039	51X51X15

6280

I6280
only on request




6285
swivel version
I6285
only on request



FRAME
Painted steel

SEAT AND BACK
Fabric-upholstered polyurethane


Texture



Chenille




Bouclé



6281


I6281
only on request



FRAME
Painted steel

SEAT AND BACK
Fabric-upholstered polyurethane

Texture



Chenille





Bouclé



Fire tested version
CHENILLE/BOUCLÉ FABRIC - UK Standard BS 5852 S5, S.I. 1324
IT UNI 9175, EN1021 fire reaction test class 1 IM MI1848D20D11M00032 (CHENILLE);
class 1IM MI1848D20D11M00033 (BOUCLÉ)
TEXTURE FABRIC - UK Standard BS 5852 S5, S.I. 1324



EN 1022:2005	Compliant
EN 1728:2012+AC2013	level reached
6.6	(maximum level) L2
6.10	(maximum level) L2
6.11	(maximum level) L2
6.15	(maximum level) L2
6.16	(maximum level) L2
6.17	(maximum level) L2
6.18	(maximum level) L2
6.20	(maximum level) L2
6.25	(maximum level) L2
6.26	(maximum level) L2




EN 1022:2005	Compliant
EN 1728:2012+AC2013	level reached
6.6	(maximum level) L2
6.10	(maximum level) L2
6.11	(maximum level) L2
6.15	(maximum level) L2
6.16	(maximum level) L2
6.17	(maximum level) L2
6.18	(maximum level) L2
6.20	(maximum level) L2
6.25	(maximum level) L2
6.26	(maximum level) L2




6283

I6283
only on request



6284


I6284
only on request



FRAME
Painted steel

SEAT AND BACK
Fabric-upholstered polyurethane

Texture



Chenille




Bouclé



6283/6284	1	56.0	0.620	155X85X73
I6283/I6284	1	56.0	0.620	155X85X73

6282


I6282
only on request



FRAME
Painted steel

SEAT
Fabric-upholstered polyurethane


Texture



Chenille



Bouclé



Fire tested version
CHENILLE/BOUCLÉ FABRIC - UK Standard BS 5852 S5, S.I. 1324
IT UNI 9175, EN1021 fire reaction test class 1 IM MI1848D20D1IM00032 (CHENILLE);
class 1IM MI1848D20D1IM00033 (BOUCLÉ)
TEXTURE FABRIC - UK Standard BS 5852 S5, S.I. 1324

6282	1	17.3	0.285	47X78X78
I6282	1	17.3	0.285	47X78X78




EN 1022:2005	Compliant
EN 1728:2012+AC2013	level reached
6.6	(maximum level) L2
6.10	(maximum level) L2
6.11	(maximum level) L2
6.15	(maximum level) L2
6.16	(maximum level) L2
6.17	(maximum level) L2
6.18	(maximum level) L2
6.20	(maximum level) L2
6.25	(maximum level) L2
6.26	(maximum level) L2

EN 1022:2005	Compliant
EN 1728:2012+AC2013	level reached
6.4	(maximum level) L2
6.5	(maximum level) L2
6.15	(maximum level) L2
6.16	(maximum level) L2
6.18	(maximum level) L2
6.24	(maximum level) L2




7180
Cushion



MATERIAL
Fabric-upholstered goose feather and down cushions

Texture




Chenille



Bouclé




7180




1 1.85 0.039 51X51X15

7175
Cushion




MATERIAL
Fabric-upholstered goose feather and down cushions

Jacquard




7175
7176




1 1.85 0.039 51X51X15
1 1.3 0.039 51X51X15




6266




6267




6268



6269



6270




SEAT AND BACK
Fabric-upholstered polyurethane


Bouclé New Stretch



EN 1022:2005	Compliant
EN 1728:2012+AC2013	level reached
6.6	(maximum level) L2
6.10	(maximum level) L2
6.11	(maximum level) L2
6.15	(maximum level) L2
6.16	(maximum level) L2
6.17	(maximum level) L2
6.18	(maximum level) L2
6.20	(maximum level) L2
6.25	(maximum level) L2
6.26	(maximum level) L2



6266	1 pouf	36.0	0.600	120X100X50
6267	1 armchair	59.0	1.218	125X130X75
6268	1 armchair	59.0	1.218	125X130X75
6269	1 sofa	90.0	2.360	250X118X80
6270	1 sofa	90.0	2.360	250X118X80



FRAME

Painted steel

SEAT AND BACKREST

Polyurethane with fabric upholstery

6245

Curly/Orsetto fabric

I6245

Curly



C1

White



C2

Rose



C3

Orange



C4

Petroleum



C5

Acid yellow

Orsetto



N1

White



N2

Green



N3

Brown



N4

Rusty orange



N5

Blue



N6

Grey

★ version always in stock - other than in the case of unforeseen events beyond Kartell's control

6246

Antibes fabric

I6246



N1

Beige



N2

Anthracite



N3

Pale grey



N4

Green



N5

Wine



IMO



Removable cover



Fire-resistant version

CURLY/ORSETTO FABRIC - UK standard BS 5852:1979 Part 1 - Source 1

ANTIBES FABRIC - UK standard BS 5852:1979 Part 1 - Source 1

UNI 9175, EN1021 fire reaction test, class 1 IM MI1848D20D1IM00031



6245/I6245 1

33.5

0.627


88X88X81

6246/I6246 1

33.5

0.627

88X88X81



FRAME

Painted steel

SEAT AND BACKREST

Polyurethane with fabric upholstery

6247

Curly/Orsetto fabric

I6247

Curly



C1

White



C2

Rose



C3

Orange



C4

Petroleum



C5

Acid yellow

Orsetto



N1

White



N2

Green



N3

Brown



N4

Rusty orange



N5

Blue



N6

Grey

★ version always in stock - other than in the case of unforeseen events beyond Kartell's control

6248

Antibes fabric

I6248



N1

Beige



N2

Anthracite



N3

Pale grey



N4

Green



N5

Wine



IMO



Removable cover



Fire-resistant version

CURLY/ORSETTO FABRIC - UK standard BS 5852:1979 Part 1 - Source 1

ANTIBES FABRIC - UK standard BS 5852:1979 Part 1 - Source 1

UNI 9175, EN1021 fire reaction test, class 1 IM MI1848D20D1IM00031



6247/I6247 1

74.0

1.824

206X108X82

6248/I6248 1

74.0


1.824

206X108X82



EN 1022:2005	Compliant
EN 1728:2012+AC2013	Level achieved
6.6	(maximum level) L2
6.10	(maximum level) L2
6.11	(maximum level) L2
6.15	(maximum level) L2
6.16	(maximum level) L2
6.17	(maximum level) L2
6.18	(maximum level) L2
6.20	(maximum level) L2
6.25	(maximum level) L2
6.26	(maximum level) L2


EN 1022:2005	Compliant
EN 1728:2012+AC2013	Level achieved
6.6	(maximum level) L2
6.10	(maximum level) L2
6.11	(maximum level) L2
6.15	(maximum level) L2
6.16	(maximum level) L2
6.17	(maximum level) L2
6.18	(maximum level) L2
6.20	(maximum level) L2
6.25	(maximum level) L2
6.26	(maximum level) L2



FRAME
Painted steel


SEAT
Polyurethane with fabric upholstery

6249
Curly/Orsetto fabric
16249 🔥




★ version always in stock - other than in the case of unforeseen events beyond Kartell's control


6250
Antibes fabric
16250 🔥



🔥 **Fire-resistant version**
CURLY/ORSETTO FABRIC - UK standard BS 5852:1979 Part 1 - Source 1
ANTIBES FABRIC - UK standard BS 5852:1979 Part 1 - Source 1
UNI 9175, EN1021 fire reaction test, class 1 IM MI1848D20D1IM00031



6249/16249 1 14.0 0.182 65X65X43
6250/16250 1 14.0 0.182 65X65X43




MATERIAL
Goose down and flock cushions

7177
Curly/Orsetto fabric




★ version always in stock - other than in the case of unforeseen events beyond Kartell's control

7178
Antibes fabric



Removable cover




7177/7178 1 1.3 0.039 51X51X15




EN 1022:2005	Compliant
EN 1728:2012+AC2013	Level achieved
6.4	(maximum level) L2
6.5	(maximum level) L2
6.15	(maximum level) L2
6.16	(maximum level) L2
6.18	(maximum level) L2
6.24	(maximum level) L2


7150
2-seater
A7150




7160
3-seater
A7160




7161
3-seater, right ottoman
A7161




7169
3-seater, left ottoman
A7169




7162
Corner, 5-seater
A7162




7163
Corner, 6-seater
A7163




7164
Corner, 7-seater
A7164



7085
Cushion



7166
Cushion



FRAME
Painted steel

SEAT AND BACKREST
Expanded polyurethane with a new softer density, covered in fabric*

REMOVABLE COVER
Sofa is available in all fabric combinations, with fireproof versions (code AXXXX) indicated with the specific icon.

Curly



Houndstooth



Gubbio



NEW PADDING, SOFTER!
*(Not available for fireproof versions)

Removable cover

Fire tested version
PIED DE POULE FABRIC - IT UNI 9175 flame resistance test Class 1 IM Ministerial approval M1848D20D11M00026, EN 1021 - UK Standard BS5852 S5, S.I. 1324 - US - California Standard TB 117
CURLY FABRIC - UK standard BS 5852:1979 Part 1 - Source 1



	level reached
EN 1022 2005	Compliant
EN 16139:2013+AC 2013	Compliant
EN 1728:2012+AC 2013	
6.4	L2
6.5	L2
6.6	L2
6.8	L2
6.10	L2
6.11	L2
6.12	L2
6.13	L2
6.15	L2
6.16	L2
6.17	L2

7150/A7150

2 seat frames	37.0	0.851	101X78X54
2 armrests	21.0	0.424	101X42X50
1 base frame	18.0	0.134	190X64X11

7160/A7160

3 seat frames	55.5	1.276	101X78X54
2 armrests	21.0	0.424	101X42X50
1 base frame	22.7	0.187	265X64X11

7161/A7161/7169/A7169

2 seat frames	37.0	0.851	101X78X54
1 ottoman frame	26.0	0.633	102X115X54
1 armrest	10.5	0.212	101X42X50
1 base frame	22.7	0.187	265X64X11

7085 Gubbio/Houndstooth/Curly

1 cushion	1.85	0.039	51X51X15
-----------	------	-------	----------

7085 Nilo

2 cushions	3.0	0.070	52X52X26
------------	-----	-------	----------

7166

1 cushion	1.3	0.039	51X51X15
-----------	-----	-------	----------

7162/A7162










4 seat frames	70.0	1.702	101X78X54
1 corner frame	28.0	0.562	102X102X54
2 armrests	21.0	0.424	101X42X50
2 base structures	36.0	0.268	190X64X11
1 corner structure	5.8	0.028	68X68X6

7163/A7163

5 seat frames	87.5	2.127	101X78X54
1 corner frame	28.0	0.562	102X102X54
2 armrests	21.0	0.424	101X42X50
1 base structure	22.7	0.187	265X64X11
1 base structure	18.0	0.134	190X64X11
1 corner structure	5.8	0.028	68X68X6

7164/A7164

6 seat frames	105.0	2.552	101X78X54
1 corner frame	28.0	0.562	102X102X54
2 armrests	21.0	0.424	101X42X50
2 base structures	45.4	0.373	265X64X11
1 corner structure	5.8	0.028	68X68X6




FRAME
Painted steel

SEAT AND BACKREST
Expanded polyurethane with a new softer density, covered in fabric

REMOVABLE COVER

Velvet



*Any combination of collection fabrics can be used on request.
Dimensions of customised fabric to cover a single piece:
2-seater sofa: 140x720 cm. 3-seater sofa: 140x950 cm.



	level reached
EN 1022 2005	Compliant
EN 16139:2013+AC 2013	Compliant
EN 1728:2012+AC 2013	
6.4	L2
6.5	L2
6.6	L2
6.8	L2
6.10	L2
6.11	L2
6.12	L2
6.13	L2
6.15	L2
6.16	L2
6.17	L2


7155

7170

7171/7179


7175

7176



2 seat frames	37.0	0.851	101X78X54
2 armrests	21.0	0.424	101X42X50
1 base frame	18.0	0.134	190X64X11
3 seat frames	55.5	1.276	101X78X54
2 armrests	21.0	0.424	101X42X50
1 base frame	22.7	0.187	265X64X11
2 seat frames	37.0	0.851	101X78X54
1 ottoman frame	26.0	0.633	102X115X54
1 armrest	10.5	0.212	101X42X50
1 base frame	22.7	0.187	265X64X11
1 cushion	1.85	0.039	51X51X15
1 cushion	1.3	0.039	51X51X15

7172



4 seat frames	70.0	1.702	101X78X54
1 corner frame	28.0	0.562	102X102X54
2 armrests	21.0	0.424	101X42X50
2 base structures	36.0	0.268	190X64X11
1 corner structure	5.8	0.028	68X68X6
5 seat frames	87.5	2.127	101X78X54
1 corner frame	28.0	0.562	102X102X54
2 armrests	21.0	0.424	101X42X50
1 base structure	22.7	0.187	265X64X11
1 base structure	18.0	0.134	190X64X11
1 corner structure	5.8	0.028	68X68X6
6 seat frames	105.0	2.552	101X78X54
1 corner frame	28.0	0.562	102X102X54
2 armrests	21.0	0.424	101X42X50
2 base structures	45.4	0.373	265X64X11
1 corner structure	5.8	0.028	68X68X6

7173

7174


	level reached
EN 1022 2005	Compliant
EN 16139:2013+AC 2013	Compliant
EN 1728:2012+AC 2013	
6.4	L2
6.5	L2
6.6	L2
6.8	L2
6.10	L2
6.11	L2
6.12	L2
6.13	L2
6.15	L2
6.16	L2
6.17	L2

PLASTICS DUO 2010

Design Piero Lissoni


7090

A7090




7091

A7091




7092

A7092




7093

A7093




7094

A7094




7095

A7095




7096

A7096




7097

A7097




7098

A7098




7099

A7099



7085



SEAT AND BACKREST

Goose down and flock cushions covered in fabric

Gubbio




Orsetto




Removable cover

Fire tested version
ORSETTO FABRIC - UK Standard BS 5852 S5, S.I. 1324



7090/A7090	1	23.5	0.298	91X36X91
7091/A7091	1	24.5	0.306	91X37X91
7092/A7092	1	26.5	0.621	91X75X91
7093/A7093	1	27.5	0.621	91X75X91
7094/A7094	1	27.5	0.621	91X75X91
7096/A7096	1	27.5	0.621	91X75X91
7095/A7095	1	32.0	0.704	91X65X119
7097/A7097	1	32.0	0.704	91X65X119
7098/A7098	1	32.5	0.704	91X65X119
7099/A7099	1	32.5	0.704	91X65X119

7085



2 3.0 0.070 52X52X26


EN 1022:1998	level achieved
EN 1728:2000	Compliant
6.2.1	(maximum level) 5
6.2.2	(maximum level) 5
6.6	(maximum level) 5
6.7	(maximum level) 5
6.10	(maximum level) 5
6.15	(maximum level) 5
6.16	(maximum level) 5
6.17	(maximum level) 5

EN 1022:1998	level achieved
EN 1728:2000	Compliant
6.2.1	(maximum level) 5
6.2.2	(maximum level) 5
6.6	(maximum level) 5
6.7	(maximum level) 5
6.10	(maximum level) 5
6.15	(maximum level) 5
6.16	(maximum level) 5
6.17	(maximum level) 5


PLASTICS OUTDOOR 2022

Design Piero Lissoni


6293




6292



6294



6296



NEW

SEAT AND BACK

Expanded polyurethane with a new softer density, covered in fabric

UPHOLSTERY

“New Dyed Fiber” outdoor fabric




NEW






NEW PADDING, SOFTER!

7185



MATERIAL

Padding covered with removable, water-repellent polyester fabric.



6299

Protective cover

6300

Protective cover for pouf



Protective cover tutorial




	level reached
EN 1022:1998	Compliant
EN 1728:2000	Compliant
6.2.1	(maximum level) 5
6.2.2	(maximum level) 5
6.6	(maximum level) 5
6.7	(maximum level) 5
6.10	(maximum level) 5
6.15	(maximum level) 5
6.16	(maximum level) 5
6.17	(maximum level) 5

6293	1	24.0	0.305	92X36X92
6292	1	27.4	0.538	92X65X92
6294	1	31.0	0.562	93X65X93
6296	1	31.0	0.562	93X65X93
7185	1	1.85	0.039	51X51X15

6299	1	5.0	0.157	90X35X50
6300	1	5.0	0.157	90X35X50


6292

A6292
only on request




6352

A6352
only on request




6294

A6294
only on request



6353

A6353
only on request



6299


Protective cover

6300

Protective cover for pouf


6296

A6296
only on request



6351

A6351
only on request




SEAT AND BACK

Expanded polyurethane with a new softer density, covered in fabric

UPHOLSTERY

Liberty® outdoor fabric

Tamba




*All KartellXLiberty products are not available for sale in India.



Kartell × LIBERTY.


6293

A6293
only on request



6354

A6354
only on request



POUF

Expanded polyurethane with a new softer density, covered in fabric



UPHOLSTERY

Liberty® outdoor fabric

Obi Check



Artemis



Protective cover tutorial




level reached	
Compliant	
EN 1022:1998	
EN 1728:2000	
6.2.1	(maximum level) 5
6.2.2	(maximum level) 5
6.6	(maximum level) 5
6.7	(maximum level) 5
6.10	(maximum level) 5
6.15	(maximum level) 5
6.16	(maximum level) 5
6.17	(maximum level) 5

6292/A6292	1	27.4	0.538	92X65X92
6352/A6352	1	27.5	0.621	91X75X91
6294/A6294	1	31.0	0.562	93X65X93
6353/A6353	1	32.5	0.704	91X65X119
6296/A6296	1	31.0	0.562	93X65X93
6351/A6351	1	32.5	0.704	91X65X119


6293/A6293	1	24.0	0.305	92X36X92
6354/A6354	1	24.5	0.306	91X37X91



7185
Throw pillow



7186
Throw pillow




MATERIAL
Batting lined with removable water-repellent Liberty® fabric


Obi Check



Artemis




Tamba




*All KartellXLiberty products are not available for sale in India.

7185	1	1.85	0.039	51X51X15
7186	1	1.30	0.039	51X51X15


6091




6093



6095



6097



MATERIAL
Soft polyurethane with fabric upholstery recyclable, ecological, non-toxic




Fire tested version
IT UNI 9175, EN1021 fire reaction test class 1 IM Ministerial MI1848D20D11M00029
UK Standard BS5852 S5 BS7176 Medium Hazard - US - California Standard TB 117



6091	1	24.0	0.305	92X36X92
6093	1	27.4	0.538	92X65X92
6095	1	31.0	0.562	93X65X93
6097	1	31.0	0.562	93X65X93

	level achieved
EN 1022:1998	Compliant
EN 1728:2000	
6.2.1	(maximum level) 5
6.2.2	(maximum level) 5
6.6	(maximum level) 5
6.7	(maximum level) 5
6.10	(maximum level) 5
6.15	(maximum level) 5
6.16	(maximum level) 5
6.17	(maximum level) 5



MATERIAL
Draining polyurethane blocks covered with removable, water-repellent Liberty® fabric with a non-slip bottom. Internal supports made of mass-colored thermoplastic technopolymer

6047

- Obi Check
- 
OS
Sage


OR
Rust





OB
Blue


OY
Yellow
- Artemis
- 
AS
Sage


AR
Rust


AB
Blue


AY
Yellow



MATERIAL
Fabric-covered expanded polyurethane

6025


- Nest
- 
02
Orange


03
White


09
Slate
-  Removable cover




 In order to better satisfy the needs of common areas, Trix is also available in a personalised version with fabrics provided by the client. Dimensions of customised fabric to cover a single piece: 140x340 cm.





EN 1022 2005	Compliant
EN 16139 2013	Compliant
EN 1728:2012	level reached
6.1.5	(maximum level) L2
6.1.6	(maximum level) L2
6.1.7	(maximum level) L2
6.1.8	(maximum level) L2
6.2.5	(maximum level) L2
6.4	(maximum level) L2
6.5	(maximum level) L2
6.24	(maximum level) L2

6086



LEGS

Steel tubes painted with epoxy polyester



SEAT


Fabric-covered polyurethane foam

COVER

Velvet




Trevira™




In order to better satisfy the needs of common areas, Foliage is also available in a personalised version with fabrics provided by the client.
Dimensions of customised fabric to cover a single piece:
armchair: 140x180 cm. sofa: 140x800 cm.

6086



6085



LEGS

Steel tubes painted with epoxy polyester



SEAT

Fabric-covered polyurethane foam

COVER

Velvet




Trevira™



Fire tested version
IT UNI 9175, EN1021 fire reaction test class 1 IM ministerial certification
MI1848D20D1IM00017 - MI1848D20D1IM00016
UK Standard - Cloth cover BS5852 S5, BS 7176 Medium Hazard - S.I. 1324 - CRIB5
UK Standard - Trevira™ cover BS 7176 Medium Hazard - S.I. 1324 - CRIB5
US California Standard TB 117

6085



EN 1022 2005	Compliant
EN 16139 2013	Compliant
EN 1728:2012	level reached
6.1.5	(maximum level) L2
6.1.6	(maximum level) L2
6.1.7	(maximum level) L2
6.1.8	(maximum level) L2
6.2.5	(maximum level) L2
6.4	(maximum level) L2
6.5	(maximum level) L2
6.24	(maximum level) L2

POP OUTDOOR 2007

Design Piero Lissoni with Carlo Tamborini

FRAME


Transparent polycarbonate



Transparent


7041

Transparent frame




7042

Transparent frame




7043

Transparent frame



7044

Transparent frame



Additional seat
To create a sofa seating more than three, order a multiple set for each desired additional seat (each multiple set equals one additional seat).

70420


Pair of extra cushion covers
for use only with outdoor upholstery

SEAT AND BACK


Fabric-upholstered polyurethane

UPHOLSTERY


“New Dyed Fiber” outdoor fabric




Stripes outdoor fabric



Sunbrella® outdoor fabric




Ikon outdoor fabric




7185

Cushion



7186

Cushion




MATERIAL

Padding covered with removable, water-repellent polyester fabric.

Stripes fabric





Sunbrella® fabric



Ikon fabric



New Dyed Fiber fabric




EN 1022:2005	Compliant
EN 1728:2000	level reached
6.2.1	(maximum level) 5
6.2.2	(maximum level) 5
6.6	(maximum level) 5
6.7	4

7041	1 armchair frame	21.0	0.157	89X68X26
	1 pair of cushions	8.9	0.240	80X60X50
7042	1 armchair frame	21.0	0.157	89X68X26
	1 seat frame	13.8	0.117	82X68X21
	2 pairs of cushions	17.8	0.480	80X60X50
7043	1 armchair frame	21.0	0.157	89X68X26
	2 seat frames	27.6	0.234	82X68X21
	3 pairs of cushions	26.7	0.720	80X60X50
7044	1 seat frame	13.8	0.117	82X68X21
	1 pair of cushions	8.9	0.240	80X60X50
70420	1 pair of cushion covers	2.2	0.026	26X20X50

7185

1 cushion



1 cushion

1.85

0.039

51X51X15

1 cushion

1.3

0.039


51X51X15

POP MISSONI 2007

Design Piero Lissoni with Carlo Tamborini


6051

Transparent frame




6052

Transparent frame




6053

Transparent frame



6054

Transparent frame




Additional seat
To create a sofa that seats more than three, order "N" multiple units (each multiple unit is an additional seat).

60530

Cushion cover for set of cushions

FRAME

Transparent polycarbonate



SEAT AND BACKREST

Goose down and flock cushions

COVER

Missoni fabrics




QQ
Vevey
red
tones



Removable cover


7175

Cushion



7176

Cushion



MATERIAL


Fabric-upholstered goose feather and down cushions
Missoni fabrics




QQ
Vevey
red
tones



Removable cover




6051	1 armchair frame	21.0	0.157	89X68X26
	1 couple of cushions	9.23	0.240	80X60X50
6052	1 armchair frame	21.0	0.157	89X68X26
	1 seat frame	13.8	0.117	82X68X21
	2 couples of cushions	22.6	0.480	80X60X50
6053	1 armchair frame	21.0	0.157	89X68X26
	2 seats frame	27.6	0.234	82X68X21
	3 couples of cushions	33.9	0.720	80X60X50
6054	1 seat frame	13.8	0.117	82X68X21
	1 set of cushions	9.23	0.240	80X60X50
60530	1 set of cushion covers	2.2	0.030	30X20X50




7175	1	1.85	0.039	51X51X15
7176	1	1.3	0.039	51X51X15

EN 1022:2005	Compliant
EN 1728:2000	Level achieved
6.2.1	(maximum level) 5
6.2.2	(maximum level) 5
6.6	(maximum level) 5
6.7	4


6041
Transparent frame
A6041




6042
Transparent frame
A6042



6043
Transparent frame
A6043




6044
Transparent frame
A6044



Additional seat
To create a sofa that seats more than three, order "N" multiple units (each multiple unit is an additional seat).


60440
Cushion cover for set of cushions

FRAME
Transparent polycarbonate



SEAT AND BACKREST
Goose down and flock cushions

COVER
New solid colours cotton fabrics




Removable cover



Fire tested version
UK Standard BS 5852 S4 part 1
US - California Standard TB 117

***Any combination of collection fabrics can be used on request.**
Dimensions of customised fabric to cover a single piece:
1-seat 140x230 cm.




6041/A6041	1 armchair frame	21.0	0.157	89X68X26
	1 couple of cushions	10.3	0.240	80X60X50
6042/A6042	1 armchair frame	21.0	0.157	89X68X26
	1 seat frame	13.8	0.117	82X68X21
	2 couples of cushions	20.6	0.480	80X60X50
6043/A6043	1 armchair frame	21.0	0.157	89X68X26
	2 seats frame	27.6	0.234	82X68X21
	3 couples of cushions	30.9	0.720	80X60X50
6044/A6044	1 seat frame	13.8	0.117	82X68X21
	1 set of cushions	10.3	0.240	80X60X50
60440	1 set of cushion covers	2.2	0.026	26X20X50

EN 1022:2005	Compliant
EN 1728:2000	Level achieved
6.2.1	(maximum level) 5
6.2.2	(maximum level) 5
6.6	(maximum level) 5
6.7	4




TABLES

4112




4111




FRAME
Painted aluminum



TOP
Glossy porcelain stoneware



4113



4115



4111	top	68.3	0.256	160X160X10
	structure	18.0	0.100	40X100X25
	braces	27.6	0.256	40X160X40
4112	top	43.8	0.170	170X100X10
	structure	18.0	0.100	40X100X25
	braces	23.0	0.272	40X170X40
4113	top	51.9	0.800	200X100X10
	structure	18.0	0.100	40X100X25
	braces	25.8	0.320	40X200X40
4115	top	85.0	0.330	110X300X10
	structure	18.0	0.100	40X100X25
	braces	35.0	0.480	40X300X40


level achieved	
EN 15372:2016	
Par. 5.1 5.2	Compliant
EN 1730:2012	
6.2	(maximum level) L3
6.3	(maximum level) L3
6.4.2	(maximum level) L3
6.6	(maximum level) L3
6.9	(maximum level) L3
7.2	Compliant






INDOOR

4537
Soft touch extendable




LEGS
Painted steel

TOP
Scratch-resistant soft-touch laminate




OUTDOOR

4538
Outdoor extendable




MATERIAL
Galvanized steel and epoxy polyester coating




discover Four Extendable


5522




5523



5524



MATERIAL
Galvanized steel and epoxy polyester coating



	level achieved
EN 15372:2016	
Par. 5.1.5.2	Compliant
EN 1730:2012	
6.2	(maximum level) L3
6.3	(maximum level) L3
6.4.2	(maximum level) L3
6.6	(maximum level) L3
6.9	(maximum level) L3
7.2	Compliant




4537	top	58.5	0.160	172X104X9
	structure	20.3	0.182	97X78X24
	extendable structure	20.0	0.143	172X104X8
	extensions	18.8	0.052	98X59X8
4538	top	60.5	0.160	172X104X9
	structure	20.3	0.182	97X78X24
	extendable structure	20.0	0.143	172X104X8
	extensions	19.8	0.052	98X59X8

5522	1 top	30.4	0.108	170X7X91
	1 structure	19.4	0.161	79X85X24
5523	1 top	36.0	0.129	201X7X92
	1 structure	19.4	0.161	79X85X24
5524	1 top	41.4	0.150	235X7X91
	1 structure	19.4	0.161	79X85X24

	Level attained
EN 15372:2008	
Par. 5	Compliant
EN 1730:2000	
6.2	(maximum level) 3
6.3	(maximum level) 3
6.4	(maximum level) 3
6.6	(maximum level) 3
6.7	(maximum level) 3
6.8	(maximum level) 3


4522

4502
Soft touch




4523

4503
Soft touch




4524

4509
Soft touch



4525

4510
Soft touch




LEGS

Painted steel


TOP

Scratch-proof laminate or scratch-proof soft touch laminate



4514

Soft touch width: 90 cm




LEGS


Painted steel

TOP


Scratch-resistant soft-touch laminate




4514 Fenix soft touch



EN 15372:2008	Level attained
Par. 5	Compliant
EN 1730:2000	Level attained
6.2	(maximum level) 3
6.3	(maximum level) 3
6.4	(maximum level) 3
6.6	(maximum level) 3
6.7	(maximum level) 3
6.8	(maximum level) 3



4502	1 top	29.8	0.108	170X7X91
	1 structure	19.4	0.161	79X85X24
4503	1 top	37.9	0.129	201X7X92
	1 structure	19.4	0.161	79X85X24
4509	1 top	50.4	0.150	235X7X91
	1 structure	19.4	0.161	79X85X24
4510	1 top	36.6	0.139	141X7X141
	1 structure	24.0	0.251	134X24X78
4522	1 top	30.0	0.108	170X7X91
	1 structure	19.4	0.161	79X85X24
4523	1 top	39.6	0.129	201X7X92
	1 structure	19.4	0.161	79X85X24
4524	1 top	50.5	0.150	235X7X91
	1 structure	19.4	0.161	79X85X24
4525	1 top	34.4	0.139	141X7X141
	1 structure	24.0	0.251	134X24X78




4514

1 top	42.0	0.144	202X7X102
1 structure	22.0	0.182	80X95X24




6525
Stoneware with marble finish




LEGS
Painted steel


TOP
Stoneware with marble finish




6522
Stoneware with marble finish



6523
Stoneware with marble finish




6524
Stoneware with marble finish



LEGS
Painted steel



TOP
Stoneware with marble finish



	level achieved
EN 15372:2016	
Par. 5.1.5.2	Compliant
EN 1730:2012	
6.2	(maximum level) L3
6.3	(maximum level) L3
6.4.2	(maximum level) L3
6.6	(maximum level) L3
6.9	(maximum level) L3
7.2	Compliant



6525



6522	1 top	53.5	0.172	167X86X12
	1 structure	19.4	0.161	79X85X24
6523	1 top	65.0	0.203	197X86X12
	1 structure	19.4	0.161	79X85X24
6524	1 top	71.5	0.144	202X7X102
	1 structure	22.0	0.182	80X95X24




	Level attained
EN 15372:2008	Compliant
Par. 5	Compliant
EN 1730:2000	Level attained
6.2	(maximum level) 3
6.3	(maximum level) 3
6.4	(maximum level) 3
6.6	(maximum level) 3
6.7	(maximum level) 3
6.8	(maximum level) 3

VISCOUNT OF WOOD 2021


Design Philippe Starck




4940




FRAME
Chrome-plated steel




TOP
wood with MDF inner support, clad on both sides with wood veneer and varnished.



4941




FRAME
Chrome-plated steel




TOP
wood with MDF inner support, clad on both sides with wood veneer and varnished.



4940




4941




VISCOUNT OF WOOD 2021

Design Philippe Starck


5940




5946




5942



5948




5944



FRAME

Chrome-plated or painted steel



TOP


wood with MDF inner support, clad on both sides with wood veneer and varnished.



Product made of FSC™ certified wood



discover
Smart Wood Collection




5940	1 top	22.0	0.082	154X89X6
	1 frame	10.0	0.096	76X51X25
5942	1 top	27.5	0.099	169X98.5X6
	1 frame	10.0	0.096	76X51X25
5944	1 top	39.5	0.116	198X98X6
	1 frame	10.0	0.096	76X51X25
5946	1 top	55.5	0.175	248X109X6.5
	1 frame	17.5	0.099	76X35.5X37
5948	1 top	18.0	0.071	109X109X6
	1 frame	10.0	0.096	76X51X25

	level achieved
EN 1730:2012	Compliant
EN 12521:2005	Compliant
6.2	L2
6.3	L2
6.4.2	L2
6.6	L2
7.2	Compliant





4927



FRAME
Chrome-plated or painted steel

TOP
Curved wood

Basic Veneer

TOP

LEG

CC

Light wood

Chrome

SN

Dark wood

Black

Slatted Ash

TOP

LEG

NN

Black ash


Black

Product made of FSC™ certified wood




	level achieved
EN 1730:2012	Compliant
EN 15372:2016	Compliant
6.2	L3
6.3	L3
6.4	L3
6.6	L3
6.7	Compliant
7.2	Compliant

4927



4945



FRAME
Painted steel

TOP
wood with MDF inner support, clad on both sides with wood veneer and varnished.

TOP

LEG


NO

Walnut

Black

Product made of FSC™ certified wood

4945




	level achieved
EN 1730:2012	Compliant
EN 15372:2016	Compliant
5.1	Compliant
5.2	Compliant
6.2	L3
6.3	L3
6.4.2	L3
6.6	L3
7.2	Compliant





Ø 150 cm.


5580



FRAME
Painted steel

TOP
Stoneware


Stoneware in solid colour



*adjustable foot


Ø 128 cm.

5578



192x118 cm.


5573



FRAME
Painted steel

TOP
Stoneware


Stoneware in solid colour
5573



*adjustable foot




5580



1 top	52.0	0.192	155X155X8
1 frame	8.39	0.107	80X74X18

5578




5573

1 top	45.0	0.146	135X135X8
1 frame	8.39	0.107	80X74X18
1 top	67.8	0.204	204X125X8
1 frame	8.39	0.107	80X74X18




Ø 150 cm.

- 4456
Chrome-plated steel frame
- 4457
White painted steel frame
- 4458
Black painted steel frame



FRAME
Chrome-plated or painted steel




TOP
Stoneware with marble finish



*adjustable foot


118x118 cm.

- 4590
Chrome-plated steel frame
- 4594
Gold-plated steel frame
- 4563
Black painted steel frame




Ø 118 cm.

- 4588
Chrome-plated steel frame
- 4589
Gold-plated steel frame
- 4565
Black painted steel frame




FRAME
Chrome, gold-plated or painted steel




TOP
Stoneware with marble finish
4590/4594/4563



*adjustable foot



4456/4457/4458	1 top 1 frame	52.0 8.39	0.192 0.107	155X155X8 80X74X18
----------------	------------------	--------------	----------------	-----------------------




4590/4594/4563	1 top 1 frame	50.6 8.39	0.125 0.107	125X125X8 80X74X18
4565/4588/4589	1 top 1 frame	41.8 8.39	0.125 0.107	125X125X8 80X74X18




Ø 128 cm.

- 4584
Chrome-plated steel frame
- 4580
Gold-plated steel frame
- 4578
Black painted steel frame



192x118 cm.


- 4572
Chrome-plated steel frame
- 4579
Gold-plated steel frame
- 4573
Black painted steel frame



FRAME
Chrome, gold-plated or painted steel




TOP
Stoneware with marble finish



130x130 cm.

- 4560
Polyester lacquered top
Chrome-plated steel frame
- 4567
Polyester lacquered top
Gold-plated steel frame
- 4570
Scratch-proof laminated top
Chrome-plated steel frame




FRAME
Chrome-plated steel



TOP
MDF polyester lacquered

4560/4567




Scratch-proof laminated
4570



*adjustable foot

194x120 cm.


- 4572
Glass top
Chrome-plated steel frame
- 4579
Glass top
Gold-plated steel frame




FRAME
Chrome-plated steel



GLASS TOP
MDF polyester lacquered with glass top




4578/4580/4584	1 top	45.0	0.146	135X135X8
	1 frame	8.39	0.107	80X74X18
4572/4573/4579	1 top	67.8	0.204	204X125X8
	1 frame	8.39	0.107	80X74X18



4560/4567	1 top	35.9	0.135	139X7X139
	1 frame	8.39	0.107	80X74X18
4570	1 top	36.5	0.135	139X7X139
	1 frame	8.39	0.107	80X74X18
4572/4579	1 top	60.9	0.211	204X8X129
	1 frame	8.39	0.107	80X74X18


192x118 cm.

4084
INDOOR
Oval stoneware top with marble finish
4085
OUTDOOR
Oval glass top




158x90 cm.

4123
OUTDOOR
Rectangular stoneware top with marble finish
4124
OUTDOOR
Rectangular glass top




180x90 cm.

4125
OUTDOOR
Rectangular stoneware top with marble finish
4126
OUTDOOR
Rectangular glass top



237x100 cm.

4160
INDOOR
Rectangular stoneware top with marble finish




STRUCTURE



Matte painted die-cast aluminium

TOP

Stoneware with marble finish



Glass



4085/4123/4124
4125/4126



*On request, Kartell can pair black or white tops with contrasting legs.

To better satisfy customer requirements, marble tops can be customised to request with any variant listed in the catalogue.


	Level reached
EN 1022 2005	Compliant
EN 15372:2008 par. 5	Compliant
EN 1730:2000	
6.2	3
6.3	3
6.4	3
6.5	3
6.6	3
6.8	3




				
4084/4085	1 top 1 leg 1 leg	63.0 19.0 19.0	0.200 0.589 0.589	200X125X8 81X79X92 81X79X92
4123/4124	1 top 1 leg 1 leg	44.0 19.0 19.0	0.125 0.589 0.589	165X95X8 81X79X92 81X79X92
4125/4126	1 top 1 leg 1 leg	68.8 19.0 19.0	0.141 0.589 0.589	187X97X10 81X79X92 81X79X92
4160	1 top 1 leg 1 leg	101.0 19.0 19.0	0.257 0.589 0.589	245X107X12 81X79X92 81X79X92

LARGE SQUARE BASE


4075
Square stoneware top with marble finish
4076
Square stoneware top in solid colour
4077
Square glass top




4134
Square stoneware top with marble finish
4135
Square glass top




4138
Square stoneware top with marble finish
4139
Square glass top



4081
Rounded stoneware top with marble finish
4082
Rounded stoneware top in solid colour
4083
Rounded glass top




4136
Rounded stoneware top with marble finish
4137
Rounded glass top




SMALL SQUARE BASE


4063
Square stoneware top with marble finish
4064
Square stoneware top in solid colour
4065
Square glass top



4069
Rounded stoneware top with marble finish
4070
Rounded stoneware top in solid colour
4071
Rounded glass top




4140
Square stoneware top with marble finish
4141
Square glass top




STRUCTURE
Matte painted die-cast aluminium


TOP
Stoneware with marble finish




Stoneware in solid colour




Glass



*On request, Kartell can pair black or white tops with contrasting legs.
To better satisfy customer requirements, marble tops can be customised to request with any variant listed in the catalogue.



4075/4076/4077	1 top	39.0	0.090	106X106X8
	1 leg	25.0	0.512	80X80X80
4134/4135	1 top	54.0	0.125	125X125X8
	1 leg	39.0	0.512	80X80X80
4081/4082/4083	1 top	48.0	0.125	125X125X8
	1 leg	25.0	0.512	80X80X80
4136/4137	1 top	60.0	0.157	140X140X8
	1 leg	39.0	0.512	80X80X80
4138/4139	1 top	57.0	0.125	125X125X8
	1 leg	39.0	0.512	80X80X80



4063/4064/4065	1 top	25.0	0.058	85X85X8
	1 leg	22.5	0.512	80X80X80
4069/4070/4071	1 top	22.0	0.058	85X85X8
	1 leg	22.5	0.512	80X80X80
4140/4141	1 top	29.0	0.058	85X85X8
	1 leg	22.5	0.512	80X80X80


	level reached
EN 1022 2005	Compliant
EN 15372:2008 par. 5	Compliant
EN 1730:2000	
6.2	3
6.3	3
6.4	3
6.5	3
6.6	3
6.8	3

	level reached
EN 1022 2005	Compliant
EN 15372:2008 par. 5	Compliant
EN 1730:2000	
6.2	3
6.3	3
6.4	3
6.5	3
6.6	3
6.8	3




BASE WITH 3 SPOKES

- 4060 Square stoneware top with marble finish
- 4061 Square stoneware top in solid colour
- 4062 Square glass top




- 4066 Rounded stoneware top with marble finish
- 4067 Rounded stoneware top in solid colour
- 4068 Rounded glass top




BASE WITH 4 SPOKES

- 4072 Square stoneware top with marble finish
- 4073 Square stoneware top in solid colour
- 4074 Square glass top




- 4078 Rounded stoneware top with marble finish
- 4079 Rounded stoneware top in solid colour
- 4080 Rounded glass top




STRUCTURE
Matte painted die-cast aluminium


TOP
Stoneware with marble finish



Stoneware in solid colour




Glass



*On request, Kartell can pair black or white tops with contrasting legs.

To better satisfy customer requirements, marble tops can be customised to request with any variant listed in the catalogue.


	level reached
EN 1022:2005	Compliant
EN 15372:2008 par. 5	Compliant
EN 1730:2000	
6.2	3
6.3	3
6.4	3
6.5	3
6.6	3
6.8	3

				
4060/4061/4062	1 top	25.0	0.058	85X85X8
	1 leg	17.0	0.589	81X79X92
4066/4067/4068	1 top	22.0	0.058	85X85X8
	1 leg	17.0	0.589	81X79X92
4072/4073/4074	1 top	39.0	0.090	106X106X8
	1 leg	19.5	0.512	80X80X80
4078/4079/4080	1 top	48.0	0.125	125X125X8
	1 leg	19.6	0.512	80X80X80


MULTIPLO LOW 2016

Design Antonio Citterio


4150
INDOOR
Oval stoneware top with marble finish
4151
Oval glass top




4156
Rectangular stoneware top with marble finish
4157
Rectangular glass top



4152
Rounded stoneware top with marble finish
4153
Rounded glass top





4154
Square stoneware top with marble finish
4155
Square glass top



STRUCTURE
Matte painted die-cast aluminium

TOP
Stoneware with marble finish




4151/4156/4157
4152/4153/4154/4155



*On request, Kartell can pair black or white tops with contrasting legs.

To better satisfy customer requirements, marble tops can be customised to request with any variant listed in the catalogue.


	level reached
EN 1022 2005	Compliant
EN 15372:2008 par. 5	Compliant
EN 1730:2000	
6.2	3
6.3	3
6.4	3
6.5	3
6.6	3
6.8	3




4150/4151	1 top	63.0	0.200	200X125X8
	1 leg	15.0	0.368	92X80X50
	1 leg	15.0	0.368	92X80X50
4156/4157	1 top	55.0	0.141	185X95X8
	1 leg	15.0	0.368	92X80X50
	1 leg	15.0	0.368	92X80X50
4152/4153	1 top	48.0	0.125	125X125X8
	1 leg	9.0	0.320	80X80X50
4154/4155	1 top	39.0	0.090	106X106X8
	1 leg	12.5	0.368	92X80X50



3275




3276




FRAME

Transparent thermoplastic technopolymer



TOP

Laminated crystal




Assembly instructions




Production video

4095



4096




FRAME

Transparent thermoplastic technopolymer


CONNECTING PIPE

Galvanized or metallized aluminum



TOP

Laminated crystal



	Level reached
EN 1730:2012	
EN 15372:2016	
6.2	L3
6.3	L3
6.4	L3
6.6	L3
6.7	Compliant
7.2	Compliant


3275	1 top 1 leg	27.0 11.2	0.105 0.331	127X127X6.5 66X66X76
3276	1 top 1 leg	30.0 11.2	0.105 0.331	127X127X6.5 66X66X76

4095	1 top 1 leg	20.0 6.128	0.072 0.012	85X10X85 45X45X63
4096	1 top 1 leg	26.0 6.0	0.115 0.012	135X10X85 45X45X63


	Level reached
EN 1730:2012	
EN 15372:2016	
5.1	Compliant
5.2	Compliant
6.2	L3
6.3	L3
6.5	L3
6.6	L3
7.2	Compliant




4168



4170




4173



417400
x3 KIT RO h. 51 + GR h. 30 + AR h. 44


FRAME
Polyester lacquered beech wood

TOP
Polyester lacquered MDF




*adjustable foot


4165



4166



4167



FRAME
Painted steel

TOP
Stoneware



	level achieved
EN 15372:2016	
Par. 5.1.5.2	Compliant
EN 1730:2012	
6.2	(maximum level) L3
6.3	(maximum level) L3
6.4.2	(maximum level) L3
6.6	(maximum level) L3
6.9	(maximum level) L3
7.2	Compliant


4168	1	12.0	0.175	50X50X14
4170	1	22.0	0.370	87X87X14
4173	1	24.0	0.436	120X62X14
4174	1	12.0	0.175	50X50X14
	1	22.0	0.370	87X87X14
	1	24.0	0.436	120X62X14

4165	1	10.0	0.175	55X55X58
4166	1	23.0	0.370	95X95X41
4167	1	23.0	0.436	130X70X48


	level achieved	
	4166	4167
EN 15372:2016		
Par. 5.1.5.2	Compliant	Compliant
EN 1730:2012		
6.2	(maximum level) L3	L3
6.3	(maximum level) L3	L3
6.4.2	(maximum level) L3	L3
6.6	(maximum level) L3	L3
6.9	(maximum level) L3	L3
7.2	Compliant	Compliant



4045



4046



FRAME

Painted steel

TOP


Back-painted tempered plate glass



4045	1	40.0	0.101	136X136X5.5
	1	75.0	0.473	82X77X75
4046	1	62.0	0.135	124X198X5.5
	1	75.0	0.473	82X77X75

4044

Indoor



FRAME

Painted steel

TOP

Back-painted tempered plate glass



4044	1	41.0	0.505	79X80X80
------	---	------	-------	----------




					level achieved
EN 1730:2012					Compliant
EN 15372:2016					Compliant
5.1					Compliant
5.2					Compliant
6.2					L3
6.3					L3
6.4.2					L3
6.5					L3
6.6					L3
6.9					L3
7.2					Compliant




4040
Indoor

4049
Outdoor




4041
Indoor

4050
Outdoor



4042
Indoor

4051
Outdoor



4043
Indoor x3 KIT h. 40 + h. 45 + h. 50


4052
Outdoor x3 KIT h. 40 + h. 45 + h. 50

FRAME
Painted steel


TOP
Back-painted tempered plate glass




5070



5075



MATERIAL
Transparent PMMA



	level achieved
EN 1730:2012	Compliant
EN 15372:2016	Compliant
5.1	Compliant
5.2	Compliant
6.2	L3
6.3	L3
6.4.2	L3
6.5	L3
6.6	L3
6.9	L3
7.2	Compliant


4042/4051	1	13.0	0.152	60X55X46.5
4041/4050	1	13.5	0.162	50X57X57
4040/4049	1	15.5	0.159	60X60X45
4043/4052	1	13.0	0.152	60X55X46.5
	1	13.5	0.162	50X57X57
	1	15.5	0.159	60X60X45

5070	1	23.8	1.054	112X84X112
5075	1	20.6	0.539	112X43X112

	Level achieved
EN 15372:2008	Compliant
5.1	Compliant
5.2.2	Compliant
5.2.3	Compliant
EN 1730:2000	Level achieved
6.2	1
6.3	1
6.6	1
6.7	Compliant





4297



FRAME
Polyester lacquered beech wood


UNDERTOP
Polyester lacquered MDF

TOP
Marble effect ceramic



Product made of FSC™ certified wood


4294



FRAME
Polyester lacquered beech wood

UNDERTOP
Polyester lacquered MDF

TOP
Marble effect ceramic or coloured mirror



Product made of FSC™ certified wood




	level achieved
EN 15372:2016	
Par. 5.1.5.2	Compliant
EN 1730:2012	
6.2	(maximum level) L3
6.3	(maximum level) L3
6.4.2	(maximum level) L3
6.6	(maximum level) L3
6.9	(maximum level) L3
7.2	Compliant




4297

1 38.0 0.244 108X108X21



4294

1 15.0 0.081 63X65X20




	level achieved
EN 15372:2016	
Par. 5.1.5.2	Compliant
EN 1730:2012	
6.2	(maximum level) L3
6.3	(maximum level) L3
6.4.2	(maximum level) L3
6.6	(maximum level) L3
6.9	(maximum level) L3
7.2	Compliant


175



4255
Glass top




4256
Glass top




LEG
Transparent PMMA with chrome-plated steel internal structure

TOP
Lacquered polyester covered with glass




TOP LACQUERED POLYESTER
SQUARE PLEATED LEG - SQUARE BASE

4272




4273




LEG
Transparent PMMA with chrome-plated steel internal structure

SQUARE BASE
Chrome-plated aluminium steel

TOP
Lacquered polyester



4255	1 top	45.8	0.138	178X8X97
	4 legs	16.1	0.101	75X27X50
4256	1 top	58.4	0.176	208X8X106
	4 legs	16.1	0.101	75X27X50







4272	1 top	9.0	0.036	85X5X85
	1 leg	7.9	0.088	35X72X35
	1 base	6.7	0.034	53X12X53
4273	1 top	10.0	0.036	85X5X85
	1 leg	7.9	0.088	35X72X35
	1 base	13.3	0.034	53X12X53

Level achieved	
EN 12521:2000	
5.1	Compliant.
5.2	Compliant.
EN 1730:2000	
6.2	2
6.3	5
6.4	5
6.5	5
6.6	5
6.7	Compliant.
6.8	4
maximum level	5










TOP LAMINATED
ROUNDED LEG - ROUNDED BASE




TOP LAMINATED
SQUARE PLEATED LEG - SQUARE BASE




- ROUNDED LEG
- Transparent PMMA
- SQUARE LEG
- Transparent PMMA with chrome-plated steel internal structure
- ROUNDED BASE
- Painted aluminium
- SQUARE BASE
- Painted steel
- TOP
- Laminated



	Level achieved	
	leg round	leg square
EN 15372:2008		
5.1	Compliant	-
5.2.2	Compliant	-
5.2.3	Compliant	-
EN 12521:2000		
5.1	-	Compliant
5.2	-	Compliant
EN 1730:2000		
6.2	3	2
6.3	3	5
6.4	3	5
6.5	3	5
6.6	3	5
6.7	-	Compliant
6.8	-	4
maximum level	3	5




4280	1 top	7.0	0.028	75X5X75
	1 leg	4.0	0.120	40X75X40
	1 base	5.7	0.034	53X12X53
4281	1 top	8.0	0.028	75X5X75
	1 leg	4.0	0.120	40X75X40
	1 base	5.7	0.034	53X12X53
4282	1 top	9.0	0.028	75X5X75
	1 leg	4.0	0.120	40X75X40
	1 base	5.7	0.034	53X12X53
4283	1 top	10.0	0.028	75X5X75
	1 leg	4.0	0.120	40X75X40
	1 base	5.7	0.034	53X12X53




4290	1 top	7.0	0.028	75X5X75
	1 leg	7.9	0.120	40X75X40
	1 base	13.3	0.034	53X12X53
4291	1 top	8.0	0.028	75X5X75
	1 leg	7.9	0.120	40X75X40
	1 base	13.3	0.034	53X12X53
4292	1 top	9.0	0.028	75X5X75
	1 leg	7.9	0.120	40X75X40
	1 base	13.3	0.034	53X12X53
4293	1 top	10.0	0.028	75X5X75
	1 leg	7.9	0.120	40X75X40
	1 base	13.3	0.034	53X12X53

TOP MELAMINE
ROUNDED LEG - ROUNDED BASE


4200




4201



4202




4203




TOP MELAMINE
SQUARE PLEATED LEG - SQUARE BASE


4210




4211



4212



4213



ROUNDED LEG

Transparent PMMA

SQUARE LEG

Transparent PMMA with chrome-plated steel internal structure

ROUNDED BASE


Painted aluminium

SQUARE BASE

Painted steel


TOP

Melamine



Level achieved		
	leg round	leg square
EN 15372:2008		
5.1	Compliant	-
5.2.2	Compliant	-
5.2.3	Compliant	-
EN 12521:2000		
5.1	-	Compliant
5.2	-	Compliant
EN 1730:2000		
6.2	3	2
6.3	3	5
6.4	3	5
6.5	3	5
6.6	3	5
6.7	-	Compliant
6.8	-	4
maximum level	3	5

4200



1 top	4.86	0.020	72X4X69
1 leg	4.15	0.120	40X75X40
1 base	4.78	0.034	53X12X53

4201

1 top	8.0	0.020	72X4X69
1 leg	4.15	0.120	40X75X40
1 base	4.78	0.034	53X12X53


4202

1 top	9.0	0.025	81X4X77
1 leg	4.15	0.120	40X75X40
1 base	4.78	0.034	53X12X53

4203

1 top	10.0	0.025	81X4X77
1 leg	4.15	0.120	40X75X40
1 base	4.78	0.034	53X12X53

4210



1 top	7.0	0.020	72X4X69
1 leg	7.9	0.088	35X72X35
1 base	13.3	0.014	48X6X48

4211

1 top	8.0	0.020	72X4X69
1 leg	7.9	0.088	35X72X35
1 base	13.3	0.014	48X6X48

4212

1 top	9.0	0.025	81X4X77
1 leg	7.9	0.088	35X72X35
1 base	13.3	0.014	48X6X48


4213

1 top	10.0	0.025	81X4X77
1 leg	7.9	0.088	35X72X35
1 base	13.3	0.014	48X6X48




TOP MELAMINE
ROUNDED LEG - ROUNDED BASE


4330




4331



4332




4333




TOP MELAMINE
SQUARE PLEATED LEG - SQUARE BASE


4346




4347



4348



4349



ROUNDED LEG

Transparent PMMA

SQUARE LEG

Transparent PMMA with chrome-plated steel internal structure

ROUNDED BASE


Painted aluminium white or black

SQUARE BASE

Painted aluminium white or black

TOP

Melamine



Level achieved		
	leg round	leg square
EN 15372:2008		
5.1	Compliant	-
5.2.2	Compliant	-
5.2.3	Compliant	-
EN 12521:2000		
5.1	-	Compliant
5.2	-	Compliant
EN 1730:2000		
6.2	3	2
6.3	3	5
6.4	3	5
6.5	3	5
6.6	3	5
6.7	-	Compliant
6.8	-	4
maximum level	3	5

4330	1 top 1 leg 1 base	4.86 4.15 4.78	0.020 0.120 0.034	72X69X4 40X40X75 53X53X12
4331	1 top 1 leg 1 base	5.93 4.15 4.78	0.020 0.120 0.034	72X69X4 40X40X75 53X53X12
4332	1 top 1 leg 1 base	6.16 4.15 4.78	0.025 0.120 0.034	81X77X4 40X40X75 53X53X12
4333	1 top 1 leg 1 base	8.2 4.15 4.78	0.025 0.120 0.034	81X77X4 40X40X75 53X53X12


4346	1 top 1 leg 1 base	4.86 6.0 13.3	0.020 0.088 0.014	72X69X4 35X35X72 48X48X6
4347	1 top 1 leg 1 base	4.86 6.0 13.3	0.020 0.088 0.014	72X69X4 35X35X72 48X48X6
4348	1 top 1 leg 1 base	6.16 6.0 13.3	0.025 0.088 0.014	81X77X4 35X35X72 48X48X6
4349	1 top 1 leg 1 base	8.2 6.0 13.3	0.025 0.088 0.014	81X77X4 35X35X72 48X48X6

SPOON TABLE 2009
Design Antonio Citterio with Toan Nguyen


MAX 1999
Design Ferruccio Laviani




4506



4507



4508




FOLDING LEGS


Batch-coloured modified polypropylene

TOP


Honeycomb aluminium and melamine laminate




4511




4512



4516



4517



FRAME

Chrome-plated or painted steel

TOP

Scratch-proof laminated, thickness 30mm




Table with 2 columns: Standard (EN 1730:2000, EN 12521:2000, EN 15372:2008, UNI 8594:2004, UNI 9086:1987) and Compliance (Compliant, level achieved, 3, 3, 3, 3, 3, Compliant, 3, Compliant).




Table with 5 columns: Model (4506, 4507, 4508), Quantity (1), Weight (23.01, 24.4, 31.6 kg), Volume (0.197, 0.227, 0.306 m³), and Dimensions (163X93X13, 176X99X13, 216X109X13 cm).




Table with 4 columns: Model (4511/4516, 4512/4517), Quantity (1 top, 1 structure), Weight (22.5, 8.95, 32.2, 8.95 kg), Volume (0.111, 0.046, 0.144, 0.046 m³), and Dimensions (172X7X92, 71X25X26, 201X7X102, 71X25X26 cm).




Table with 2 columns: Standard (UNI 8593/84, UNI 8594/84, UNI 9085/87) and Compliance (level achieved, (maximum level) 5, (maximum level) 5, (maximum level) 5).



LIGHTS




9105/B9105/U9105



MATERIAL
Batch-dyed recycled PMMA




JJ20
Pack of 1 E27 11W G125 MILK light bulb included
Cannot be sold separately from 9105/B9105/U9105




The light source can be replaced with a similar source, respecting the data indicated on the label. We recommend using a light source with a colour temperature of 2700 K.




9105/B9105/U9105



MATERIAL
Batch-dyed recycled PMMA



JJ20
Pack of 1 E27 11W G125 MILK light bulb included
Cannot be sold separately from 9105/B9105/U9105




The light source can be replaced with a similar source, respecting the data indicated on the label. We recommend using a light source with a colour temperature of 2700 K.






9400/B9400/U9400/Z9400



FRAME
Liquid-painted die-cast aluminium

DIFFUSER
Transparent thermoplastic technopolymer covered in fabric



SPARE PART
9400000
LED Module
9402000/9404000 (vers. U9400)/9405000 (vers. Z9400)
Power supply




discover Angelo Stone




Unboxing tutorial

9405/B9405/U9405/Z9405




FRAME
Liquid-painted die-cast aluminium


DIFFUSER
Transparent thermoplastic technopolymer covered in fabric




SPARE PART
9405100
LED Module
9405200/9405300
Power supply




The light source and power supply element in this appliance must be replaced by qualified personnel only.




9700/B9700/U9700
Dimmable




MATERIAL
Polyester powder-coated steel



JJ15
Pack of 3 E14 5W LED light bulb included
Cannot be sold separately from 9700/B9700





The light source can be replaced with a similar source, respecting the data indicated on the label. We recommend using a light source with a colour temperature of 2700 K.





9700/B/U 1 19.0 0.396 52X53X144


9710/B9710/U9710
Dimmable battery version




9720/B9720/U9720
Direct power supply




MATERIAL
Polyester powder-coated steel



SPARE PART
9711500
Battery, LED Module (ver. 9710/B/U)
9712500
Battery, LED Module (ver. 9720/B/U)





The light source and/or battery contained in this appliance must only be replaced by qualified personnel using original spare parts.





9710/B/U 1 1.2 0.021 41.5X22X23
9720/B/U 1 1.2 0.021 41.5X22X23



9387/B9387/U9387/Z9387
Dimmable





9388/B9388/U9388/Z9388
Dimmable





FRAME
Chrome-plated steel, painted steel



DIFFUSER
Transparent or mass-dyed thermoplastic technopolymer



9390/9391





9430/9431




FRAME
Polished or painted die-cast aluminium


DIFFUSER
Transparent or mass-dyed thermoplastic technopolymer




discover Planet Family




The light source contained in this appliance must only be replaced by qualified personnel using original spare parts.



9387/B/U/Z	1	12.5	0.22	40X40X138
9388/B/U/Z	1	13.2	0.269	40X40X168




9390/9391	1	4.2	0.05	39X33X39
9430/9431	1	4.2	0.05	39X33X39




The light source contained in this appliance must only be replaced by qualified personnel using original spare parts.



9386/B9386/U9386/Z9386




9385/B9385/Z9385/U9385
Dimmable ON/OFF



FRAME
Polished or painted die-cast aluminium

DIFFUSER
Transparent or mass-dyed thermoplastic technopolymer




SPARE PART
9386000/9386300
LED Module




discover Planet Family

9410/B9410/U9410/Z9410
Dimmable battery version




9420/B9420/U9420/Z9420
Direct power supply



FRAME
Metallic technopolymer thermoplastic

DIFFUSER
Transparent or batch-dyed PMMA




100V-240V power supply included


SPARE PART
94110 + COLOR CODE (ver. 9410/B/U/Z)
LED Module
94200 + COLOR CODE (ver. 9420/B/U/Z)
LED Module




discover Mini Planet




The light source contained in this
appliance must only be replaced
by qualified personnel using
original spare parts.



9386/B/U/Z	1	4.08	0.05	39X39X33
9385/B/U/Z	1	4.72	0.094	39X55X44




9410/B/U/Z	1	0.75	0.01	20X20X24
9420/B/U/Z	1	0.75	0.01	20X20X24



The light source and/or battery
contained in this appliance must
only be replaced by qualified
personnel using original spare
parts.




9180/B9180/U9180/Z9180
dimmable




MATERIAL
Transparent or mass-dyed thermoplastic technopolymer



9185/B9185/U9185
dimmable outdoor version




MATERIAL
Transparent or mass-dyed thermoplastic technopolymer



SPARE PART

91825EU (ver. 9180/B9180) LED Module	91825US (ver. U9180/Z9180) LED Module
91855EU (ver. 9185) LED Module	91855US (ver. U9185) LED Module

9175/9176



MATERIAL
Transparent or mass-dyed thermoplastic technopolymer




JJ14
One E27 max. 12W LED light bulb included
Cannot be sold separately from 9175


One E26 Max 7.5W LED light bulb included
Cannot be sold separately from 9176



Production video



The light source contained in this
appliance must only be replaced
by qualified personnel using
original spare parts.




The light source can be replaced
with a similar source, respecting
the data indicated on the label.
We recommend using a light
source with a colour temperature
of 2700 K.

9180/B/U/Z	1	12.26	0.562	57X173X57
9185/B/U	1	12.26	0.562	57X173X57


9175/9176	1	4.0	0.288	60X60X80
------------------	---	-----	-------	----------



9425/B9425/U9425




FRAME
Polyester powder-coated steel




DIFFUSER
Transparent batch-dyed PMMA and ABS



JJ16
One G45 E14 5W LED light bulb included
Cannot be sold separately from 9525/B9425




The light source can be replaced with a similar source, respecting the data indicated on the label. We recommend using a light source with a colour temperature of 2700 K.




9425/B/U	1 Base	5.3	0.003	30X30X4
	1 Rod	1.8	0.001	3X3X168
	1 Lampshade	1.8	0.023	39X25X24


9480/9481
Wall lamp




MATERIAL
Batch-dyed or transparent thermoplastic technopolymer, metallic recycled ABS



JJ16
One G45 5W LED light bulb included
Cannot be sold separately from 9480



9480/9481	1	0.65	0.006	26X17X13.5
------------------	---	------	-------	------------




The light source can be replaced with a similar source, respecting the data indicated on the label. We recommend using a light source with a colour temperature of 2700 K.







9560/B9560/U9560/Z9560
Dimmerable battery version





MATERIAL
PMMA, PP and metallic or painted recycled ABS




9561/B9561/U9561/Z9561
Outdoor dimmerable battery version



MATERIAL
PMMA, PP and metallic recycled ABS




The light source and/or battery contained in this appliance must only be replaced by qualified personnel using original spare parts.



9560/B/U/Z	1	0.61	0.008	15X15X36
9561/B/U/Z	1	0.61	0.008	15X15X36


9562/B9562/U9562/Z9562
Dimmerable battery version with diffuser



MATERIAL
PMMA, PP and metallic or painted recycled ABS




95625
Diffuser




MATERIAL
PP and metallic or painted recycled ABS



9562000
Battery, LED Module



9562/B/U/Z	Lamp	0.61	0.008	15X15X36
	Diffuser	0.40	0.003	16X16X11
95625	1	0.40	0.003	16X16X11




The light source and/or battery contained in this appliance must only be replaced by qualified personnel using original spare parts.


NEW!




9570/B9570/U9570/Z9570
Wall lamp




MATERIAL
PMMA and metallic or painted recycled ABS



SPARE PART
9570700
LED Module, Power supply




The light source and power supply element in this appliance must be replaced by qualified personnel only.





9570/B/U/Z 1 0.60 0.007 15X15X33

G9500/B9500/U9500
dimmable




STRUCTURE
Extruded aluminum and thermoplastic technopolymer


DIFFUSER
Recycled thermoplastic technopolymer, transparent or mass-colored and metallized




SPARE PART
95155
LED Module
95156
Electronic board, button, and power cable



The light source contained in this appliance must only be replaced by qualified personnel using original spare parts.



G9500/B9500/U9500 1 1.9 0.031 46X26X26



9070/B9070/U9070/Z9070
dimmable

MATERIAL
2.0 polycarbonate from renewable transparent feedstock, mass-dyed or metallic





B9071/U9071 B4
ON/OFF

MATERIAL
Transparent polycarbonate



9072/B9072/U9072/Z9072
dimmable

9074/B9074/U9074/Z9074
dimmable

MATERIAL
frame: metallized ABS, diffuser: metallized polycarbonate





The light source can be replaced with a similar source, respecting the data indicated on the label. We recommend using a light source with a colour temperature of 2700 K.



9077/B9077/U9077
dimmable


MATERIAL
Polycarbonate 2.0, made from mass dyed, soft-touch renewable raw material




JJ01
Three E14 max. 3.4W LED light bulbs included
Cannot be sold separately from 9077/B9077



discover Bourgie





The light source can be replaced with a similar source, respecting the data indicated on the label. We recommend using a light source with a colour temperature of 2700 K.






9200/B9200/U9200
dimmbale



MATERIAL
Polycarbonate 2.0, made from mass dyed, transparent, soft-touch renewable raw material


TRANSPARENT



MAT



OPAQUE



New polycarbonate 2.0, a material that uses a renewable raw material from the pulp and paper industry in the synthesis phase. The process used for the production of the material is ISCC certified* (International Sustainability and Carbon Certification)




100V-240V power supply included




SPARE PART

9202000
Dimmer, LED Module





The light source contained in this appliance must only be replaced by qualified personnel using original spare parts.




9200/B/U 1 2.83 0.11 38X37X84

9050/B9050/U9050/Z9050



MATERIAL
Polycarbonate 2.0 from transparent or mass-dyed renewable raw material

TRANSPARENT




MAT




New polycarbonate 2.0, a material that uses a renewable raw material from the pulp and paper industry in the synthesis phase. The process used for the production of the material is ISCC certified* (International Sustainability and Carbon Certification)

JJ04
One E14 3.8W LED light bulb included
Cannot be sold separately from 9050/B9050




9050/B/U/Z 1 1.1 0.011 19X19X32




The light source can be replaced with a similar source, respecting the data indicated on the label. We recommend using a light source with a colour temperature of 2700 K.





G9335/B9335/U9335
dimmable



MATERIAL
Batch-dyed and metallic recycled PMMA



Product made of recycled material



100V-240V power supply included




SPARE PART

93367/93368
Battery, LED Module




Production video


9220/B9220/U9220/Z9220




MATERIAL
Transparent or batch-dyed PMMA - Metallized ABS



9225/B9225/U9225/Z9225
outdoor



MATERIAL
Transparent or batch-dyed PMMA - Metallized ABS



SPARE PART



100V-240V power supply included

92209 + COLOR CODE (ver. 9220/9225/B9220/B9225)

Battery

92212 + COLOR CODE (ver. 9220/9225/B9220/B9225)


LED Module

92215 + COLOR CODE (ver. U9220/Z9220/U9225/Z9225)


Battery

92216 + COLOR CODE (ver. U9220/Z9220/U9225/Z9225)


LED Module




The light source and/or battery contained in this appliance must only be replaced by qualified personnel using original spare parts.



The light source and/or battery contained in this appliance must only be replaced by qualified personnel using original spare parts.





G9335/B	1 (minimum purchase 4 pieces)	1.2	0.008	39X15X15
G9335/U	1 (minimum purchase 4 pieces)	1.2	0.008	39X15X15





9220/B/U/Z	1	0.86	0.016	20X21X38
9225/B/U/Z	1	0.86	0.016	20X21X38





9131/9133
Hanging



9125/9126
Wall lamp



9110/B9110/U9110/Z9110
Table lamp




FRAME

Transparent thermoplastic technopolymer


DIFFUSER

Transparent thermoplastic technopolymer covered in fabric




JJ02

One E14 4W LED light bulb included
Cannot be sold separately from 9131/9125/9110/B9110





The light source can be replaced with a similar source, respecting the data indicated on the label. We recommend using a light source with a colour temperature of 2700 K.





9110/B/U/Z	1	1.5	0.015	23X41X16
9125/9126	1	1.345	0.013	23X29X19
9131/9133	1	1.09	0.013	23X29X19



9130/9132
Hanging sculpted version



9120/9121
Wall lamp sculpted version




9135/B9135/U9135/Z9135
Sculpted table lamp



MATERIAL

Transparent or mass-dyed thermoplastic technopolymer

9120/9130/9135/9132/9121/B9135/U9135/Z9135




9135/B9135/
U9135/Z9135




JJ03

One E14 4W LED light bulb included
Cannot be sold separately from 9130/9120/9135/B9135



The light source can be replaced with a similar source, respecting the data indicated on the label. We recommend using a light source with a colour temperature of 2700 K.




9120/9121	1	1.3	0.013	23X29X19
9130/9132	1	1.05	0.013	23X29X19
9135/B/U/Z	1	1.47	0.015	23X41X16








9005/B9005/U9005




MATERIAL
Batch-dyed recycled ABS





The light source can be replaced with a similar source, respecting the data indicated on the label. We recommend using a light source with a colour temperature of 2700 K.




9008//U9008



MATERIAL
Batch-dyed recycled ABS





The light source can be replaced with a similar source, respecting the data indicated on the label. We recommend using a light source with a colour temperature of 2700 K.






8836/B8836/U8836



MATERIAL
Painted thermoplastic technopolymer



8837/B8837/U8837

MATERIAL
Metallic technopolymer thermoplastic





8837000
LED Module





discover TOY


9190/B9190/U9190/Z9190
Tec dimmable





9195/B9195/U9195/Z9195
Dec dimmable




MATERIAL
Mass colored polycarbonate, anodised aluminum



9190/B9190/U9190/Z9190
Tec Mat dimmable




MATERIAL
Painted polycarbonate, anodised aluminum




91900 + COLOR CODE (ver. 9190/B/U/Z)
LED Module

91950 + COLOR CODE (ver. 9195/B/U/Z)
LED Module


100V-240V power supply included




The light source contained in this appliance must only be replaced by qualified personnel using original spare parts.



The light source contained in this appliance must only be replaced by qualified personnel using original spare parts.



8836/B/U	1	1.5	0.030	35X28X29
8837/B/U	1	1.5	0.030	35X28X29




9190/B/U/Z	1	4.7	0.03	23.5X117.5X11
9195/B/U/Z	1	4.7	0.03	23.5X117.5X11









9300/W9300
dimmable



MATERIAL
Transparent or batch-dyed PMMA




The light source contained in this
appliance must only be replaced
by qualified personnel using
original spare parts.




9300/W 1 4.62 0.096 47X85X24


9320/W9320







MATERIAL
Mass-dyed or transparent PMMA




9325/W9325



MATERIAL
Metallic PMMA




The light source contained in this
appliance must only be replaced
by qualified personnel using
original spare parts.





9320/W 1 1.2 0.014 42X25X14
9325/W 1 1.2 0.014 42X25X14



9100/B9100/U9100/Z9100




MATERIAL
Recycled metallic ABS




JJ05
One E27 11.2W LED light bulb included
Cannot be sold separately

One E26 Max 7.5W LED light bulb included
Cannot be sold separately




The light source can be replaced with a similar source, respecting the data indicated on the label. We recommend using a light source with a colour temperature of 3000 K.




9100/B/U/Z 1 2.07 0.032 26X49X25

9060/B9060/U9060/Z9060




9065/B9065/U9065/Z9065




FRAME
Transparent PMMA

DIFFUSER
Polycarbonate




JJ06
One E27 12W LED light bulb included
Cannot be sold separately from 9060/B9060/9065/B9065

One E26 7.5W LED light bulb included
Cannot be sold separately from U9060/U9065



9060/B/U/Z 1 10.7 0.142 28X181X28
9065/B/U/Z 1 3.05 0.049 27X67X27




The light source can be replaced with a similar source, respecting the data indicated on the label. We recommend using a light source with a colour temperature of 2700 K.





G9550/9554
dimmable*



kg
6.0

Technical specifications including icons for energy efficiency, light output, and material properties. Text includes: 8x Max 5W E14, 2700°K, 20.000 h., 8x 400lm*, Kartell Custom Bulb.

MATERIAL

2.0 polycarbonate from renewable transparent feedstock or batch-dyed

GLOSSY



New polycarbonate 2.0, a material that uses a renewable raw material from the pulp and paper industry in the synthesis phase. The process used for the production of the material is ISCC certified* (International Sustainability and Carbon Certification)

9546

Pack of 2 light bulbs E14 5W 2.700°K

9544

Pack of 2 light bulbs E12 5W


JJ17

Pack of 8 light bulbs E14 5W 2.700°K LED included
Cannot be sold separately from 9559/9555/9545

Pack of 8 light bulbs E12 5W LED included

Cannot be sold separately from 9554/9559/9561

*product dimmable with compatible systems



The light source can be replaced with a similar source, respecting the data indicated on the label. We recommend using a light source with a colour temperature of 2500 K.





Table with 4 columns: Model, Quantity, Weight (kg), and Dimensions (cm). Rows include G9550/9554, 9542/9546, and 9544.

G9555/9559
dimmable*



kg
6.0

Technical specifications including icons for energy efficiency, light output, and material properties. Text includes: 8x Max 5W E14, 2700°K, 20.000 h., 8x 400lm*, Kartell Custom Bulb.

MATERIAL


2.0 polycarbonate from renewable painted feedstock

METALLIC



GG
Matt bronze

G9545/9561
dimmable*



kg
6.0

Technical specifications including icons for energy efficiency, light output, and material properties. Text includes: 8x Max 5W E14, 2700°K, 20.000 h., 8x 400lm*, Kartell Custom Bulb.


MATERIAL

2.0 polycarbonate from renewable metallic feedstock

METALLIC



BL
Polished
Champagne



The light source can be replaced with a similar source, respecting the data indicated on the label. We recommend using a light source with a colour temperature of 2500 K.






Table with 4 columns: Model, Quantity, Weight (kg), and Dimensions (cm). Rows include G9555/9559 and G9560/9561.






9030/9031

MATERIAL
Batch-dyed recycled PMMA



9038/9039

MATERIAL
Painted PMMA



9035/9036


MATERIAL
Metallic PMMA



JJ14


One E27 max. 12W LED light bulb included
Cannot be sold separately
from 9030/9038/9035

One E26 Max 7.5W LED light bulb included
Cannot be sold separately
from 9031/9039/9036




9053/9054

MATERIAL
Batch-dyed recycled PMMA



9068/9069

MATERIAL
Painted PMMA



9066/9067


MATERIAL
Metallic PMMA




JJ14

One E27 max. 12W LED light bulb included
Cannot be sold separately
from 9053/9068/9066


One E26 Max 7.5W LED light bulb included
Cannot be sold separately
from 9054/9069/9067




The light source can be replaced
with a similar source, respecting
the data indicated on the label.
We recommend using a light
source with a colour temperature
of 2700 K.




9030/9031	1	3.7	0.124	55X41X55
9038/9039	1	3.7	0.124	55X41X55
9035/9036	1	3.7	0.124	55X41X55



9053/9054	1	2.14	0.058	42X32X43
9068/9069	1	2.14	0.058	42X32X43
9066/9067	1	2.14	0.058	42X32X43



The light source can be replaced
with a similar source, respecting
the data indicated on the label.
We recommend using a light
source with a colour temperature
of 2700 K.




MATERIAL
Batch-dyed recycled PMMA

9058/9059




9097/9098

MATERIAL
Painted PMMA




JJ14
One E27 max. 12W LED light bulb included
Cannot be sold separately
from 9058/9097


One E26 Max 7.5W LED light bulb included
Cannot be sold separately
from 9059/9098



The light source can be replaced with a similar source, respecting the data indicated on the label. We recommend using a light source with a colour temperature of 2700 K.



9058/9059 1 10.45 0.481 86X65X86
9097/9098 1 10.45 0.481 86X65X86




MATERIAL
Mass-dyed thermoplastic technopolymer

9450/9451



9455/9456




9460/9461




JJ14
One E27 max. 12W LED light bulb included
Cannot be sold separately
from 9450/9455/9060



One E26 Max 7.5W LED light bulb included
Cannot be sold separately
from 9451/9456/9461



The light source can be replaced with a similar source, respecting the data indicated on the label. We recommend using a light source with a colour temperature of 2700 K.




9450/9451 1 4.7 0.13 53X53X43
9455/9456 1 4.7 0.13 53X53X43
9460/9461 1 4.7 0.13 53X53X43



MATERIAL
Polycarbonate 2.0 from transparent or mass-dyed renewable raw material

G9080/9081

TRANSPARENT




G9082/9083

MAT




New polycarbonate 2.0, a material that uses a renewable raw material from the pulp and paper industry in the synthesis phase. The process used for the production of the material is ISCC certified* (International Sustainability and Carbon Certification)

JJ12
One E27 8.4W Globo Led light bulb included
Cannot be sold separately from 9080/9082





The light source can be replaced with a similar source, respecting the data indicated on the label. We recommend using a light source with a colour temperature of 2700 K.




9080/9081	1	2.93	0.063	43X34X43
9082/9083	1	2.93	0.063	43X34X43

G9040/9041



G9045/9046



ROSETTE
Chrome-plated steel


DIFFUSER
Polycarbonate 2.0 from transparent or mass-dyed renewable raw material

TRANSPARENT




New polycarbonate 2.0, a material that uses a renewable raw material from the pulp and paper industry in the synthesis phase. The process used for the production of the material is ISCC certified* (International Sustainability and Carbon Certification)

JJ11
One E14 4W Led light bulb included
Cannot be sold separately from 9040/9041



The light source can be replaced with a similar source, respecting the data indicated on the label. We recommend using a light source with a colour temperature of 2700 K.



9040/9041	1	0.76	0.011	28X22X18
9045/9046	1	0.77	0.011	28X22X18

9260/9261
S2
9263/9264
S2 Metallic

Technical specifications and icons for model 9260/9261 S2.

9270/9271
CW2

Technical specifications and icons for model 9270/9271 CW2.

9265/9266
S1
9268/9269
S1 Metallic

Technical specifications and icons for model 9265/9266 S1.

9275/9276
C1

Technical specifications and icons for model 9275/9276 C1.

LED icon and text: The light source can be replaced with a similar source, respecting the data indicated on the label. We recommend using a light source with a colour temperature of 2700 K.

9280/9281
S0

Technical specifications and icons for model 9280/9281 S0.

MATERIAL
Transparent or mass-dyed technopolymer thermoplastic

Material options: B4 Crystal, LV Lavender, MN Mint, O3 White.

MATERIAL
Metallic technopolymer thermoplastic

Material options: GG Gold, BR Bronze, RR Copper, XR Gold Bronze Copper.

JJ08
Three G9x3.5W LED light bulbs included
Cannot be sold separately from 9260 S2/9270 CW2/9263 S2

JJ09
Six G9x3.5W LED light bulbs included
Cannot be sold separately from 9265 S1/9268 S1/9275 C1

JJ10
Nine G9x3.5W LED light bulbs included
Cannot be sold separately from 9280 S0

Table with 4 columns: Model, Quantity, Weight (kg), and Dimensions (cm).

9250/9251

Technical specifications and icons for model 9250/9251.

FRAME
Transparent or batch-dyed polycarbonate

FLOWERS
Batch-dyed technopolymer thermoplastic

Material options for flowers: B4 Crystal, RN Pink Black, O3 White, O9 Black.

JJ07
Nine G9x3.5W LED light bulbs included
Cannot be sold separately from 9250

Table with 4 columns: Model, Quantity, Weight (kg), and Dimensions (cm).



LED icon and text: The light source can be replaced with a similar source, respecting the data indicated on the label. We recommend using a light source with a colour temperature of 2700 K.



ACCESSORIES

MATERIAL

Biomaterial from renewable source

5970

VE
Green

RO
Pink

PA
Cream

GI
Yellow

Product made of biopolymer created using raw materials from renewable sources of non-GMO agricultural origin

4986

SI/silver finish

4988

SI/silver finish

MATERIAL

Recycled thermoplastic technopolymer from industrial scrap

O3
White

O9
Black

4986-4988

SI
Silver

4966-4967-4985

Product made of recycled material

5970				
	1	4.6	0.063	33X32X60

4986	1	2.6	0.044	32X32X42
4966	1	2.6	0.044	32X32X42
4988	1	3.6	0.063	33X32X60
4967	1	3.6	0.063	33X32X60
4985	1	4.7	0.085	33X33X78



32

32

40

kg

2.1

32

32

58.5

kg

3.15

32

32

77

kg

4.2

MATERIAL

Batch-dyed or painted ABS

4966-4967

GLOSS

NEW

AM

Orange

NEW

AZ

Sky blue

NEW

MV

Mauve

NEW

TO

Dove gray

NEW

BO

Burgundy

GLOSS

03

White

15

Blue

18

Green

20

Violet

09

Black

10

Red

4966	1	2.6	0.043	32X32X42
4967	1	3.63	0.063	33X32X60
4985	1	4.7	0.085	33X33X78

COMPONIBILI METAL

Design Anna Castelli Ferrieri

1969

32

32

40

kg

2.18

32

32

58.5

kg

3.25

MATERIAL

Metallic ABS

METALLIC

XX

Chrome

GG

Gold


RR

Copper


5966	1	2.64	0.044	32X32X42
5967	1	3.5	0.063	33X32X60

238


239




4959
Closing top
4959
SI/silver finish




4955
4955
SI/silver finish




4953
4953
SI/silver finish




4931
4932
SI/silver finish



4935
4936
SI/silver finish




4933
4934
SI/silver finish






7900
Package of 4 wheels



MATERIAL
Batch-dyed or painted ABS



MATERIAL
Recycled thermoplastic technopolymer from industrial scrap




4970
4970
kg
1.53

4979
4979
kg
2.4


4972
Closing top
4972
kg
0.57

4978
4978
kg
0.40

MATERIAL
Batch-dyed ABS



4955	1	3.9	0.076	43X43X41
4959	1	0.9	0.006	42X42X3.5
4953	1	2.7	0.046	43X43X25
4931/4932	1	3.9	0.076	43X43X41
	1	0.9	0.006	42X42X3.5
	1	2.7	0.046	43X43X25
4935/4936	3	8.1	0.139	43X43X25
	1	0.9	0.006	42X42X3.5
4933/4934	2	7.8	0.152	43X43X41
	1	0.9	0.006	42X42X3.5
7900	1	1.2	0.003	19X19X32




4970	1	2.1	0.034	39X38X24
4979	1	3.2	0.060	39X39X40
4972	1	0.8	0.004	39X39X3
4978	1	0.57	0.003	35X31X3




COMPONIBILI SMILE 1969

Design Anna Castelli Ferrieri
Smile personalization by Fabio Novembre 2017 tribute to Anna Castelli Ferrieri




4924




kg
2.1

4925




kg
2.1

4926




kg
2.1

MATERIAL
Batch-dyed ABS



GLOSSY

10
Red




4924/4925/4926

1


2.6

0.043

32X32X42




2008



kg
11.1

2012



kg
14.8

2026



kg
18.2

STRUCTURE
Painted steel

CONTAINERS AND SHELVES
Recycled thermoplastic technopolymer from industrial scrap with soft-touch effect



MAT



Product made of recycled material



2008

1

13.3

0.140

50X56X50

2012

1

17.8

0.192

56X58X59

2026

1

22.2




0.251

56X80X56

MOBIL MAT 1994

Design Antonio Citterio with Oliver Löw






FRAME
Chrome-plated steel

CONTAINER AND SHELVES
Batch-dyed thermosetting with scratch-proof and knock properties


OPALINE

L1 Ice

L2 Cobalt




2000	1	12.9	0.140	50X56X50
2001	1	12.8	0.140	50X56X50
2004	1	13.3	0.140	50X56X50
2005	1	14.0	0.140	50X56X50
2010	1	17.8	0.192	56X58X59
2011	1	17.4	0.192	56X58X59
2020	1	21.0	0.251	56X80X56




2021	1	20.8	0.251	56X80X56
2024	1	22.2	0.251	56X80X56
2025	1	21.4	0.251	56X80X56
2034	1	26.0	0.304	56X97X56
2035	1	25.6	0.304	56X97X56
2040	1	30.2	0.339	55X112X55
2041	1	28.6	0.339	55X112X55




5224
Coffee table




5221
Side table




MATERIAL
Recycled polyethylene




5223
Large plant pot cover



5222
Small plant pot cover



MATERIAL
Recycled polyethylene




	level achieved
EN 15372:2016	
Par. 5.1.5.2	Compliant
EN 1730:2012	
6.2	(maximum level) L3
6.3	(maximum level) L3
6.4.2	(maximum level) L3
6.6	(maximum level) L3
6.9	(maximum level) L3
7.2	Compliant

5224	1	9.0	0.202	72X72X39
5221	1	5.0	0.083	40X40X52

5223	1	10.5	0.202	72X72X39
5222	1	11.0	0.181	55X55X60




5907



MATERIAL
post-industrial recycled thermoplastic technopolymer obtained from Illy coffee pods

MAT

- BI White
- NE Black
- GR Gray
- AR Rusty orange




In the ongoing process of research that Kartell is developing in terms of materials and sustainable production innovation, an important new partnership has been entered into with the illy group. A second raw material is created from post-industrial waste pods via a process of regeneration of the material, which is ground and returned to granule form, gaining a new life. It can then be injected into the Kartell mould and used to generate a design product. The collaboration with illy does goes beyond the mere supply of recycled material to embody a new way of managing the circular economy between two excellences. The quality of a mass consumer industrial product gives origin to an industrial project that generates beauty and is itself based on quality. It took almost two years of work to achieve the required quality standard and mechanics to create a product from waste coffee pods.




powered by illy

5907




1 6.0 0.219 96X79X29

3220
Small Ghost Buster



3210
Ghost Buster



MATERIAL
Transparent or batch-dyed PMMA

3220 Small Ghost Buster

TRANSPARENT


- B4 Crystal
- V9 Smoke
- NEW** Z4 Powder blue
- NEW** Z2 Amber

MAT

- E5 White
- E6 Black




3220




1 8.12 0.144 51X69X41

3210




1 20.2 0.347 80X85X51







4470

FRAME
Chrome-plated steel and polished aluminium feet




4473

FRAME
Painted steel




4470	1	14.0	0.246	98X33X76
4473	1	14.0	0.246	98X33X76





4460

FRAME
Chrome-plated steel and polished aluminium feet




4463

FRAME
Painted steel






4460	1	12.6	0.147	80X30X61
4463	1	12.6	0.147	80X30X61




STRUCTURE
Chrome steel

TRAYS
PMMA




MATERIAL
Transparent PMMA







4410



4412



4414




FRAME
Chrome-plated or painted steel


SHELVES
Mass-colored or painted PMMA



4416



4418



FRAME
Chrome-plated or painted steel

SHELVES
Mass-colored or painted PMMA



4410 - 4414	reached level
EN 1730:00	(maximum level) 3
6.5	(maximum level) 3
6.3	(maximum level) 3


4410	1	6.43	0.042	98X8X54
4412	1	10.25	0.066	92X8X89
4414	1	12.5	0.076	157X9X54

4416	1	14.8	0.109	86X24X53
4418	1	33.2	0.224	174X28X46


4416	reached level
UNI 8606/84	(maximum level) 3
UNI 8600/84	(maximum level) 3

COMBINATIONS WITH CUPBOARD


8904
3 shelves 90 cm. - 2 struts - 1 cupboard



8905
6 shelves 90 cm. - 3 struts - 2 cupboards




8906
6 shelves 90 - 4 shelves 60 - 4 struts - 2 cupboards




COMBINATIONS WITH SHELVES ONLY


8917
10 shelves 60 cm. - 3 struts




8914
5 shelves 90 cm. - 2 struts



8915
10 shelves 90 cm. - 3 struts



8916
14 shelves 90 cm. - 4 struts



SHELVES
Curved wood

SUPPORTS
Mass-dyed thermoplastic technopolymer

STRUTS
Painted steel

CUPBOARD
Wood with MDF inner support, clad on both sides with wood veneer and varnished

Basic Veneer

TOP FRAME

SN

Dark wood

Black

Slatted Ash

TOP FRAME

NN

Black Ash

Black

BB

White Ash

White

Product made of FSC™ certified wood




discover
Smart Wood Collection



Adam Wood
video tutorial



The mark of
responsible forestry




8904	3 shelves	10.5	0.085	100X50X17
	2 struts	9.0	0.055	212X20X13
	1 cupboard	22.5	0.172	96X46X39
8905	3 shelves 90 cm.	10.5	0.085	100X50X17
	3 shelves 90 cm.	10.5	0.085	100X50X17
	1 strut	6.0	0.055	212X20X13
	2 struts	9.0	0.055	212X20X13
	1 cupboard	22.5	0.172	96X46X39
	1 cupboard	22.5	0.172	96X46X39
8906	2 shelves 60 cm.	6.3	0.059	70X50X17
	2 shelves 60 cm.	6.3	0.059	70X50X17
	3 shelves 90 cm.	10.5	0.085	100X50X17
	3 shelves 90 cm.	10.5	0.085	100X50X17
	2 struts	9.0	0.055	212X20X13
	2 struts	9.0	0.055	212X20X13
	1 cupboard	22.5	0.172	96X46X39
	1 cupboard	22.5	0.172	96X46X39

8914	2 shelves	8.0	0.085	100X50X17
	3 shelves	10.5	0.085	100X50X17
	2 struts	9.0	0.055	212X20X13
8915	2 shelves	8.0	0.085	100X50X17
	2 shelves	8.0	0.085	100X50X17
	3 shelves	10.5	0.085	100X50X17
	3 shelves	10.5	0.085	100X50X17
	1 strut	6.0	0.055	212X20X13
	2 struts	9.0	0.055	212X20X13
8916	2 shelves	8.0	0.085	100X50X17
	3 shelves	10.5	0.085	100X50X17
	3 shelves	10.5	0.085	100X50X17
	3 shelves	10.5	0.085	100X50X17
	3 shelves	10.5	0.085	100X50X17
	2 struts	9.0	0.055	212X20X13
	2 struts	9.0	0.055	212X20X13

8917	2 shelves 60 cm.	6.3	0.059	70X50X17
	2 shelves 60 cm.	6.3	0.059	70X50X17
	3 shelves 60 cm.	8.1	0.059	70X50X17
	3 shelves 60 cm.	8.1	0.059	70X50X17
	1 strut	6.0	0.055	212X20X13
	2 struts	9.0	0.055	212X20X13

	level achieved
EN 16121:2013+AC 2017	
5.2	Compliant.
5.3	Compliant.
5.4	Compliant.
5.5	Compliant.
EN 16122:2012+AC 2015	
6.1.2	Compliant.
6.1.3	Compliant.
6.1.5	Compliant.
10.2	Compliant.



8930
2 shelves 90 cm.

90	32	5.2
----	----	-----

8931
3 shelves 90 cm.

90	32	7.8
----	----	-----

8934
2 shelves 60 cm.

60	32	3.5
----	----	-----

8935
3 shelves 60 cm.

60	32	5.2
----	----	-----

SHELVES
Curved wood

SUPPORTS
Mass-dyed thermoplastic technopolymer

Basic Veneer
SN Dark wood Black

Slatted Ash
NN Black Ash Black
BB White Ash White

8932
1 strut

4.5	19	2.8
-----	----	-----

8933
2 struts

4.5	19	5.6
-----	----	-----

STRUTS
Painted steel

NEW!
03 White
09 Black


8937
1 cupboard

89	32	11.0
----	----	------

CUPBOARD
Wood with MDF inner support, clad on both sides with wood veneer and varnished

Basic Veneer
SN Dark wood

Slatted Ash
NN Black Ash
BB White Ash



discover
Smart Wood Collection



Adam Wood
video tutorial

	level achieved
EN 16121:2013+AC 2017	
5.2	Compliant
5.3	Compliant
5.4	Compliant
5.5	Compliant
EN 16122:2012+AC 2015	
6.1.2	Compliant
6.1.3	Compliant
6.1.5	Compliant
10.2	Compliant

8930	2 shelves 90 cm.	8.0	0.085	100X50X17
8931	3 shelves 90 cm.	10.5	0.085	100X50X17
8934	2 shelves 60 cm.	6.3	0.059	70X50X17
8935	3 shelves 60 cm.	8.1	0.059	70X50X17

8932	1 strut	6.0	0.055	212X20X13
8933	2 struts	9.0	0.055	212X20X13
8937	1 cupboard	22.5	0.172	96X46X39

4760

2-ways joint

3.5

3.5

35.5

kg

0.275

4761

3-ways joint

3.5

3.5

35.5

kg

0.32

4762

4-ways joint

3.5

3.5

35.5

kg

0.39

4763

Short shelf

16

3.5

35.5

kg

0.31

4764

Medium shelf

35.5

3.5

35.5

kg

0.67

4765

Wide shelf

74.5

3.5

35.5

kg

1.45

4766

Maxi shelf

94

3.5

35.5

kg

1.83

4768

119

35.5

kg

21.3

4769

196

80.5

kg

25.26

4767

196

35.5

kg

35.46

MATERIAL

ABS

03

White

09

Black

4770

Cube for modular shelving system

35.5

35.5

kg

3.15

MATERIAL

Lacquered polyurethane

03

White

06

Yellow

09

Black

10

Red

20

Light blue

4760	4	1.4	0.011	20X15X37
4761	4	1.57	0.014	20X19X37
4762	1	0.56	0.010	17X16X37
4763	2	0.76	0.005	17X8X37
4764	4	3.1	0.021	37X15X37
4765	2	3.35	0.026	38X9X76
4766	1	2.25	0.016	37X4.5X95

4767	1	42.54	0.324	
4768	1	25.38	0.193	
4769	1	30.05	0.225	
4770	1	3.47	0.064	40X40X40

260

261



8003
7 bookends
8004

8005
11 bookends
8006

8008
17 bookends
8010

MATERIAL
fire-retardant mass-dyed thermoplastic technopolymer

MAT

OPAQUE

8004/8006/8010

1A Aluminium

03 White

NR Black Gold

09 Black

C4 Cobalt

C8 Wine red



Bookworm
video tutorial

8003/8004	1	7.2	0.055
8005/8006	1	10.8	0.055
8008/8010	1	16.2	0.055
			52X50X21

8060

HINGE
Polycarbonate

SHELF
Transparent or mass-dyed thermoplastic technopolymer

TRANSPARENT

B4 Crystal

AZ Light blue

VE Green

AM Amber


RO Pink



8060	2	1.372	0.021
			32X33X20



4928
Basic Veneer
4929
Slatted Ash




FRAME
Chrome-plated or painted steel;
TOP
Curved wood




discover
Smart Wood Collection


8500



8501



8502



MATERIAL
Transparent or batch-dyed PMMA




4928	1	3.10	0.09	43X43X50
4929	1	3.10	0.09	43X43X50

8500	1	6.4	0.148	60X41X60
8501	1	6.52	0.176	60X49X60
8502	1	7.01	0.202	60X56X60

EN 1730:00	reached level
6.3	3
6.5	(maximum level) 5



8600



MATERIAL
Transparent or batch-dyed PMMA

TRANSPARENT



B4
Crystal

MAT




E5
Glossy
white



E6
Glossy
black

8605

Glass top



MATERIAL
Transparent or batch-dyed PMMA

MAT



VB
White



VN
Black



8600

1

5.4

0.146

54X52X52

8605

1


5.93

0.146

54X52X52

8600

TipTop Mono



MATERIAL
Batch-dyed PMMA

MAT



O3
Glossy
white



O9
Glossy
black



8600

1


5.4

0.146

54X52X52



9910



MATERIAL

Transparent or batch-dyed PMMA

TRANSPARENT



B4
Crystal



VE
Aquamarine



RO
Nude



AT
Tangerine



AM
Amber



FU
Smoke



BL
Sunset
blue



9910

1


13.4

0.151

81X60X31



9900



MATERIAL

Transparent or batch-dyed PMMA

TRANSPARENT



B4
Crystal



VE
Aquamarine



RO
Nude



AT
Tangerine



AM
Amber



FU
Smoke



BL
Sunset
blue



9900

1

5.77


0.076

59X39X33




EN 1022:2008	Compliant
EN 16139:2013	
par. 4	Compliant
EN 1728:2012	reached level
6.4	(maximum level) L2
6.5	(maximum level) L2
6.15	(maximum level) L2
6.16	(maximum level) L2
6.17	(maximum level) L2
6.18	(maximum level) L2
6.24	(maximum level) L2
6.25	(maximum level) L2

8810




MATERIAL
Smooth batch-dyed polypropylene




8800

Transparent




MATERIAL
Mass-dyed or transparent polycarbonate





8801


Metallic



MATERIAL
Metallic PMMA polycarbonate




8810 1 3.0 0.043 31X44X31



8800 1 3.55 0.075 38X52X38
8801 1 3.72 0.075 38X52X38



G8850



MATERIAL

Polycarbonate 2.0 from transparent or mass-dyed renewable raw material

TRANSPARENT



B4
Crystal



Y2
Pink



Y5
Light
blue



J1
Pale
smoke
grey

MAT



E5
Glossy
white



E6
Glossy
black



New polycarbonate 2.0, a material that uses a renewable raw material from the pulp and paper industry in the synthesis phase. The process used for the production of the material is ISCC certified* (International Sustainability and Carbon Certification)



G8850


1



3.3




0.085



44X44X44


8805

Table



8818

Stool



MATERIAL

Transparent or batch-dyed PMMA

TRANSPARENT



B4
Crystal



J1
Smoke



AM
Amber



8805

1



5.35



0.114



51X44X51

8818


1



4.77



0.099



44X51X44



reached level

stool

EN 1022:2005 Compliant

EN 1728:2012

6.15 L1

6.17 L2

reached level

table

EN 1730:00 Compliant

EN 15372:2008



6.2 (maximum level) 3

6.3 (maximum level) 3





6.4 (maximum level) 3

6.5 (maximum level) 3

6.6 (maximum level) 3




MATERIAL
Transparent or batch-dyed PMMA






MATERIAL
Polycarbonate 2.0 from transparent or mass-dyed renewable raw material




New polycarbonate 2.0, a material that uses a renewable raw material from the pulp and paper industry in the synthesis phase. The process used for the production of the material is ISCC certified* (International Sustainability and Carbon Certification)





MATERIAL
Painted batch-dyed thermoplastic technopolymer
Color swatches: 12 Green, 10 Red, 31 Pink, 30 Violet, 09 Black.



MATERIAL
Painted thermoplastic technopolymer
8831/8832
Color swatches: 00 Multicolor, 09 Black, 95 Gold.
Icon: Sun with rays.



Table with 2 columns: Standard, reached level

EN 1022:2005	Compliant
EN 16139:2013 + AC2013	Compliant
EN 1728:2012 + AC 2013	
4.1	(maximum level) L2
4.2	(maximum level) L2
6.4	(maximum level) L2
6.5	(maximum level) L2
6.15	(maximum level) L2
6.16	(maximum level) L2
6.17	(maximum level) L2
6.18	(maximum level) L2
6.24	(maximum level) L2
6.25	(maximum level) L2


Table with 5 columns: Item, Quantity, Weight (kg), Volume (cm³), Dimensions (cm)

8853	1	4.13	0,06	36X46X36
8852	1	4.47	0,06	36X46X36
8851	1	3.22	0,047	31X49X31

Table with 5 columns: Item, Quantity, Weight (kg), Volume (cm³), Dimensions (cm)

8820	1	5.4	0.050	46X33X33
8821	1	5.9	0.066	38X46X38
8822	1	5.3	0.066	38X46X38
8831	1	5.9	0.066	38X46X38
8832	1	5.3	0.066	38X46X38


8855




MATERIAL
Mass-dyed thermoplastic technopolymer



8854




MATERIAL
Mass-dyed thermoplastic technopolymer




	level reached
EN 1022 2005	Compliant
EN 16139:2013+AC 2013	Compliant
EN 1728:2012+AC 2013	
6.4	L2
6.5	L2
6.15	L2
6.16	L2
6.17	L2
6.18	L2
6.24	L2
6.25	L2
6.27	L2

8855





8854





	level reached
EN 1022 2005	Compliant
EN 16139:2013+AC 2013	Compliant
EN 1728:2012+AC 2013	
6.4	L2
6.5	L2
6.15	L2
6.16	L2
6.17	L2
6.18	L2
6.24	L2
6.25	L2
6.27	L2

279





MATERIAL
Batch-dyed recycled PMMA




MATERIAL
Transparent or mass-dyed PMMA


FRAME
Steel



8340	1	5.5	0.050	59X57X15
8320	1	7.2	0.058	58X77X13



8330	1	38.6	0.357	94X190X20
-------------	---	------	-------	-----------




MATERIAL
Transparent or mass-dyed PMMA

8300




8305
Metallic

MATERIAL
Metallic PMMA




8306
Mat Opaque




MATERIAL
Painted PMMA




8310




MATERIAL
Transparent or mass-dyed PMMA





FRAME
Transparent or mass-coloured PMMA

9950




9951



FRAME
Metallic PMMA



9953/9954
with lighting




FRAME
Transparent or batch-dyed PMMA with lighting





9950/9951	1	5.87	0.081	87X85X11
9953/9954	1	6.37	0.081	87X85X11


9962
Toothbrush holder





MATERIAL
Transparent or mass-dyed thermoplastic technopolymer




9963
Soap dish




MATERIAL
Transparent or mass-dyed thermoplastic technopolymer



9962	1	0.3	0.002	11X11X18
9963	1	0.35	0.002	16X6X18





WALL SUPPORTS

Chrome ABS

MATERIAL

Transparent or mass-dyed PMMA

9920

TRANSPARENT



B4
Crystal



VE
Aquamarine



RO
Nude



AT
Tangerine



AM
Amber



FU
Smoke



BL
Sunset
blue

MAT



E5
Glossy
white



E6
Glossy
black



9921

WALL SUPPORTS

Chrome ABS

MATERIAL

Metallic PMMA

METALLIC



XX
Chrome



GG
Gold



RR
Copper



9920/9921


1



0.93




0.007




51X20X7


9930



9935



9940



WALL SUPPORTS

Chrome ABS

MATERIAL

Transparent or mass-dyed PMMA

TRANSPARENT



B4
Crystal



VE
Aquamarine



RO
Nude



AT
Tangerine



AM
Amber



FU
Smoke



BL
Sunset
blue

MAT



E5
Glossy
white



E6
Glossy
black



9930


1



0.43



0.003



35X11X8

9935

1



0.55



0.004



51X10X8

9940


1



0.76




0.006




64X11X9







MATERIAL
Transparent recycled PMMA clock face and batch-dyed or metallic ABS case

1900





1910





MATERIAL
Transparent, mass-dyed or metallic thermoplastic technopolymer


1930



1931




1900	4	7.2	0.059	39X39X39
1910	4	7.2	0.059	39X39X39




1930/1931	1	1.55	0.011	25X35X13
-----------	---	------	-------	----------

7000




FRAME
Painted steel

STEPS
Fiberglass reinforced polypropylene




G7030



FRAME
Chrome-plated steel


STEPS
Polycarbonate 2.0 from transparent or mass-dyed renewable raw material



New polycarbonate 2.0, a material that uses a renewable raw material from the pulp and paper industry in the synthesis phase. The process used for the production of the material is ISCC certified* (International Sustainability and Carbon Certification)



7000




1

7.25

0.033

43X109X7

G7030




1

6.4

0.080

86X17X55


4676




MATERIAL
Thermoplastic technopolymer, mass-coloured or painted




4679



MATERIAL
Transparent or batch-dyed polycarbonate



4676




1

3.2

0.037

45X41X20

4679



1

5.38

0.018

52X8X43

UMBRELLA STAND/WASTE BASKET 1966


Design Gino Colombini/Kartell Technical Office

MISSES FLOWER POWER 2008


Design Philippe Starck with Eugeni Quitllet



7610




4670




MATERIAL

Recycled thermoplastic technopolymer from industrial scrap, with soft-touch effect





Product made of recycled material

8920



MATERIAL

Mass-coloured polyethylene



7610

1

2.5

0.041

26X61X26


4670

1

1.52

0.042

40X26X40



8920

1


19.7

0.675


63X63X170

JELLIES COAT HANGERS 2015


Design Patricia Urquiola




4752



4753




4754



WALL BASE
Polycarbonate

COAT RACK
Transparent or mass-dyed thermoplastic technopolymer




Jellies Coat Hangers
video tutorial

4752	2	0.96	0.007	19X19X19
4753	2	0.55	0.003	13X13X15
4754	4	0.65	0.002	10X10X20


WALL CLOTHES HOOK 1972

Design Olaf Von Bohr




4702

TRANSPARENT HOOKS
Transparent or batch-dyed polycarbonate



MAT HOOKS
ABS



4713
Metallic
METAL HOOK
Metallic ABS




4702	2	0.32	0.001	13X10X10
4713	2	0.32	0.001	13X10X10

HANGER 2001

Design Alberto Meda



8170



BASE AND UPRIGHT
Brushed Steel

RINGS
Chromed die-cast aluminium

HOOKS
Transparent polycarbonate

TRANSPARENT



70
Crystal



71
Orange
red



72
Cobalt



73
Citron
yellow

MAT



09
Black

8170




1 base
1 upright



8.0
1.44




0.053
0.004




46X46X25
5X150X5

8172




8174




8176

4 items packaging



8178

4 items packaging



WALL SUPPORT

Polished aluminium

HOOKS

Transparent polycarbonate

TRANSPARENT



70
Crystal



71
Orange
red



72
Cobalt



73
Citron
yellow

MAT



09
Black



8172

1



1.15



0.009



65X12X11

8174

1

1.7

0.011

92X12X10

8176

4

0.37

0.003

20X12X13


8178

4

0.116


0.001

11X9X8





8160




BASE AND UPRIGHT
Steel

HOOK AND SUPPORTS
Aluminium


CAPS
Batch-dyed scratch-resistant PMMA



8160



2358




MATERIAL
Recycled and recyclable PET

P1
Grey with green fringe


Made from recycled fabric

100% recyclable product

2356



2357



MATERIAL
Recycled and recyclable PET

F8
Grey with blue fringe

F9
Anthracite with almond fringe




Made from recycled fabric

100% recyclable product



2358

1	10.0	0.160	255X25X25
1	18.2	0.092	174X23X23
1	40.0	0.180	247X27X27







MATERIAL
100% PP (BCF)




2370	1	10.0	0.168	28X214X28
2371	1	12.0	0.168	28X214X28
2372	1	14.0	0.199	28X254X28



MATERIAL
100% PP (BCF)



Kleo is the new rug, designed by Ludovica+Roberto Palomba, also suitable for outdoor use, available in three shapes, round, square and rectangular, and in three colours. The rugs adapt perfectly to every living space and, thanks to their resistance to footfall, are particularly well suited to use outdoors, in the garden, on the terrace and by the swimming pool. Kleo is hand-made on a loom, with no backing. Easy to wash, breathable and waterproof, they allow water to drain off, making them suitable for use in humid environments. The rug can be matched with a cachepot in the same material, available in two sizes.




2373	1	1.8	0.010	35X17X17
2374	1	2.7	0.018	45X20X20







2362



2363




2361




MATERIAL

Hand-tufted and hand-cut Himalayan wool, vegetable and mineral dyes




2359




MATERIAL

Hand-tufted and hand-cut Himalayan wool, vegetable and mineral dyes




2360




MATERIAL

Hand-tufted and hand-cut Himalayan wool, vegetable and mineral dyes





2362	1	20.00	0.101	130X28X28
2363	1	29.5	0.207	230X30X30
2361	1	31.00	0.257	210X35X35


2359	1	21.00	0.089	114X28X28
2360	1	38.00	0.168	214X28X28




MATERIAL
Transparent or batch-dyed PMMA



MATERIAL
Transparent PMMA




8610 1 5.4 0.146 54X52X52



5072 1 22.6 0.728 112X58X112


EN 15372:2008	Level achieved
5.1	Compliant
5.2.2	Compliant
5.2.3	Compliant
EN 1730:2000	Level achieved
6.2	1
6.3	1
6.6	1
6.7	Compliant



MATERIAL
Polycarbonate 2.0 from transparent or mass-dyed renewable raw material

N2855

Choose the color of your Lou Lou Ghost



Choose the font for your name





Choose the color for your name




For delivery times, please see the procedure

G2855



New polycarbonate 2.0, a material that uses a renewable raw material from the pulp and paper industry in the synthesis phase. The process used for the production of the material is ISCC certified* (International Sustainability and Carbon Certification)




MATERIAL
Batch-dyed polycarbonate

2852




MATERIAL
Polycarbonate 2.0 from transparent renewable raw material or batch-dyed polycarbonate for the black version

G2853
1 item packaging



2854



New polycarbonate 2.0, a material that uses a renewable raw material from the pulp and paper industry in the synthesis phase. The process used for the production of the material is ISCC certified* (International Sustainability and Carbon Certification)


It can be customised at the specific request of the customer for a minimum order of 12 pieces.




N2855	1	2.7	0.102
G2855	1	2.7	0.102

2852	4	7.74	0.155
G2853/2854	1	2.7	0.102

3270




MATERIAL
Transparent polycarbonate




Suitable for ages: 18 months to 8 years

The product is EN71 an ASTM compliant and manufactured according to the criteria defined in European Directive 2009/48/EC.

3270




2858



FRAME
Painted steel

SHELL AND SEAT
PMMA


WHEELS
EVA



Suitable for ages: 3 to 7 years

The product is EN71 an ASTM compliant and manufactured according to the criteria defined in European Directive 2009/48/EC.

2858






TABLEWARE





1965




MATERIAL

Recycled and metallized PMMA



A NEW ECO FRIENDLY RECYCLED MATERIAL

Kartell is using recycled PMMA in its transparent productions for the first time. Teatime is the first product made from this material, which originates largely from the depolymerisation of plastic waste from various sources. This material retains aesthetic quality and structural requirements comparable to pure new material; this project makes it possible to give industrial plastic waste a new lease of life and turn it into new products that will stand the test of time and become design icons.



1965


1

1.7


0.010

47X38X6

1585




1584




MATERIAL

Recycled PMMA



A NEW ECO FRIENDLY RECYCLED MATERIAL

A new, eco-friendly recycled material. Kartell is using recycled PMMA in its transparent products for the first time. This material is largely derived from the depolymerisation of plastic waste from various sources. It retains the aesthetic quality and structural strength of the pure new material. Its use gives industrial plastic waste a new lease of life and turns it into products that will stand the test of time as design icons.



1585

1

1.8

0.015

24X24X27

1584

1

2.2


0.021

24X24X37







1551




MATERIAL
Transparent or mass-dyed and metallized thermoplastic technopolymer





1551 1 1.31 0.027 35X27.5X28

1550




MATERIAL
Transparent or mass-dyed and metallized thermoplastic technopolymer




1550 1 1.25 0.024 28X28X31




1499




1494




1495



1496




1497




1499	4	0.93	0.007	31X8X31
1494	4	1.03	0.005	26X7X26
1495	4	1.92	0.008	31X8X31
1496	4	1.47	0.008	27X11X27
1497	4	2.96	0.008	37X7X37


1490




1491




1492



1493



1581



MATERIAL

Transparent or mass-dyed thermoplastic technopolymer




1490	1	0.92	0.008	14.5X35X15.5
1491	16	4.74	0.027	18.5X15X19
1492	16	3.28	0.024	18.5X14X19
1493	16	3.03	0.021	18.5X12X19
1581	16	3.22	0.008	30X17X37







1582



1583




1580



MATERIALE

Transparent or mass-dyed thermoplastic technopolymer



1582

4

0.894

0.002

14X10X14

1583

1

0.359

0.0014

15X13X7

1580


4

2.57

0.008


40.5X7X28

1498



MATERIAL

Transparent or mass-dyed thermoplastic technopolymer



1498

1

1.72


0.016

33X15X33







1517




1516




1515



1518




1519




MATERIAL
Melamine

OPAQUE




1517	4	2.2	0.007	22X23.5X13.5
1516	4	2.2	0.007	30.5X28.5X8.5
1515	4	2.8	0.007	35X33X6
1518	4	0.75	0.002	19X17X6.5
1519	4	1.15	0.004	15X16.5X17


1511




1512



1513




1514



MATERIAL

Transparent or mass-dyed thermoplastic technopolymer

TRANSPARENT




1511	1	0.92	0.007	14.5X35X15.5
1512	16	4.74	0.026	18.5X15X19
1513	16	3.28	0.024	18.5X14X19
1514	16	3.03	0.021	18.5X12X19








1236




MATERIAL
Melamine



1236 1 set of three 2.28 0.011 54X5X40


1205

Autumn



1206

Spring




1207

Summer





1208

Winter



MATERIAL
Melamine




1205	4	2.0	0.009	28X30X11
1206	4	1.97	0.009	28X30X11
1207	4	1.91	0.009	28X30X11
1208	4	1.68	0.009	28X30X11





1441



MATERIAL

Transparent or mass-dyed thermoplastic technopolymer

OPAQUE



07
Grey



TE
Terracotta



DA
Beige



03
White




09
Black

TRANSPARENT



B4
Crystal



MATERIAL

Galvanised or painted aluminium

1955

GLOSSY



XX
Chrome



CF
Gun metal

OPAQUE



03
White




09
Black

1956

GLOSSY



GG
Gold



1441

1

2.0

0.022

52X10X42



1955

1

1.2

0.012

23X17X31

1956

1


1.2

0.012

23X17X31




1220




MATERIAL
Mass-dyed or transparent recycled PMMA


TRANSPARENT



1200




1210




MATERIAL
Mass-dyed or transparent recycled PMMA


TRANSPARENT



1201




1211




MATERIAL
Metallic recycled PMMA


METALLIC



1220 2 6.47 0.114 53X51X42





1200	4	6.7	0.044	55X44X20
1201	4	6.7	0.044	55X44X20
1210	4	11.0	0.065	64X46X22
1211	4	11.0	0.065	64X46X22



MATERIAL
Transparent or coloured PMMA mass-dyed

TRANSPARENT


B4 Crystal V9 Smoke E2 Green E4 Blue E6 Pink




MATERIAL
Transparent or coloured PMMA mass-dyed

TRANSPARENT


B4 Crystal V9 Smoke E2 Green E4 Blue E6 Pink




1225




MATERIAL
Transparent or batch-dyed PMMA



1226




1227



MATERIAL
Mass-dyed or transparent recycled PMMA




1228



MATERIAL
Metallic recycled PMMA



1225




1 2.2 0.036 30X37X32

1226


1227

1228




4 6.95 0.076 52X52X28
2 4.6 0.058 31X31X60
2 4.6 0.058 31X31X60


1229





MATERIAL
Mass-dyed or transparent PMMA




1221



MATERIAL
Transparent or mass-coloured PMMA




1229 1 3.7 0.076 39X50X39





1221 1 1.88 0.027 26X32X32


7680
Pack of 16 pieces



MATERIAL
Smooth batch-dyed polypropylene



1445



MATERIAL
Printed transparent PMMA



7680

1

1.8

0.012

37X20X16

1445

4

2.06

0.006

45X33X4



Kartell - The Culture of Plastics

“Kartell - The Culture of Plastics” is the first monograph on the Kartell design brand. Published by Taschen and available in six languages in two volumes (the first includes Italian, Spanish and Portuguese and the second includes English, French and German), the monograph is a chronological excursus through the technological, aesthetic and functional innovations and the activities of the Italian company, world leader in the industrial manufacture of design products made of plastic materials now in its third generation.

Narrating the tale in this coffee table book divided into decades from the '50s through to the new millennium are Silvana Annicchiarico, Gillo Dorfles, Chantal Hamaide, Marie-Laure Jousset, R. Craig Miller, Giovanni Odoni, Franca Sozzani and Deyan Sudjic while journalists Giulia Crivelli and Giovanni Odoni interview the current president, Claudio Luti, who in 1988 took over the management of the company from his father-in-law, Giulio Castelli.

A design industry of global fame synonymous with the concept of "transparency" in 400

pages full of images describes its earliest stages, its evolution, the challenges successfully met, its incessant drive in research and technological innovation, its designers, the prizes won and its worldwide distribution.

But Kartell expresses itself best through its product icons that can be found in homes all over the world. There are historic shots and pictures from the archives, announcements and visuals, with detailed captions on technological innovations revealing the history of a company that has taught us to appreciate the culture of plastics.

Kartell - The Culture of Plastics
Taschen Books, 400 pages
Size: 250x315 mm
Editors: Hans Werner Holzwarth and Elisa Storace

Code for IT ES POR: 95100/03
Code for ENG FR DE: 95100/04
List price:
49,99 € - 44,99 £ - 69,99 \$

For purchasing conditions contact your area representative directly.



kARTEll - 150 items, 150 artworks

kARTEll - 150 items, 150 artworks. Not only a book photographs taken by the most relevant photographers and contemporary artists world-wide, such as Mario Testino, Peter Lindbergh, Helmut Newton, Steven Meisel, David LaChapelle. With absolute freedom, every artist chose a Kartell product, within the items from the historical until the current collection, in order to give birth to his personal interpretation. In addition to images, a rich collection of stories written by famous people within different fields (cinema, music, art, show business).


A gift idea for design connoisseurs as well as for fashion, visual arts and photography lovers.

kARTEll - 150 items, 150 artworks

Skira, 280 pages
Size: 210x297 mm
Concept: Franca Sozzani
Art direction: Luca Stoppini

Italian book code: 95000/03
English book code: 95000/04
Public price: 60,00 €

For commercial conditions please contact your agent.



Simple care is needed for the maintenance of Kartell products to retain the original features of the materials.

PLASTIC MATERIALS

Cleaning. Use a soft damp cloth with soap or a liquid detergent, preferably diluted with water.

The use of the following substances must absolutely be avoided: acetone, trichloroethylene, ethyl alcohol or detergents containing even small quantities of these substances which cause irreparable damage to the plastic of which the products are made.

We recommend always using a damp cloth to prevent plastic surfaces from becoming charged with static electricity which attracts dust. Also avoid abrasive solvents, cleaning powders and creams, steel wool or rough sponge cloths.

Use. Do not drag objects across the plastic surface, even if it has a scratch resistant finish, since sharp objects can damage the plastic just as they would damage wood or metal. Do not place very hot plates or pots directly on the surface, but always use a cloth or trivet.

WOOD

Cleaning. As with plastic surfaces, use a soft damp cloth. Do not use alcohol or other spot-removers. For a deeper cleaning use a little non-abrasive liquid detergent and wipe in the direction of the wood grain. Dry the surface well with a soft cloth. Never use acetone, trichloroethylene or ammonia.

Use. Moisture in wood can cause swelling which is normal in a natural material. Our woods hold up well under normal temperature and humidity conditions. Slight color variations from one piece of wood to another are normal and these tend to disappear with time. Wood can change color over time. To delay this, it is best to avoid placing it in direct sunlight.

METALS

Cleaning. Normal dirt on either painted or plain metallic steel or aluminium surfaces must be removed with soap and water (preferably hot) and neutral liquid detergent; dry with a soft cloth or with a chamois cloth. Never use cleaning powders, abrasive or steel wool pads, which can cause scratching, or liquid detergents that contain chlorine or its derivatives such as bleach or muriatic acid.

Use. Avoid spilling grapefruit juice, cola, salt and coffee on metal surfaces. These can cause indelible stains. To remove black marks on aluminium chair legs, products especially made for steel finishes or non-abrasive car polishes are recommended.

FABRIC COVER

Kartell uses different kinds of covers, for each one you may find the appropriate cleaning and usage instructions within the instruction card enclosed in the packaging.



product charts



FABRICS

CUSTOMER FABRIC

CUSTOMER FABRIC COM (CUSTOMER OWN MATERIAL)

The amount of fabric indicated for each model refers only to plain, self-coloured material in 140 cm width, without any defects.
The minimum order amount for this programme is as follows:
- 1 piece for sofas and armchairs;
- 4 pieces for chairs.

The feasibility of covering the requested product with COM is subject to verification by Kartell SpA of a sample of fabric to be sent together with the order.

Simply send a COM sample no smaller than A4 size (210 x 297 mm).
The use of any material that is not 140 cm wide, or of any fabric that is not plain and self-coloured, is subject to authorisation by Kartell SpA and in such cases the company may request a larger quantity than that indicated on the list.

The client must clearly indicate any particular cuts to be made, plus the direction of stripes or decorative parts.

Kartell SpA approval of the material provided by the Client is limited only to the production of the upholstery. Kartell SpA therefore declines any responsibility relating to resistance to wear, fire resistance or other technical characteristics of fabrics provided by the Client.

Kartell S.p.A. is in no way responsible for customer-supplied materials, for any defects or technical shortcomings of such materials, for any possible defective reactions on the upholstered product or for care and washing instructions.


SHIPPING OF CUSTOMER OWN MATERIAL

The sample of customer own material ("COM") and the fabric required for the production of the items ordered must be sent to us with delivery duty paid (DDP) complete with all the instructions required to identify the material, the order and the model it refers to.
The material should be sent to the following address: Kartell S.P.A., Via Delle Industrie, 1 – 20082 Noviglio (Milan)

DELIVERY TIMES FOR CUSTOMER OWN MATERIAL ORDERS

Orders are generally available within 4 weeks of receipt of the material, unless otherwise indicated due to the particular characteristics of the fabric and, in any case, subject to technical feasibility.


IMPORTANT: indications regarding amounts of material required are not valid for customer own leather ("COL"). For further information, please contact our Sales Office.



CLASSIC FABRICS

SOLID

Cara/Cara Mat




Composition 62% VI, 22% CO, 11% LI, 5% PL

Martindale 30.000



FANCY

Cara/Cara Mat



1E white-beige - 3G rusty-beige

Composition 44% CO, 27% VI, 22% PL, 6% LI, 1% SE

Martindale 30.000



4H black-beige

Composition 38% VI, 30% CO, 20% PL, 12% LI

Martindale 25.000



2F green-black


Composition 32% CO, 50% VI, 7% LI, 3% WO, 8% PC

Martindale 20.000



PIED DE POULE

Largo/Clap



Composition 49% LI, 38% CO, 13% VI

Martindale 35.000



CLASSIC FABRICS

MELANGE

Eleganza



Composition 45% post industrial recycled Cotton, 10% I, 28% PC, 12% PL, 5% VI

Martindale 30.000




RUBELLI® DÉJEUNER SUR L'HERBE

Madame



Composition 100% CO

Martindale 20.000



RUBELLI® QUATREFOIL DESIGN BY LUKE EDWARD HALL

Mademoiselle/Clap



Composition 100% CO


Martindale 20.000



CLASSIC FABRICS


MATCH

Largo/Plastics Duo/Cushions




Composition 48% CO, 15% VI, 7% I, 30% PL

Martindale 52.000




VELVET

Largo/Foliage/Cushions



Composition 100% PL

Martindale 100.000



KRAVITZ

Mademoiselle Kravitz



07 faux-fur - snake print fabric

Composition 100% MA - 62% VI, 30% CO, 8% PL

09 faux-fur - woven fabric

Composition 100% MA - 42% VI, 40% CO, 18% WO

81 raffia fabric - woven fabric

Composition 100% PVC - 42% VI, 40% CO, 18% WO


CLASSIC FABRICS

TEXTURE

K-Waiting



A.I. Lounge



Composition 100% PL

Martindale 25.000



BOUCLÉ

K-Waiting



Composition 100% PL

Martindale 80.000



CLASSIC FABRICS

CHENILLE

K-Waiting




Composition 100% PL

Martindale 80.000



JACQUARD

K-Waiting (cushions)



Composition 40% WO, 20% VI, 15% CO, 10% PL, 10% LI, 5% PC


Martindale 40.000



CLASSIC FABRICS

NEW! BOUCLÉ NEW

Asia



N1 White N2 Beige N3 Grey N4 Mustard N5 Burgundy N6 Powder Blue


Composition 49% PC, 22% PL, 15% CO, 7% WP, 7% WV

Martindale 30.000



NEW! BOUCLÉ NEW STRETCH

Aaland



K1 Cream K2 Pink K3 Grey K4 Powder Blue K5 Indigo K6 Green


Composition 32 PC, 19% CO, 17% VI, 8% LI, 7% WV, 6% PL, 3% PA, 1% EA

Martindale 30.000



NEW! COTONE PLAIN

Asia



C1 White C2 Beige C3 Grey C4 blue

Composition 85% CO, 10% PL, 5% AF

Martindale 30.000



CLASSIC FABRICS

NEW! PANAMINO

Asia



P1 White P2 Beige P3 Ochre P4 Sky Blue P5 Aqua


Composition 100% PL RECYCLED

Martindale 180.000



NEW! COTONE STRUCTURE

Asia



B1 White B2 Beige B3 White/Black B4 Grey/Black B5 Black


Composition 70% CO RECYCLED, 25% PL, 5% AF

Martindale 50.000



NEW! SHIRLEY

Clap



G White/Beige N White/Black R Rusty orange/Powder M Brown/Powder U Blue/Powder

Composition 100% Trevira CS

Martindale 96.000



CLASSIC FABRICS

TREVIRA

Maui Soft




Composition 100% PL Trevira
Martindale 65.000



NOMA new fabric made of 100% recycled polyester

Audrey Soft/Maui Soft



Composition 100% Recycled PL
Martindale 60.000



Highly usable and all-round design
Classic colours with a twist
Superior fire resistance
Good stretch properties
Prolongs furniture life
Strong environmental profile
No heavy metal
100% post-consumer recycled flame retardant polyester
STANDARD 100 by OEKO-TEX®
Meet Möbelfakta requirements

CLASSIC FABRICS

CURLY

Largo/Lunam/Cushions




Composition 22% WV; 22% PC; 22% PL; 14% VI; 13% CO; 7% LI
Martindale 30.000



BOUCLÉ RICCIO

A.I. Lounge



Composition 56% PC; 15% PL; 12% VI; 11% CO; 6% LI
Martindale 30.000



ORSETTO

Lunam/Charla/Cushions/Plastics Duo




Composition 33% VI, 29% PC, 15% WO, 8% CO, 7% PL, 6% LI, 1% PA, 1% EA
Martindale 60.000



CLASSIC FABRICS

TREVIRA

Foliage



D green C grey B orange A beige

Composition 100% PL Trevira

Martindale 75.000



PANAMINO BASIC

A.I. Lounge



1I/2I white 4A anthracite 3G grey

Composition 34% VI; 31% CO; 15% LI; 13% PC; 7% PL

Martindale 30.000



EMBOSSED

Clap



2 graphite 4 orange

Composition 100% PL

Martindale 25.000



CLASSIC FABRICS

ANTIBES

Lunam/Charla/Cushions



1/01 beige 2/02 anthracite 3/03 pale grey 4/04 green 5/05 wine

Composition 90% PL, 10% VI

Martindale >50.000



NEW COTONE

Pop



BI white EC ecru GR grey BL blue VE green AR orange

Composition 100% CO

Martindale 30.000



À LA MODE FABRICS

MISSONI

Eleganza



MK
Color Black



MW
Color White

Composition 100% CO

Martindale 24.000



MZ
Zigzag

Composition 96% PL FR, 4% PL

Martindale 25.000



Flame proof

Pop/Mademoiselle/Cushions



QQ
vevey red tones

Composition 100% CO

Martindale 25.000



À LA MODE FABRICS

EMILIO PUCCI

Madame



PA
Paris



NY
New York



SH
Shanghai



RO
Rome



MI
Milan

Composition 100% PES

Martindale 60.000



MOSCHINO

Mademoiselle



FM
sketches

Composition 100% CO

Martindale 39.000



Kartell × LIBERTY.

NEW! FLOWERS

H.H.H. - Her Highest Highness



BE
Lichen



XD
Dragonfly

Composition 63% CO, 37% LI

Martindale 25.000



NEW! PATRICIA


H.H.H. - Her Highest Highness



BI
Ink



RQ
Lacque



SR
Ink-Ochre



UM
Multi

Composition 63% CO, 37% LI

Martindale 25.000



NEW! FANFARE

Madame



BS/SS
Mustard



BR/XR
Red



BU/UU
Blue

Composition 63% CO, 37% LI

Martindale 25.000



NEW! HOUSE FLOREALS

Mademoiselle




BS/SS
Scallop spot



BA/UA
Ayelsbury



BT/AT
Tapestry
Trellis



BP/AP
Poppy
Meadowfield

Composition 100% CO

Martindale 30.000 (SCALLOP SPOT, AYELSBURY, TAPESTRY TRELLIS); 12.000 (POPPY MEADOWFIELD)



Kartell × LIBERTY.

OUTDOOR FABRICS

NEW! TAMBA

Plastics/Cara/Cushions



TS
Sage



TR
Rust



TB
Beige



TY
Yellow

Composition 100% PP FR

Martindale 35.000



NEW! OBI CHECK

Plastics/Cara/Trix/Cushions




OS
Sage



OR
Rust



OB
Blue



OY
Yellow

Composition 82% PP FR, 18% PL SD FR

Martindale 35.000




NEW! ARTEMIS

Plastics/Cara/Trix/Cushions



AS
Sage



AR
Rust



AB
blue



AY
Yellow

Composition 100% PL

Martindale 35.000



OUTDOOR FABRICS

NEW! TRAMA

HIRAY SOFA




BB White BU Blue NE Beige RR Brick red

Composition 100% PP
Martindale 30.000



W/KM Green

Composition 80% PP; 20% PL
Martindale 30.000



RG Gray Beige RI White Beige RZ Light Blue Blue RL White Blue RA Yellow Brick RM White Brick

Composition 100% PP
Martindale 20.000



Colour fast to light 7




Artificial weathering >6
Chlorinated water 4-5
Sea water colour change 5
Sea water staining 4-5

OUTDOOR FABRICS

NEW! TWILL

A.I. Lounge Outdoor



OW White/Beige OB White/Blue OK White/Black OR Rust/Grey OG Cream/Green

Composition 100% PP
Martindale 50.000



OUTDOOR FABRICS

VAGATEX® STRETCH FABRIC

Hiray



Composition 50% PC, 45% PL, 5% EA

Martindale 20.000



SUNBRELLA®

Pop Outdoor



Composition 100% PC

Martindale 15.000/25.000



IKON

Pop Outdoor



Composition 84% PP, 16% PL


Martindale 35.000



OUTDOOR FABRICS

NEW DYED FIBER


Plastics Outdoor/Pop Outdoor/Cara Mat Outdoor/Cushions



Composition 100% DYED ACRYLIC

Martindale Solid Color 50.000

Martindale Stripes 25.000



DYED FIBER

Pop Outdoor/Cushions



Cara Outdoor/Cara Mat Outdoor




Composition 100% PC (solution dyed acrylic)

Martindale 20.000



M blue-orange


Martindale 30.000



TECHNICAL FABRICS

AQUACLEAN®

Q/Wood/Clap




Clap



Composition 50% PES, 35% PAC, 1.5% PA

Martindale 250.000




Kartell has decided to include the innovative Aquaclean® fabric, which can be cleaned with water and contains no PFC, a substance contained in most stain-resistant fabrics which pollutes the environment and is harmful to health.

This ecological fabric has a structure designed to simplify cleaning and strength, reducing the risk of accidental tearing sometimes caused by our pets. It is also subject to Safe Front treatment, which prevents the proliferation of bacteria and dust mites.

TECHNICAL FABRICS

NEST

Trix




Composition 100% PL

Martindale 30.000



TECH

Plastics Tech Fabric



Composition 55% SI, 45% PL

Martindale 130.000



Easy clean



Pen, marker, lipstick...
“Write on and Erase me”.
The genuine eco-friendly faux leather.

Recyclable, eco-friendly, healthy, non toxic, free from: solvents, PVC, PU, PFC, formaldehyde, plasticizers, phthalates, heavy metals, BPA, allergens, anti-bacterial additives, biocides, flame retardant substances.

The fabric is suitable for medical use; is resistant to customary disinfecting agents which content alcoholics, aldehydes, quaternary ammonium compounds, oxygen agents, alkylamines as active ingredients.
INSPECTED QUALITY by OETI (Institute for Ecology, Technology and Innovation)



STONEWARE WITH MARBLE FINISH




STONEWARE WITH **MARBLE FINISH**



TU/BU/NU
Nature Tundra



GR/BR/NR
Green



MS/BS/NS
Symphonie



MB
White



MN
Black Marquina

Four XXL / Four Ceramic



TU
Nature Tundra



MS
Symphonie



MB
White



MN
Black Marquina

K-Top



TU
Nature Tundra



MS
Symphonie




MN
Black Marquina


Albert




AZ
Light blue



BO
Burgundy




O3
White




O9
Black




Glossy / Glossy Outdoor / Glossy XXL



BO
Burgundy



BB
White



NN
Black

Undique



QW
Terrazzo black



MW
Terrazzo light gray

Composition: 47% Clays and kaolins, 44% Feldspars, 2% Sands, 3% Packaging, 3% Glazes and dyes, 1% Other.
About 28% of the total comes from recycled materials.

Certifications CE EN 14411:2012, LEED, UL Greenguard



WOOD



WOOD

P/Wood Q/Wood K/Wood S/Wood AI Wood



Basic Veneer Light



Basic Veneer Dark



Slatted Ash Light



Slatted Ash Dark

Earl of Wood



Basic Veneer Light



Basic Veneer Dark



Slatted Ash Black

Adam Wood



Basic Veneer Dark



Slatted Ash Black



Slatted Ash White

Viscount of Wood



Ash



Walnut



Brown

Lunat



Walnut



The mark of responsible forestry

Certifications FSC™

Kartell loves the planet and aims to preserve and nurture it through a wide range of actions in all phases of creativity, production and distribution. The “Kartell Loves the Planet” manifesto was launched in 2018. Every year since then, it has been expanded with new, virtuous actions to which Kartell is committed as a way to respect people and the environment and to combat climate change. Kartell is determined to promote business values based on ethical principles, integrity and business sustainability, and to act according to the Sustainable Development Objectives of the UN’s 2030 agenda.

Continuous research into the use of recycled materials in Kartell’s industrial production processes involves daily testing to ensure the excellent quality of the products made from them or from the uncontaminated virgin industrial waste that is returned to the cycle to produce design-focused products. These products must not only satisfy the strictest standards required by applicable regulations but, more importantly, must also guarantee a unique aesthetic finish. This engagement with the circular economy extends to various types of material used in different production processes. Our commitment is backed up by the extensive use of materials like ceramics, glass, fabrics and steel, all derived from regenerative processes. For Kartell, sustainability also means durability. At the end

of their useful life, many Kartell products become collectors’ items or find places in famous museums around the world. Objects of daily use therefore become timeless objects of art.

Our production process and supply chain are governed by strict internal protocols that we enforce to ensure quality and compliance with specific certification schemes. We also pay a great deal of attention to packaging and merchandising, which must likewise respect strict recyclability criteria.

80% of the Kartell catalogue already consists of products made from recycled and renewable materials. Whenever multiple types of raw material are used, only those that can be easily separated for end-of-life recycling are selected.

Kartell aims to convert its entire production in as short a time as possible, and many products have already been renewed using recycled materials. So what does sustainability mean for Kartell? It means products that respect the principles of environmental protection throughout the production process, from design to delivery. Kartell’s commitment to sustainability is also expressed through actions in the areas of financial management, human resources and social responsibility.



Kartell products are timeless and conceived to merit a place in museums and private collections.

Our corporate strategy is based on ethical production, transparent financial management and the economics of beauty.

Recycled materials contribute to the circular economy and ensure recyclability in other industrial processes.

We invest in continuous research into new materials and new production processes (e.g. bioplastics derived from vegetable waste not destined for the food chain).

Our industrial processes are waste and emissions free.

We are ISO and Greenguard certified.

Our packaging is recyclable and sustainable.

We are engaged in social solidarity projects worldwide.

We provide a sustainable working environment.

We believe in training.



DESIGN... BEAUTIFUL, INNOVATIVE AND FOR EVER

WE DEFEND BEAUTY AND RESPECT PEOPLE

Kartell products are timeless, produced with the utmost respect for the environment and destined – at the end of their life – to find places in museums and private collections.

They are not just beautiful but beautifully made, the result of a production process that seeks perfection, considers even the smallest detail and prepares for possible future changes. **Our corporate strategy is based on ethical production, transparent financial management and the economics of beauty.**

FOR THE GOOD OF PEOPLE AND THE PLANET

For Kartell, “eco-friendly” is more than a catch-phrase: it is a practical commitment, underscored by certifications like Greenguard, which confirms minimal emission levels, and the ISO 9001 and ISO 14001 international product and process certifications. **Kartell products are timeless.**

CIRCULAR ECONOMY

Kartell fulfils its commitment to environmental sustainability through innovative designs that serve the regenerative economy. We use recycled materials whenever technology permits, and our industrial production processes generate neither waste nor emissions. **We invest in continuous research into new materials and production processes (e.g. bioplastics derived from vegetable waste not destined for the food chain).**

RESPECT FOR THE ENVIRONMENT AND SUSTAINABILITY

Respect for the environment is and has always been one of the key elements of our brand’s DNA. Our commitment is expressed through “Kartell Loves the Planet”, the industrial manifesto in which Kartell places environmental responsibility and good sustainability practices at the heart of all activities, starting with the working environment.

SOLIDARITY AND TRAINING PROJECTS

Thinking of future generations

The “Kartell Loves the Planet” industrial manifesto extends our sustainability commitment to social solidarity, and in particular to the education of young people in needy countries. Kartell collaborates with universities and educational institutes on projects that combine creativity with the capacity to ensure sustainable marketing and design activities.



WOOD

Kartell's wood products are FSC™ certified. FSC certification is internationally recognised as the forest management system that has the most positive impact not only on forests but on the market and on people too. The FSC mark on our products tells you that the raw wood materials from which they are made are sourced through a supply chain that rigorously respects the environmental, social and economic standards required by the Forest Stewardship Council™, the international NGO that has been promoting responsible forest management for over 25 years. Since the wood we use is a natural material, it may display differences in colour and grain. These variations are typical of real wood.

Ask for FSC™ C149322 certified products.



RECYCLED

The recycled thermoplastic technopolymer used for these products is derived from pure waste that is uncontaminated by other materials. This material allows us to recycle waste while guaranteeing the top-quality appearance and structural strength required of our finished products and reducing the emissions generated by the production process. It also enables Kartell to pursue a complementary road towards environmental sustainability by using recycled material in a way that removes waste from the environment and turns it into raw material in a virtuous process of the circular economy. Thanks to the industrial processing of this recycled material, Kartell has been granted use of the Second Life Plastic label by the Institute for the Promotion of Recycled Plastic. The SLP label certifies that the objects concerned are produced from plastic waste in a circular economy process that emphasises quality and traceability.



BIO

This mark identifies a material derived from byproducts of agriculture that does not compete with the production of food for people or animals. Waste is broken down in a biological process by natural micro-organisms to produce a biomass similar to plastic. After a series of other processes to refine it, this biomass becomes a top-quality raw material. Kartell was the first company in the furniture industry to experiment with this material in the injection moulding process typically used to form plastics. The material used for our Bio collection boasts unique characteristics of biodegradability in water and soil, as certified by prestigious international institutes of the calibre of Vinçotte Belgium and TÜV Austria.



STONEWARE

Thanks to collaboration with partners of excellence, from whom we source our marble-look stoneware, the ceramic surfaces found in our collections are made in special processes that use the latest, most innovative technologies to reduce and compensate for emissions. Until technical innovation allows emissions to be completely eliminated, our partners have voluntarily chosen to compensate for the CO² emissions generated in the production of our CarbonZero collections by supporting certified projects for the production of clean energy in developing countries. In addition, further industrial steps have been taken in conformity to the social and environmental standards imposed by B Corp certification. In particular, the decision has been made to reduce the thickness of materials from 10 mm to 9 mm. This has resulted in significant savings in energy and materials as well as further reducing CO² emissions. Thanks to cogenerators, photovoltaic systems and the purchase of certified renewable electrical energy, between 2012 and 2023 Kartell avoided the emission of 152,845 tons of CO², equivalent to the CO² absorbed by 89,645 trees or 632 hectares of forest.



POLYCARBONATE 2.0

Polycarbonate 2.0, which is used exclusively by Kartell, is a material that combines use of a renewable, second-generation polymer obtained from cellulose and paper waste with an ISCC (International Sustainability and Carbon Certification) production process. ISCC was one of the first schemes put in place in Europe to promote sustainability throughout the supply chain in the renewable energy sector. Today it is one of the most popular and acclaimed forms of certification. The many advantages of polycarbonate, i.e. its high resistance to impact and fire, and in its excellent elasticity and mechanical properties, facilitate recycling and are fully maintained in the 2.0 version of the material.



RECYCLED ILLY

In keeping with our commitment to maximise the use of recycled materials, we recently launched a project to recover reject plastic capsules of illycaffè Iperespresso and transform them into a top-quality secondary raw material. Kartell's regeneration process grinds the plastic down into the granular form needed for injection moulding. The process removes reject coffee capsules from the production process and turns them into durable assets and objects of design. 400 Iperespresso capsules are used to make one chair.



CARB CERTIFICATION

To reduce emissions from wood composites in indoor furniture and furnishings, all our products that contain wood-based panels are made from certified materials that conform to the emission limits established by CARB (California Air Resource Board) and TSCA Title VI (Toxic Substances Control Act) standards. The indoor tables in our TOP TOP, FOUR, MAUI, MAX, MULTIPLO, GLOSSY, VISCOUNT OF WOOD and LUNAT lines are all CARB certified.



RECYCLABILITY

Recyclability, sustainability and ecological compatibility – in short, respect for the environment – are all central themes in Kartell's product development strategy. Our commitment to recyclability begins at the design and production stages. To simplify subsequent recycling, the different parts of Kartell products can all be separated easily into single-material components. The plastic parts of all our products are clearly marked to identify the material from which they are made and to permit correct recycling.



RECYCLED PMMA

The key characteristics of PMMA are its high rate of light transmission, excellent resistance to atmospheric agents, low weight, good workability and ease of thermoforming. Kartell has always used PMMA. Two years ago we introduced recycled PMMA obtained from plastic waste from various sources, depolymerised in a complex industrial process that returns the PMMA to its original monomeric state ready for processing. Recycled PMMA retains the aesthetic quality and structural strength of the pure new material. Its use gives industrial plastic waste a new lease of life and turns it into products that will stand the test of time as design icons.



RE-TEXTILE

Some of the materials we use in our armchairs, sofas and carpets are derived from recycling. PET bottles, for example, are transformed into polyester while old fishing nets are regenerated and turned into fabrics. This virtuous process is in perfect keeping with our policy of using recycled and recyclable fabrics whenever possible.



GREENGUARD CERTIFICATION

In 2014, Kartell obtained GREENGUARD certification for its dedication to the health of end users. When you purchase a GREENGUARD certified product, you know that it has been thoroughly tested and demonstrated to be non-polluting and non-hazardous. GREENGUARD certification is required by many ecologically sustainable building certification schemes around the world (such as LEED, CHPS, ASHRAE, Green Globes; NAHB; IGCC and CONSIP). Certified categories: all Kartell's GREENGUARD certified products can be found on the UL SPOT website <https://spot.ul.com>.





PACKAGING

Our packaging consists mainly of recycled and 100% recyclable material. Environmental sustainability means avoiding waste and incorrect waste disposal. For further information on the recyclability of all our products, visit www.kartell.com.



CERTIFICATIONS ISO 9001:2015



CERTIFICATIONS ISO 14001:2015



COMPANY QUALITY CERTIFICATION: ISO 9001

In 1996, Kartell decided to certify its Corporate Quality Management System in compliance with UNI EN ISO 9001:1994 standards. In 2005, the company aligned its Quality Management Systems with the standard UNI EN ISO 9001: 2000. In 2008, the company renewed its ISO 9001:2000 certification. And, in 2010, it switched to UNI EN ISO 9001:2008. During 2017 Kartell updated its certification standard to UNI EN 9001:2015.

A guarantor for this certification process is the I.I.P. (Italian Institute of Plastics), which is itself accredited by SINCERT and CISQ, the Italian federation of accreditation bodies for Quality Management Systems. CISQ is part of IQNET (International Certification Network), a supranational body which guarantees mutual recognition of the ISO standard in countries worldwide.

The attainment and maintenance of this certification, made possible by the commitment and perseverance of all company offices involved, testifies to the continued research into ever higher levels of quality in company management systems.

A copy of the Quality Certification is available for downloading on www.kartell.com



ISO 14001 CERTIFICATION

In 2011 Kartell achieved UNI EN ISO 14001: 2004 certification for its support of an effective Environmental Management System, an international standard recognised throughout the world and developed about 10 years ago which defines development and implementation parameters in corporate processes in order to achieve an effective environmental management system.


WHAT IS ISO 14001?

This certification attests that the organization certified has implemented a management system capable of controlling environmental impact in its own business and systematically endeavours to improve it in a sustainable, effective and consistent manner. ISO 14001 certification is not obligatory but is the result of the voluntary choice of the Company which decides to define, implement, maintain and improve its own environmental management system.

During 2017 Kartell updated its certification standard to UNI EN ISO 14001:2015.

A copy of the Quality Certification is available for downloading on www.kartell.com





UNI LIST
TECHNICAL REFERENCE STANDARDS

Food contact standards

Each page of the price list is dedicated to a product that has been tested in accordance with current regulations which are summarised in a table where the left hand column shows the code and/or paragraph of the test to which the product was subjected and the right hand column shows the test results and the levels attained. The specification of each regulation is show below:



LIST OF UNI TESTS
FOR CHAIRS:

UNI standard 8582/84 - 1022/98
stability test

UNI standard 8584/84
fatigue test for chair frame

UNI standard 8585/84
impact test for seat

UNI standard 8586/84
test for resistance to repetitive impacts

UNI standard 8587/84
fatigue test for chair back

UNI standard 8589/84
test for arm resistance to vertical force

UNI standard 8590/84
test for arm resistance to horizontal force


UNI standard 8591/84
duration of the rotation of the seat

UNI standard 9083/87
drop test

UNI standard 9088/87
test for resistance of legs to side stress

UNI standard 9089/87
impact test for back and arms

UNI EN standard 10977:2002
Furniture for home and collective use - Seating



LIST OF UNI TESTS
FOR TABLES:

UNI standard 8592/84
stability test

UNI standard 8593/84
test for resistance of tops to concentrated loads

UNI standard 8594/84
top bending test

UNI standard 8595/84
structural strength test

UNI standard 9085/87
drop test

UNI standard 9086/87
impact test for legs

UNI EN standard 1729-2:2006
Furniture - Chairs and tables for schools.Part 2:
Safety requirements and test methods

UNI ENV standard 12521:2001
Home furniture - Tables - Mechanical and struc-
tural safety requirements

UNI EN 527-1:2011
Office furniture - Work tables and desks.Part 1:
UNI EN 1022:2005 dimensions. Home furni-
ture - Seating - Stability test

UNI EN 15372:2008
Furniture - Strength, durability and safety
Requirements for tables for non-home use

UNI EN 12521:2009
Furniture - Strength, durability and safety
Requirements for tables for home use



LIST OF UNI TESTS FOR STORAGE
UNITS AND BOOKCASES:

UNI standard 8596/84
stability test

UNI standard 8600/84
bending test under a concentrated load

UNI standard 8601/84
top bending test


UNI standard 8606/84
maximum total load test



LIST OF UNI-EN TESTS
FOR STEPS:

UNI-EN standard 131-1/94
functional dimensions of the steps

UNI-EN standard 131-2/93
bending of the rungs and platform
Standard EN 1728:2000 took effect in 2002 (UNI EN 1728:2002 in Italy) harmonizing at the European level testing methods for resistance and durability of all the types of domestic seat- ing. This regulation, which replaces previous ones, prescribes much more severe testing pro- cedures than in the past.
Standard EN 15373 came into force in late 2007, updating the testing criteria, cycles and levels, with respect to EN 1728:2000.
Standard EN 16139:2013 came into force at the end of 2012, updating standard EN 15373 (see summary table).
In 2013, standard EN 1728 was updat- ed to the EN 1728:2012+AC:2013 edition (in Italy UNI EN 1728:2012+AC:2013).
Standard EN 1730:2000 updated with EN 15372:2008 (for Italy UNI EN 1730:2002) came into force in 2000 for the assessment of table performance took effect in 2000 to determine table performance. This stand- ard stipulates the testing methods to deter- mine the resistance, durability and stability of all types of tables. Tests are conducted on an assembled and ready-to-use table. The referenc- es to the characteristics tested are expressed with respect to the paragraph in the standard, as follows:



UNI EN standard 15373:2000
paragraph 5.1 - 5.2
General safety requirements

UNI EN standard 1022/2005
Stability

UNI EN standard 1728/2000

paragraph 6.2.1
static load on the chair back

paragraph 6.2.2
static load on the front edge of the seat

paragraph 6.5
static horizontal load on the arms

paragraph 6.6
static vertical load on the arms

paragraph 6.7
resistance to fatigue of the seat/backrest

paragraph 6.8
resistance to fatigue of the front of the seat

paragraph 6.10
resistance to fatigue of the arms

paragraph 6.12
static load on the front legs

paragraph 6.13
static load on the side legs

paragraph 6.15
impact on the seat

paragraph 6.16
impact on the backrest

paragraph 6.17
impact against the arm
paragraph 6.21
resistance of footrest

UNI EN standard 1728/2012

paragraph 6.4
Static load on the chair-backrest

paragraph 6.5
Static load on the front edge of the seat

paragraph 6.6
Static vertical load on the backrest

paragraph 6.10
Static horizontal load on the arms

paragraph 6.11
Static vertical load on the arms

paragraph 6.15
Static load on the front legs

paragraph 6.16
Static load on the side legs

paragraph 6.17
Resistance to fatigue of the seat-backrest

paragraph 6.18
Resistance to fatigue of the front of the seat

paragraph 6.20
Resistance to fatigue of the arms

paragraph 6.21
Resistance of footrest

paragraph 6.24
Impact on the seat

paragraph 6.25
Impact on the backrest

paragraph 6.26
Impact against the arm

paragraph 6.27
Drop resistance

paragraph 6.27.1
Drop resistance for multiple seats

UNI EN standard 1730/2000

paragraph 6.2
horizontal static load

paragraph 6.3
vertical static load

paragraph 6.4
resistance to horizontal fatigue

paragraph 6.5
resistance to vertical fatigue
paragraph 6.6
impact on the top

paragraph 6.7
stability

paragraph 6.8
drop

For products intended for contact with food, the following reference standards are used for testing: Ministerial Decree of 21 March 1973 and subsequent amendments Regu- lation (CE) No. 1935/2004 for mate- rials and objects intended to come into contact with foodstuffs. Title 21 cfr. 1077.1460 of the Food and Drug Administration (FDA) – USA Article 16 of MHLW Food San- itation Law, Chapter III Specifica- tion for Apparatus and Containers and Packaging. Standard and Specification for Food and Food Additives, etc. (Ministry of Health and Welfare Notification No.370, 1959 & MHLW Notification No. 336, 2010), Section III. Equip- ment and Containers/Packages (Japan).

FOR MORE INFORMATION ON
PRODUCT CERTIFICATION, PLEASE
CONTACT US AT:

INFO@KARTELL.COM

MEANING OF THE LEVEL TESTS, SUGGESTED USE:

STANDARD 16139:2013 LEVEL	STANDARD 12520:2010 LEVEL	STANDARD 10977:2002 LEVEL	STANDARD 15373:2007 LEVEL	SUGGESTED USE
-	-	1	-	Light domestic use
-	-	2	-	Normal domestic use
-	1	3	1	Heavy domestic use Light collective use
L1	-	4	2	Collective use: public areas, waiting rooms, restaurants, offices
L2	-	5	3	HEAVY COLLECTIVE USE: SCHOOLS, PRISONS, HOSPITALS

CERTIFICATIONS LIGHTING REGULATIONS

REFERENCE MARKS

CE – indicates the conformity of the products bearing the acronym with the essential requisites of European Community directives.

ENEC – the European trademark for high quality in electrical products which indicates conformity with current European regulations is recognised as the equivalent of the individual national trademarks in 20 European countries, signatories to the Lum Agreement.

ETL – American and Canadian trademark of quality for electrical products. It certifies product conformity with current American and Canadian regulations.

PSE – Japanese trademark of quality for electrical products. It certifies product conformity with current Japanese regulations.

NOM - Mexican trademark of quality for electrical products. It certifies product conformity with current Mexican regulations.

EK/KC – Korean trademark of quality for electrical products. It certifies product conformity with current Korean regulations.

UKCA – indicates the compliance of the products that bear this mark with the essential requirements of the directives in force in the United Kingdom.

CB Certificate (Australia and New Zealand)
Certification attesting product conformity with international IEC regulations, can be issued with specific national deviations.

CB Certificate – Certification attesting product conformity with international IEC regulations.

CCC – China Compulsory Certificate The brand certifies product compliance with Chinese standards and is mandatory for lighting products imported in China.

ECO-CONTRIBUTION

Introduced in Legislative Decree no. 151 dated 25 July 2005 (updating directives 2002/95/EC, 2002/96/EC and 2003/108/EC), the eco-contribution is an environmental charge used to pay for waste management of electrical and electronic equipment (WEEE). This charge is used to finance all phases of treatment, transport, recovery and disposal of electrical and electronic appliances. Kartell lighting prices include the WEEE.

NOTICE PURSUANT TO ARTICLE 13 OF LEGISLATIVE DECREE NO. 151 DATED 25 JULY 2005.



Directive 2012/19/UE (waste electrical and electronic equipment: WEEE):
User information: pursuant to article 13 of Legislative Decree no. 151 dated 25 July 2005, no. 151 "Updating of Directives 2002/95/EC, 2002/96/EC and 2003/108/EC, regarding the reduction in the use of dangerous substances in electrical and electronic equipment, and the disposal of waste" this product is conform.

The barred bin symbol on the equipment or their packaging indicates that at the end of its useful life, the product must be disposed of separately from other waste. The user must take the equipment to an authorised recycling centre for electronic and electric waste, or return it to the original vendor when purchasing an equivalent product, on a one-to-one basis. The appropriate collection for environmentally-compatible

recycling, treatment and disposal contributes to avoiding possible negative effects on the environment and its health and encourages the reuse and/or recycling of the materials used in the equipment. Improper disposal of the product by the user will result in the application of the administrative sanctions stipulated by regulations in force.

ECODESIGN FOR LIGHTING

In response to current legislation, Kartell is working hard to bring its lighting products as closely as possible into line with the parameters established by the ECODESIGN directive.

The EU Ecodesign Directive establishes a framework under which manufacturers of energy-using products are obliged to reduce the energy consumption and other negative environmental impacts occurring throughout the product life cycle (production, use and disposal).

In particular, the regulation requires that light sources and their power supplies permit access for technical checking and that they be "disassemblable" to permit repair in the event of failure. Light sources must also be "replaceable" to permit upgrading or the installation of more efficient or improved components as these become available in future.



SUGGESTED LIGHT SOURCES

TERESA					
	220 240 120	Max 11W Led E27 E26	2700°K CRI 80	270lm 1800lm	G125 Milk

GEEN-A					
	220 240 120	Max 5W Led E14 E12	2700°K CRI 80	550lm	G45 Milk

KABUKI SUSPENSION					
	220 240 120	Max 15W Led E27 E26	2700°K CRI 80	1350lm	G125 Milk

K-LUX					
	220 240 120	5W Led E14 E12	2700°K CRI 80	550lm	G45 Milk

FATA					
	220 240 120	Max 5W Led E14 E12	2700°K CRI 80	550lm	G45 Milk

BOURGIE					
	220 240 120	Max 5W Led E14 E12	2700°K CRI 80	440lm	Olive Transp.

TAKE					
	220 240 120	Max 5W Led E14 E12	2700°K CRI 80	480lm	Olive Transp.

LIGHT AIR					
	220 240 120	Max 5W Led E14 E12	2700°K CRI 80	470lm	G45 Milk

TEA					
	220 240 120	Max 8W Led E14 E12	2700°K CRI 80	800lm	G45 Milk

TEA APPLIQUE					
	220 240 120	G9 Max 7W Led	3000°K CRI 80	750lm	G9Tube Transp.

CINDY					
	220 240 120	Max 15W Led E27 E26	3000°K CRI 80	1440lm	G125 Milk

TOOBE					
	220 240 120	Max 15W Led E27 E26	2700°K CRI 80	1350lm	G125 Milk

KHAN					
	220 240 120	Max 5W E14 E12	2500°K or 2700°K CRI 80	400lm	Kartell Custom Bulb

FL/Y SMALL FL/Y BIG FL/Y					
	220 240 120	Max 15W Led E27 E26	2700°K CRI 80	1350lm	G125 Milk

BELLISSIMA					
	220 240 120	Max 15W Led E27 E26	2700°K CRI 80	1350lm	G125 Milk

GÉ					
	220 240 120	Max 12W Led E27 E26	2700°K CRI 80	1040lm	G125 Milk

É					
	220 240 120	Max 5W Led E14 E12	2700°K CRI 80	480lm	G45 Transp.

BLOOM					
	220 240 120	Max 4.5W Led	2700°K CRI 80	360lm	G9 Tube Transp.





I. SCOPE

1. These General Terms and Conditions govern sales contracts entered into by Kartell S.p.A. ("Kartell") and its clients, professionals that purchase and resell ("Client") the Goods presented in the Kartell catalogue ("Goods"). The General Terms and Conditions of Sale may be waived or modified only through a written agreement between Kartell and the Client.

II. ORDERS

1. Each Product order constitutes an irrevocable offer by the Client. Kartell reserves the right at its sole discretion, to accept, modify or refuse orders at its sole discretion, or to suspend delivery should the Client not provide Kartell with guarantees for the request and not respect the sales guidelines issued by Kartell from time to time.
2. Excluding purchases made for specific purposes agreed in advance with Kartell or in the "contract" channel, the Goods may only be resold retail at the sales point indicated to Kartell.

III. PRICE

1. Unless otherwise agreed, the prices of the Goods indicated in the price list are ex works for deliveries within the European Union, and ex Kartell warehouse for deliveries outside the European Union.
2. The minimum amount of each order for delivery inside Italy is €400.00 (four hundred euros) excluding VAT, and €500.00 (five hundred euros) excluding VAT within the European Union. Should the order not reach this amount, the order may be accepted with a minimum additional charge on the Client invoice of €30.00 (thirty euros) in the first case, and €50.00 (fifty euros) in the second case as a "partial contribution to expenses".
3. The price applied to the Goods is that in force at the order date. VAT must be added to the prices indicated in the price list (minus any discounts) in accordance with the law.
4. Kartell reserves the right to modify the price of the Products indicated in the price list, at any time, as a result of events that determine an increase in production costs, by way of non-limiting example, an increase in the costs of (i) raw materials, (ii) transport, (ii) labour, (iii) energy, etc., or any other factor relating to production dynamics. It is understood that any changes in the price of the Products shall not in any way affect orders finalised before the entry into force of such price changes.

IV. OWNERSHIP

1. Pursuant to Articles 1523-1526 of the Italian Civil Code, ownership of the Goods will be transferred to the Client only upon full payment of the price. In the event of hire purchase and Client default, Kartell shall retain any instalments already paid by way of compensation, without prejudice to claims for greater damages.

V. PAYMENTS

1. Payment is considered to have been made only when Kartell is in possession of the

amount. In the event of payment by cheque or other method, the payment method must be considered to be accepted subject to payment in due course.

2. However, order payment may not be suspended or delayed due to Client claims or defences regardless of ownership, nor may the Client offset debits and credits with Kartell.
3. In accordance with Article 1186 of the Italian Civil Code, failure to pay or partial payment of any amount owed to Kartell shall automatically place the Client in default with the resulting expiry of the time limit and Kartell's simultaneous right to suspend deliveries, refuse or cancel orders, modify sales conditions and take action to ensure full payment of the credit, in addition to expenses, interests and damages. Late payment will also result in the automatic application (with no prior notice) of late interest at the rate established by Article 5 of Legislative Decree 231/2002.

VI. DELIVERY

1. The delivery date is purely approximate and non-binding, with Kartell being entitled to make partial deliveries.
2. Should delivery be delayed as requested by the Client, Kartell reserves the right to charge monthly warehousing and/or handling expenses equal to 10% (ten percent) of the amount indicated on the invoice, beginning in the month following notice to the Client of the Goods' availability.
3. Any Product order cancellation or rejection at receipt will result in the application of a penalty on the Client of 30% (thirty percent) of the amount indicated on the invoice, without prejudice to claims for greater damages.
4. Should the Goods be shipped outside EU territory, the Client must provide Kartell all documents certifying Product delivery within one (1) month. Should the Client fail to do so, Kartell reserves the right to charge the Client all expenses incurred to complete the sale operation.
5. At delivery, the Client must carefully inspect the quantity and condition of Product packaging. On pain of forfeiture, any obvious defect must be: (i) reported in writing to the shipper at the time of delivery, indicating expressly on the consignment note "conditional acceptance", and (ii) promptly reported in writing to Kartell within 48 (forty-eight) hours of delivery, in compliance with the instructions below.
6. Any returns must be approved in writing in advance by Kartell: unauthorised returns will be returned to the sender along with delivery charges.

VII. GUARANTEE AND CLAIMS

1. The legal guarantee for the Goods begins, as per Article 1495 of the Italian Civil Code, on the date of acceptance of Product delivery by the Client or its representatives.
2. Any claim regarding the Goods (excluding those identified at the time of receipt and regarding shipping) must be made in writing to Kartell **within 8 (eight) days** of the discovery, and in any case **within**

12 (twelve) months of Product delivery acceptance by the Client or its representatives in compliance with the following procedure: (Par. 6. Claims)

3. With reference to the Consumer Code, Legislative Decree 206 of 6 September 2005, Articles 131 and 132, the Client loses and forfeits any right of recourse against Kartell if it does not notify Kartell in writing of an end-customer claim within 8 (eight) days of receipt of the end customer's complaint using the procedure described above.
4. Kartell shall not be liable for damages caused by improper use, tampering, normal wear or failure to respect the assembly and maintenance instructions included in the product card, or component modifications or replacements with others not in accordance with the original specifications.
5. In any case, Kartell's liability is limited to the value of the defective goods: Therefore, Kartell may not be held liable, among other things, for expenses sustained by the Client or end customer or for any other damage claimed (direct or indirect).
6. **The bulbs contained in the packaging of each lamp are supplied by Kartell as a courtesy in order to provide the best service to our customers.** However, since these accessories are not directly manufactured by Kartell but supplied by external suppliers, Kartell does not guarantee their correct function. In case of bulb fault or failure, it is the customer's responsibility to replace the bulb, in compliance with the technical information in the catalogue, in the dedicated section, or in the instruction booklet enclosed with the product, to which reference is made in full, and for which Kartell assumes no liability.

VIII. COMPETENT COURT

1. Any disputes arising directly or indirectly from the contractual relationship are the exclusive competence of the Milan court.
2. Applicable law is substantially Italian (excluding any application of foreign laws).

**CLAIMS
MADE ON DELIVERY**

Should any of the following conditions arise on delivery of our products:

- a) one or more of the products listed on the accompanying document is missing;
 - b) one or more of the products delivered differs from those listed on the accompanying document;
 - c) the packaging is damaged, as shown by the impact detector; then you must:
1. Write on the accompanying document (carrier's copy and addressee's copy) that the goods are accepted with reserve. Provide clear written details of the problem encountered. A generic note is not sufficient to ensure correct handling of the claims process.
 2. Compile the transport claim form in all its parts. This form (reproduced below) can be obtained from your local Kartell agent or from the Kartell Sales Office, email **transport@kartell.it**
 3. Send the accompanying document and the transport claim form to Kartell within 48 (forty-eight) hours of receiving the products.

Form for making a claim on delivery

Kartell

Claim form
TRANSPORT DAMAGE

Customer Code

Company Name

Customer Number

Kartell Invoice number and date

Kartell transport document number and date

NON-CONFORMITY OBSERVED UPON DELIVERY OF:

	ARTICLE CODE	QTY
Missing merchandise	☐	☐
Different merchandise	☐	☐
Damaged packaging	☐	☐
Description of non-conformity		

Along with the claim form, ALWAYS send a copy of the SIGNED delivery document WITH SPECIFIC RESERVATIONS to transport@kartell.it

Agent Name

Agent Name

Kartell Agent Code

Place and date


(Place and date)

The Client
 (Place and date signature of Agent representative)

Accepted on behalf of Kartell: 1281 and 1282 of the Italian Civil Code. The Client declares to have read, understood and accepted the following clauses: Article IV, Delivery Article IV, Delivery Article IV, Guarantee and Claims Article IV, Company Card

CLAIMS FOR NON-CONFORMITY OF PRODUCTS

To submit a claim for product non-conformity, scan the QR code below and follow the WebUP procedure:



<http://b2b.kartell.it:8080/WebUP/views/web/webuplogin.jsf>

This procedure involves the following steps:

1. Compile the product non-conformity claim form in all its parts.
 2. Attach photos showing the non-conformity reported (at least one photo per non-conforming product).
 3. Some products have a special label known as an impact detector. If this has been activated (red) or has been torn:
 - Refuse to accept the package from the carrier and follow the procedure given in the 'Claims made on delivery' section.
 - Alternatively, check the contents of the package in the presence of the delivery driver.
 - If the product inside is undamaged, you may accept it.
 - If the product is damaged, refuse it, write a clear reason for refusal on the carrier's copy of the accompanying document, then begin the 'Claims made on delivery' procedure.
- If the claim concerns a **NEW PRODUCT** just received by a customer or delivered by a customer to an end user, send the following to Kartell immediately:
- Photos showing the package in its entirety.
 - Photos of the two labels/barcodes.
 - A photo of the impact detector, if present.
 - A photo of the (red) quality control card.
 - A photo of the product.
 - A video showing the defect (in appearance or function).

Keep the Quality Control card included in the product folder as this provides essential infor-

mation that Kartell's Customer Care Office may require if it is deemed necessary to perform checks on the production lots affected by the non-conformity. **Keep the original product packaging even after you have sent the documentation listed above** as our Quality Control Office may ask you to return it for analysis. Kartell shall only consider claims made according to this procedure and accompanied by all necessary documentation.

Kartell will be unable to process your claim if any of the necessary documentation and/or the original packaging is missing, or if you fail to follow the procedure given above.

If the claim concerns a **USED PRODUCT** (i.e. one sold to an end user and already used), submit the following documentation:

- A video/photo showing the malfunction/defect in the product.
- In the case of lamps with a dimmer or LED module, a photo of the silver/electrical specifications and test label.
- In the case of chairs, a photo of the date label under the seat.

Kartell shall only consider claims that are accompanied by all necessary documentation.

Kartell will be unable to process your claim if any of the necessary documentation is missing, or if you fail to follow the procedure given above.

If you need to communicate with Kartell's Quality Control Office, please write to the following e-mail address:

quality@kartell.it

Kartell assumes no responsibility for damage, defects or faults caused by or in any way deriving from transport or deliveries not arranged directly by Kartell through its agreed carriers. Kartell strongly recommends the use of carriers of proven experience to ensure the necessary high level of service.



CODE INDEX

COD.	FAMILY	PAGE
1200	DUNE	329
	small tray	
1201	DUNE	329
	small tray metal	
1205	I.D. ISH BY D'O	325
	Autumn plate	
1206	I.D. ISH BY D'O	325
	Spring plate	
1207	I.D. ISH BY D'O	325
	Summer plate	
1208	I.D. ISH BY D'O	325
	Winter plate	
1210	DUNE	329
	large tray	
1211	DUNE	329
	large tray metal	
1215	I SHINE	330
	vase	
1218	U SHINE	331
	bowl	
1220	MOON	328
	centrepiece	
1221	SHIBUYA	335
	vase	
1225	MATELASSÉ	332
	vase	
1226	JELLY	333
	centrepiece	
1227	JELLY	333
	vase	
1228	JELLY	333
	vase metal	
1229	SHANGHAI	334
	vase	
1236	NAMASTÉ	324
	set of 3 trays	
1441	PIAZZA	326
	tray	
1445	L'AMERICANA	337
	table mat	
1490	JELLIES FAMILY	319
	carafe	
1491	JELLIES FAMILY	319
	cocktail glass	
1492	JELLIES FAMILY	319
	water glass	
1493	JELLIES FAMILY	319
	wine glass	
1494	JELLIES FAMILY	318
	fruit plate	
1495	JELLIES FAMILY	318
	flat plate	
1496	JELLIES FAMILY	318
	soup bowl	
1497	JELLIES FAMILY	318
	saucer	
1498	JELLIES FAMILY	321
	salad bowl	
1499	JELLIES FAMILY	318
	bowl	
1511	TRAMA	323
	carafe	
1512	TRAMA	323
	long drink glass	
1513	TRAMA	323
	water glass	
1514	TRAMA	323
	wine glass	
1515	TRAMA	322
	underplate	
1516	TRAMA	322
	dinner plate	
1517	TRAMA	322
	soup bowl	
1518	TRAMA	322
	fruit bowl	
1519	TRAMA	322
	bowl	
1550	TRULLIO	317
	centrepiece	
1551	PUMO	316
	centrepiece	
1580	JELLIES FAMILY	320
	tray	

COD.	FAMILY	PAGE
1581	JELLIES FAMILY	319
	flute	
1582	JELLIES FAMILY	320
	coffee set	
1583	JELLIES FAMILY	320
	sugar bowl	
1585	OKRA	315
	vase h. 24 cm.	
1584	OKRA	315
	vase h. 34 cm.	
1900	TIC&TAC	288
	wall clock	
1910	TIC&TAC	288
	wall clock metal	
1930	AIR DU TEMPS	289
	clock	
1931	AIR DU TEMPS	289
	clock metal	
1955	ABBRACCIAIO	327
	candelabra	
1956	ABBRACCIAIO	327
	candelabra gold	
1965	TEATIME	314
	tray	
2000	MOBIL	244
	container and shelf with wheels	
2001	MOBIL	244
	container and shelf with feet	
2004	MOBIL	244
	2 containers with wheels	
2005	MOBIL	244
	2 containers with feet	
2008	MOBIL MAT	243
	2 containers with wheels	
2010	MOBIL	244
	3 containers with wheels	
2011	MOBIL	244
	3 containers with feet	
2012	MOBIL MAT	243
	3 containers with wheels	
2020	MOBIL	244
	3 containers and shelf with wheels	
2021	MOBIL	244
	3 containers and one shelf with feet	
2024	MOBIL	244
	4 containers with wheels	
2025	MOBIL	244
	4 containers with feet	
2026	MOBIL MAT	243
	4 containers with wheels	
2034	MOBIL	244
	5 containers with wheels	
2035	MOBIL	244
	5 containers with feet	
2040	MOBIL	244
	6 containers with wheels	
2041	MOBIL	245
	6 containers with feet	
2358	K-LIM	301
	carpet ø250 cm.	
2356	K-LIM	301
	carpet 240x170 cm.	
2357	K-LIM	301
	carpet 360x240 cm.	
2359	PARAYS	305
	small carpet	
2360	PARAYS	305
	big carpet	
2361	AALAND	304
	carpet 300x200 cm.	
2362	AALAND	304
	carpet 300x120 cm.	
2363	AALAND	304
	carpet 250x220 cm.	
2370	KLEO	302
	round carpet	
2371	KLEO	302
	square carpet	
2372	KLEO	302
	rectangular carpet	
2373	KLEO	303
	small cachepot	
2374	KLEO	303
	large cachepot	

COD.	FAMILY	PAGE
2852	LOULOU GHOST	35-309
	child's armchair - set of 4	
G2853	LOULOU GHOST	35-309
	child's armchair	
2854	LOULOU GHOST	35-309
	personalised child's armchair	
G2855	LOULOU GHOST SPECIAL ED.	34-308
	child's armchair	
N2855	LOULOU GHOST CUSTOM	34-308
	personalised child's armchair	
2858	DISCOVOLANTE	311
	car (for certain countries only)	
2869	MAUI	66
	chair with left-hand desk	
2870	MAUI	66
	chair	
N2870	MAUI	66
	chair black structure	
2872	MAUI	66
	armchair	
2873	MAUI	66
	attachment hook	
2874	MAUI	66
	chair with right-hand desk	
2875	MAUI	66
	cart for chairs	
2878	MAUI	67
	chair with wheels and pump	
2879	MAUI	67
	armchair with wheels and pump	
2891	MAUI	66
	self-extinguishing chair	
2895	MAUI SOFT	68-69
	chair fabric upholstery	
N2895	MAUI SOFT	68-69
	chair fabric upholstery black str.	
T2895	MAUI SOFT	68
	chair customer fabric upholstery	
X2895	MAUI SOFT	68
	chair cust. fabric upholstery black str.	
2897	MAUI SOFT	68-69
	swivel armchair fabric upholstery	
3210	GHOST BUSTER	249
	dresser	
3220	SMALL GHOST BUSTER	249
	night table	
3270	H-HORSE	310
	rocking horse (for certain countries only)	
3275	SIR GIO	166
	round table	
3276	SIR GIO	166
	square table	
3500	OPTIC	274
	container	
3510	OPTIC	274
	container with door	
4040	THIERRY	172
	table h. 40 cm.	
4041	THIERRY	172
	table h. 45 cm.	
4042	THIERRY	172
	table h. 50 cm.	
4043	THIERRY	172
	kit h.40+45+50 cm.	
4044	THIERRY BISTROT	171
	table	
4045	THIERRY XXL	170
	round table	
4046	THIERRY XXL	170
	oval table	
4049	THIERRY	172
	table h. 40 cm. outdoor	
4050	THIERRY	172
	table h. 45 cm. outdoor	
4051	THIERRY	172
	table h. 50 cm. outdoor	
4052	THIERRY	172
	kit h.40+45+50 cm. outdoor	
4060	MULTIPIO	162
	table 78x78 3 spokes leg marble finish	
4061	MULTIPIO	162
	table 78x78 3 spokes leg solid colour	
4062	MULTIPIO	162
	table 78x78 3 spokes leg glass top	

COD.	FAMILY	PAGE
4063	MULTIPIO	161
	table 78x78 small square base marble	
4064	MULTIPIO	161
	table 78x78 small square base solid col.	
4065	MULTIPIO	161
	table 78x78 small square base glass top	
4066	MULTIPIO	162
	table ø78 3 spokes leg marble finish	
4067	MULTIPIO	162
	table ø78 3 spokes leg solid colour top	
4068	MULTIPIO	162
	table ø78 3 spokes leg glass top	
4069	MULTIPIO	161
	table ø78 small square base marble	
4070	MULTIPIO	161
	table ø78 small square base solid colour	
4071	MULTIPIO	161
	table ø78 small square base glass top	
4072	MULTIPIO	162
	table 99x99 4 spokes leg marble finish	
4073	MULTIPIO	162
	table 99x99 4 spokes leg solid colour	
4074	MULTIPIO	162
	table 99x99 4 spokes leg glass top	
4075	MULTIPIO	160
	rounded table 99x99 sq. base marble	
4076	MULTIPIO	160
	rounded table 99x99 square base gres	
4077	MULTIPIO	160
	rounded table 99x99 square base glass	
4078	MULTIPIO	162
	table ø118 4 spokes leg marble finish	
4079	MULTIPIO	162
	table ø118 4 spokes leg solid colour	
4080	MULTIPIO	162
	table ø118 4 spokes leg glass top	
4081	MULTIPIO	160
	table ø118 square base marble finish	
4082	MULTIPIO	160
	table ø118 square base solid col. top	
4083	MULTIPIO	160
	table ø118 square base glass top	
4084	MULTIPIO XL	158
	oval table 2 legs 2 spokes marble finish	
4085	MULTIPIO XL	158
	oval table 2 legs 2 spokes glass top	
4095	BLAST	167
	side table square	
4096	BLAST	167
	side table rectangular	
4111	ALBERT	138
	table 150x150 cm.	
4112	ALBERT	138
	table 160x90 cm.	
4113	ALBERT	138
	table 190x90 cm.	
4115	ALBERT	138
	table 280x100 cm.	
4123	MULTIPIO XL	158
	small table 2 legs 2 spokes marble top	
4124	MULTIPIO XL	158
	small table 2 legs 2 spokes glass top	
4125	MULTIPIO XL	158
	medium table 2 legs 2 spokes marble top	
4126	MULTIPIO XL	158
	medium table 2 legs 2 spokes glass top	
4134	MULTIPIO	160
	rounded table 118x118 sq. base marble	
4135	MULTIPIO	160
	rounded table 118x118 square base glass	
4136	MULTIPIO	160
	table ø135 square base marble finish	
4137	MULTIPIO	160
	table ø135 square base glass top	
4138	MULTIPIO	160
	table 118x118 square base marble	
4139	MULTIPIO	160
	table 118x118 square base glass	
4140	MULTIPIO	161
	table 78x78 small square base marble	
4141	MULTIPIO	161
	table 78x78 small square base glass top	
4150	MULTIPIO LOW	164
	oval table 2 legs 2 spokes marble finish	

COD.	FAMILY	PAGE
4151	MULTIPIO LOW	164
	oval table 2 legs 2 spokes glass top	
4152	MULTIPIO LOW	164
	table ø118 4 spokes leg marble finish	
4153	MULTIPIO LOW	164
	table ø118 4 spokes leg glass top	
4154	MULTIPIO LOW	164
	square table 99x99 c4 spokes marble	
4155	MULTIPIO LOW	164
	square table 99x99 4 spokes leg glass	
4156	MULTIPIO LOW	164
	medium table 2 legs 2 spokes marble	
4157	MULTIPIO LOW	164
	Medium table 2 legs 2 spokes glass top	
4160	MULTIPIO XL	158
	large table 2 legs 2 spokes marble finish	
4165	UNDIQUE	169
	low round table h. 51 cm.	
4166	UNDIQUE	169
	low round table h. 37 cm.	
4167	UNDIQUE	169
	low bean table h. 44 cm.	
4168	UNDIQUE MAS	168
	round table h. 51 cm.	
4170	UNDIQUE MAS	168
	round table h. 30 cm.	
4173	UNDIQUE MAS	168
	bean table h. 44 cm.	
4174	UNDIQUE MAS	168
	kit h.30+44+51 cm.	
4180	CLAP	53
	armchair customer fabric	
4182	CLAP	53
	armchair	
4187	CLAP	53
	armchair Aquaclean® fabric	
4188	CLAP	53
	armchair Rubelli® fabric	
4192	MADEMOISELLE KRAVITZ	59
	armchair	
4193	MADEMOISELLE KRAVITZ	59
	covered armchair	
4200	TOPTOP OUTDOOR	180
	round table	
4201	TOPTOP OUTDOOR	180
	square table	
4202	TOPTOP OUTDOOR	180
	round table	
4203	TOPTOP OUTDOOR	180
	square table	
4210	TOPTOP OUTDOOR	180
	round table	
4211	TOPTOP OUTDOOR	180
	square table	
4212	TOPTOP OUTDOOR	180
	round table	
4213	TOPTOP OUTDOOR	180
	square table	
4215	CHARLA	50
	armchair Orsetto	
A4215	CHARLA	50
	armchair Orsetto fire resistant	
4218	CHARLA	51
	armchair Antibes	
A4218	CHARLA	51
	armchair Antibes fire resistant	
4255	TOPTOP	176
	rectangular table glass top	
4256	TOPTOP	176
	rectangular table glass top	
4272	TOPTOP	177
	round table	
4273	TOPTOP	177
	square table	
4280	TOPTOP	178
	round table	
4281	TOPTOP	178
	square table	
4282	TOPTOP	178
	round table	
4283	TOPTOP	178
	square table	
4290	TOPTOP	179
	round table	

COD.	FAMILY	PAGE
4291	TOPTOP	179
	square table	
4292	TOPTOP	179
	round table	
4293	TOPTOP	179
	square table	
4294	K-TOP	175
	small side table	
4297	K-TOP	174
	big side table	
4330	TOPTOP CONTRACT	182
	round table ø60 cm. round base	
4331	TOPTOP CONTRACT	182
	table 60x60 cm. round base	
4332	TOPTOP CONTRACT	182
	round table ø70 cm. round base	
4333	TOPTOP CONTRACT	182
	table 70x70 cm. round base	
4346	TOPTOP CONTRACT	183
	round table ø60 cm. square base	
4347	TOPTOP CONTRACT	183
	table 60x60 cm. square base	
4348	TOPTOP CONTRACT	183
	round table ø70 cm. square base	
4349	TOPTOP CONTRACT	183
	table 70x70 cm. square base	
4392	MADEMOISELLE KRAVITZ	59
	armchair raffia/woven fabric	
4393	MADEMOISELLE KRAVITZ	59
	armchair raffia/woven fabric	
4410	TRAYS	254
	80x40 cm. coffee table	
4412	TRAYS	254
	80x80 cm. coffee table	
4414	TRAYS	254
	140x40 cm. coffee table	
4416	TRAYS	255
	cart 3 shelves	
4418	TRAYS	255
	bookcase	
4456	GLOSSY XXL	154
	round table chrome legs	
4457	GLOSSY XXL	154

CODE INDEX

COD.	FAMILY	PAGE
4524	FOUR table	142
4525	FOUR table	142
4536	DR. NA TABLE	73
4537	FOUR EXTENDABLE indoor table	140
4538	FOUR EXTENDABLE outdoor table	140
4560	GLOSSY square table	157
4563	GLOSSY square table	155
4565	GLOSSY round table	155
4567	GLOSSY square table	157
4570	GLOSSY square table	157
4572	GLOSSY oval table - glass/marble top	156-157
4573	GLOSSY oval table - glass/marble top	156
4578	GLOSSY round table marble top	156
4579	GLOSSY oval table - glass/marble top	156-157
4580	GLOSSY round table marble top	156
4584	GLOSSY round table marble top	156
4588	GLOSSY round table	155
4589	GLOSSY round table	155
4590	GLOSSY square table	155
4594	GLOSSY square table	155
4670	WASTE BASKET round waste basket	294
4676	MAGAZINE RACK magazine rack	292
4679	FRONT PAGE magazine rack	293
4702	WALL CLOTHES HOOK wall coat hooks	297
4713	WALL CLOTHES HOOK wall coat hooks metal	297
4752	JELLIES COAT HANGER wall coat hooks big	296
4753	JELLIES COAT HANGER wall coat hooks medium	296
4754	JELLIES COAT HANGER wall coat hooks small	296
4760	POIVARA corner joint	260
4761	POIVARA triple joint	260
4762	POIVARA quadruple joint	260
4763	POIVARA short panel	260
4764	POIVARA medium panel	260
4765	POIVARA long panel	260
4766	POIVARA maxi panel	260
4767	POIVARA composition	260
4768	POIVARA composition	260
4769	POIVARA composition	260
4770	POIVARA Stackable cube	261
4819	SPOON CHAIR swivel chair	70
4828	SPOON stool	70
4835	EROISI swivel chair	65

COD.	FAMILY	PAGE
4848	DR. NO armchair	72
4850	LA MARIE chair	39
4852	LOUIS GHOST armchair	32
4853	LOUIS GHOST armchair set of 4	32
4854	LOUIS GHOST decorated armchair	32
4856	VICTORIA GHOST armchair set of 4	33
4857	VICTORIA GHOST chair	33
4869	LUZZ MAT chair	62
4892	MADEMOISELLE armchair Missoni fabric	58
4893	MADEMOISELLE armchair Missoni fabric	58
4897	CHARLES GHOST stool h. 46 cm.	38
4898	CHARLES GHOST stool h. 65 cm.	38
4899	CHARLES GHOST stool h. 75 cm.	38
4900	MADEMOISELLE armchair Rubelli® fabric	58
4901	MADEMOISELLE armchair Rubelli® fabric	58
4911	P/WOOD chair h. 43.5 cm. basic veneer	40
4912	P/WOOD chair h. 43.5 cm. slatted ash	40
4913	Q/WOOD armchair h. 43.5 cm. basic veneer	43
4914	Q/WOOD armchair h. 43.5 cm. slatted ash	43
4915	K/WOOD armchair basic veneer	88
4916	K/WOOD armchair slatted ash	88
4917	K/WOOD armchair slatted ash leather upholstery	88
4918	S/WOOD footrest basic veneer	88
4919	S/WOOD footrest slatted ash	88
4920	S/WOOD footrest slatted ash leather upholstery	88
4921	K/WOOD swivel armchair	89
4924	COMPONIBILI SMILE composition	242
4925	COMPONIBILI SMILE composition	242
4926	COMPONIBILI SMILE composition	242
4927	EARL OF WOOD desk	150
4928	AL WOOD side table basic veneer	264
4929	AL WOOD side table slatted ash	264
4931	COMPONIBILI composition	240
4932	COMPONIBILI composition silver	240
4933	COMPONIBILI composition	240
4934	COMPONIBILI composition silver	240
4935	COMPONIBILI composition	240
4936	COMPONIBILI composition silver	240
4937	C.KOYA stool	45
4940	VISCOUNT OF WOOD round table 130x130 cm.	146
4941	VISCOUNT OF WOOD oval table 192x118 cm.	147
4945	LUNAT desk	151

COD.	FAMILY	PAGE
4953	COMPONIBILI low round element	240
4955	COMPONIBILI high round element	240
4959	COMPONIBILI tray/round lid	240
4966	COMPONIBILI 2 elements	237-238
4967	COMPONIBILI 3 elements	237-238
4970	COMPONIBILI low square element	241
4972	COMPONIBILI tray/square lid	241
4978	COMPONIBILI door for article 4979	241
4979	COMPONIBILI high square element	241
4985	COMPONIBILI 4 elements	237-238
4986	COMPONIBILI RECYCLED 2 elements	237
4988	COMPONIBILI RECYCLED 3 elements	237
5000	INVISIBLE SIDE console	253
5005	INVISIBLE SIDE side table	253
5070	INVISIBLE TABLE table	173
5072	INVISIBLE TABLE KIDS table	307
5075	INVISIBLE TABLE coffee table	173
5221	CORTEZA side table	246
5222	CORTEZA small cachepot	247
5223	CORTEZA big cachepot	247
5224	CORTEZA coffee table	246
5523	FOUR OUTDOOR outdoor table medium	141
5524	FOUR OUTDOOR outdoor table large	141
5573	GLOSSY OUTDOOR oval table	153
5578	GLOSSY OUTDOOR round table	153
5580	GLOSSY XXL round table	152
5802	PIUMA armchair	20
5803	RE-CHAIR chair	21
5806	VENICE & VENICE MAT chair	31
5814	GENERIC A chair	28
5816	GENERIC C chair	29
G5818	CATWALK MAT chair	30
5820	AMI AMI chair	63
5826	BE BOP armchair	71
5830	PAPYRUS armchair	64
5834	SMATRIK chair	26
5835	SMATRIK rocking chair	27
5836	SMATRIK outdoor chair	26
5838	MADAME EMILIO PUCCI ED. armchair	55
5842	CARA armchair Solid fabric	94
A5842	CARA armchair Solid fabric fire resistant	94
5843	CARA armchair Fancy fabric	94

COD.	FAMILY	PAGE
5844	CARA OUTDOOR armchair	95
5845	CARA MAT armchair Solid fabric	96
A5845	CARA MAT armchair Solid fabric fire resistant	96
5846	CARA MAT armchair	96
5847	CARA MAT OUTDOOR armchair	92-93
5848	MADAME armchair Rubelli® fabric	54
5849	MASTERS STOOL stool h.99 cm. metallic version	24
5853	LOUIS GHOST armchair fire-resistant	32
5856	VICTORIA GHOST chair fire-resistant	33
5864	MASTERS chair metallic version	23
5865	MASTERS chair	22
5866	MASTERS chair set of 4	22
5867	JOE COLOMBO armchair	97
5868	MASTERS STOOL stool h.109 cm.	24
5869	MASTERS STOOL stool h.99 cm.	24
5875	AUDREY painted chair	60
5876	AUDREY painted armchair	60
5879	AUDREY SOFT support for stacking	61
5881	SMATRIK STOOL stool	25
5882	SMATRIK STOOL outdoor stool	25
5886	A.I. chair	16
5887	A.I. chair metallic version	17
5888	A.I. STOOL stool h. 65 cm.	18
5889	A.I. STOOL stool h. 75 cm.	18
5890	ONE MORE stool oval back rest h.104 cm.	36
5891	ONE MORE stool oval back rest h.114 cm.	36
5895	ONE MORE PLEASE stool square back rest h.100 cm.	37
5896	ONE MORE PLEASE stool square back rest h.110 cm.	37
5901	A.I. STOOL LIGHT stool h. 45 cm.	19
5902	A.I. STOOL LIGHT stool h. 65 cm.	19
5903	A.I. STOOL LIGHT stool h. 75 cm.	19
5904	A.I. LOUNGE armchair	90-91
5907	A.I. CONSOLE console	248
5911	P/WOOD chair h. 41.5 cm. basic veneer	40
5912	P/WOOD chair h. 41.5 cm. slatted ash	40
5913	Q/WOOD armchair h. 41.5 cm. basic veneer	43
5914	Q/WOOD armchair h. 41.5 cm. slatted ash	43
5915	H.H.H. armchair plain	8
5917	H.H.H. armchair genuine leather	15
5918	H.H.H. armchair Liberty® fabric/Eco-Friendly	10-14
A5918	H.H.H. armchair Liberty® fabric fire tested	10
5919	H.H.H. armchair Liberty® graphic impression	13

COD.	FAMILY	PAGE
5926	P/WOOD swivel chair basic veneer	41
5927	Q/WOOD swivel armchair	44
5928	Q/WOOD armchair soft version	42
5929	Q/WOOD swivel armchair soft version	44
5940	VISCOUNT OF WOOD table 145x80 cm.	148
5942	VISCOUNT OF WOOD table 90x160 cm.	148
5944	VISCOUNT OF WOOD table 190x90 cm.	148
5946	VISCOUNT OF WOOD table 240x100 cm.	148
5948	VISCOUNT OF WOOD table 100x100 cm.	148
5966	COMPONIBILI METAL 2 elements metal	239
5967	COMPONIBILI METAL 3 elements metal	239
5970	COMPONIBILI BIO container	236
5975	AUDREY SOFT chair fabric covered fire resist.	61
5976	AUDREY SOFT armchair fabric covered fire resist.	61
6025	TRIX seating system	127
6041	POP armchair	134
A6041	POP armchair fire resistant	134
6042	POP 2 seater sofa	134
A6042	POP 2 seater sofa fire resistant	134
6043	POP 3 seater sofa	134
A6043	POP 3 seater sofa fire resistant	134
6044	POP additional seat	134
60440	POP replacement cover	134
A6044	POP additional seat fire resistant	134
6047	TRIX OUTDOOR seating system Liberty® fabric	126
6050	BUBBLE CLUB two seater sofa	87
6051	POP MISSONI armchair	132
6052	POP MISSONI 2 seater sofa	132
6053	POP MISSONI 3 seater sofa	132
60530	POP MISSONI cushion covers	132
6054	POP MISSONI additional seat	132
6070	BUBBLE CLUB armchair	87
6080	BUBBLE CLUB coffee table	87
6085	FOLIAGE sofa	129
6086	FOLIAGE armchair	128
6091	PLASTICS TECH FABRIC ottoman	125
6093	PLASTICS TECH FABRIC armchair	125
6095	PLASTICS TECH FABRIC right armchair	125
6097	PLASTICS TECH FABRIC left armchair	125
6190	HIRAY chair	82
6191	HIRAY chair with armrests	83
6192	HIRAY armchair	79

COD.	FAMILY	PAGE
6193	HIRAY sofa	78
6194	HIRAY side table	80
6195	HIRAY chair cushion	82-83-85
6196	HIRAY armchair cushion	79
6197	HIRAY sofa cushion	78
6198	HIRAY round table	81
6199	HIRAY square table	81
6200	HIRAY stool	85
6210	HIRAY SOFA sofa	76
6220	HIRAY table high	84
6245	LUNAM armchair Orsetto/Curly	110
I/A6245	LUNAM armchair Orsetto/Curly fire resistant	110
6246	LUNAM armchair Antibes	110
I/A6246	LUNAM armchair Antibes fire resistant	110
6247	LUNAM sofa Orsetto/Curly	111
I/A6247	LUNAM sofa Orsetto/Curly fire resistant	111
6248	LUNAM sofa Antibes	111
I/A6248	LUNAM sofa Antibes fire resistant	111
6249	LUNAM pouf Orsetto/Curly	112
I/A6249	LUNAM pouf Orsetto/Curly fire resistant	112
6250	LUNAM pouf Antibes	112
I/A6250	LUNAM pouf Antibes fire resistant	112
6260	ELEGANZA NIA armchair fabric covered	46
6265	ELEGANZA ELA armchair fabric covered	47
6266	AALAND pouf	108
6267	AALAND armchair left	108
6268	AALAND armchair right	108
6269	AALAND sofa right	108
6270	AALAND sofa left	108
6275	ELEGANZA NIA armchair Missoni fabric covered	48
6276	ELEGANZA ELA armchair Missoni fabric covered	49
6280	K-WAITING armchair	102
I/A6280	K-WAITING armchair fire resistant	102
6281	K-WAITING sofa	103
I/A6281	K-WAITING sofa fire resistant	103
6282	K-WAITING pouf	105
I/A6282	K-WAITING pouf fire resistant	105
6283	K-WAITING ottoman right backrest	104
I/A6283	K-WAITING ottoman right backrest fire resistant	104
6284	K-WAITING ottoman left backrest	104
I/A6284	K-WAITING ottoman left backrest fire resistant	104
6285	K-WAITING swivel armchair	102

CODE INDEX

COD.	FAMILY	PAGE
I/A6285	K-WAITING swivel armchair fire resistant	102
6292	PLASTICS OUTDOOR central armchair	120-122
A6292	PLASTICS OUTDOOR central armchair fire resistant	122
6293	PLASTICS OUTDOOR pouf	120-123
6294	PLASTICS OUTDOOR left armchair	120-122
A6294	PLASTICS OUTDOOR left armchair fire resistant	122
6296	PLASTICS OUTDOOR right armchair	120-122
A6296	PLASTICS OUTDOOR right armchair fire resistant	120-122
6299	PLASTICS OUTDOOR protective cover	121
6300	PLASTICS OUTDOOR pouf protective cover	121
6351	PLASTICS OUTDOOR long right armchair	122
A6351	PLASTICS OUTDOOR long right armchair fire resistant	122
6352	PLASTICS OUTDOOR long central armchair	122
A6352	PLASTICS OUTDOOR long central armchair fire resistant	122
6353	PLASTICS OUTDOOR long left armchair	122
A6353	PLASTICS OUTDOOR long left armchair fire resistant	122
6354	PLASTICS OUTDOOR long pouf	123
A6354	PLASTICS OUTDOOR long pouf fire resistant	123
6400	UNCLE JACK sofa	86
6410	UNCLE JIM armchair	86
6522	FOUR CERAMIC table 158x79 cm. marble finish	145
6523	FOUR CERAMIC table 190x79 cm. marble finish	145
6524	FOUR CERAMIC table 190x90 cm. marble finish	145
6525	FOUR XXL table 238x100 cm. marble finish	144
6275	ELEGANZA NIA MISSONI armchair Missoni fabric	48
6276	ELEGANZA ELA MISSONI armchair Missoni fabric	49
7000	TIRAMISU folding stepladder	290
G7030	UPPER folding stepladder	291
7041	POP OUTDOOR armchair	130
7042	POP OUTDOOR two seater sofa	130
70420	POP OUTDOOR replacement cover	130
7043	POP OUTDOOR three seater sofa	130
7044	POP OUTDOOR additional seat	130
7085	CUSHION	114-119
7090	PLASTICS DUO short ottoman	118
A7090	PLASTICS DUO short ottoman fire-resistant	118
7091	PLASTICS DUO long ottoman	118
A7091	PLASTICS DUO long ottoman fire resistant	118
7092	PLASTICS DUO armchair short central	118
A7092	PLASTICS DUO armchair short right fire resistant	118
7093	PLASTICS DUO armchair long central	118
A7093	PLASTICS DUO armchair long central fire resistant	118

COD.	FAMILY	PAGE
7094	PLASTICS DUO armchair short left	118
A7094	PLASTICS DUO armchair short left fire resistant	118
7095	PLASTICS DUO armchair short left	118
A7095	PLASTICS DUO armchair short left fire resistant	118
7096	PLASTICS DUO armchair long right	118
A7096	PLASTICS DUO armchair long right fire resistant	118
7097	PLASTICS DUO armchair long right	118
A7097	PLASTICS DUO armchair long right fire resistant	118
7098	PLASTICS DUO armchair long/tall left	118
A7098	PLASTICS DUO armchair long/tall left fire resistant	118
7099	PLASTICS DUO armchair long/tall right	118
A7099	PLASTICS DUO armchair long/tall right fire resistant	118
7150	LARGO 2 seats sofa	114
A7150	LARGO 2 seats sofa fire resistant	114
7155	LARGO 2 seats sofa	116
7160	LARGO 3 seats sofa	114
A7160	LARGO 3 seats sofa fire resistant	114
7161	LARGO sofa with ottoman right	114
A7161	LARGO sofa with ottoman right	114
7162	LARGO 5 seats corner sofa	114
A7162	LARGO 5 seats corner sofa fire resistant	114
7163	LARGO 6 seats corner sofa	114
A7163	LARGO 6 seats corner sofa fire resistant	114
7164	LARGO 7 seats corner sofa	114
A7164	LARGO 7 seats corner sofa fire resistant	114
7166	CUSHION	115
7169	LARGO sofa with ottoman left	114
A7169	LARGO sofa with ottoman left - fire resistant	114
7170	LARGO 3 seats sofa	116
7171	LARGO sofa with ottoman right	116
7172	LARGO 5 seats corner sofa	116
7173	LARGO 6 seats corner sofa	116
7174	LARGO 7 seats corner sofa	116
7175	CUSHION 48x48 cm.	107-117-133
7176	CUSHION 35x48 cm.	107-117-133
7177	LUNAM cushions Orsetto/Curly	113
7178	LUNAM cushions Antibes	113
7179	LARGO sofa with ottoman left	116
7180	CUSHION 48x48 cm.	98-101-106
7185	CUSHION OUTDOOR 48x48 cm.	77-120-124-131
7186	CUSHION OUTDOOR 35x48 cm.	124-131
7275	ASIA armchair	98

COD.	FAMILY	PAGE
I/A7275	ASIA armchair fire resistant	98
7276	ASIA 2 seats sofa	98
I/A7276	ASIA 2 seats sofa fire resistant	98
7277	ASIA 3 seats sofa	98
I/A7277	ASIA 3 seats sofa fire resistant	98
7278	ASIA leather armchair	100
7279	ASIA leather 2 seats sofa	100
7280	ASIA leather 3 seats sofa	100
7610	UMBRELLA STAND	294
7680	INFINITY bottle rack	336
7900	COMPONIBILI package 4 wheels	240
8003	BOOKWORM 7 bookends bookcase short	262
8004	BOOKWORM 7 bookends bookcase short	262
8005	BOOKWORM 11 bookends bookcase medium	262
8006	BOOKWORM 11 bookends bookcase medium	262
8008	BOOKWORM 17 bookends bookcase long	262
8010	BOOKWORM 17 bookends bookcase long	262
8060	KITE SHELF bookcase/shelf	263
8160	ALTA TENSIONE coat rack	300
8170	HANGER coat rack	298
8172	HANGER short wall-mounted coat rack	299
8174	HANGER long wall-mounted coat rack	299
8176	HANGER large hook	299
8178	HANGER small hook	299
8300	FRANÇOIS GHOST small mirror	282
8305	FRANÇOIS GHOST small mirror metallic	282
8306	FRANÇOIS GHOST small mirror painted	282
8310	FRANÇOIS GHOST large mirror	283
8320	ONLY ME medium mirror	280
8330	ONLY ME mirror large	281
8340	ONLY ME mirror small	280
8500	T-TABLE coffee table	265
8501	T-TABLE coffee table	265
8502	T-TABLE coffee table	265
8600	TIPTOP/TIPTOP MONO coffee table	266-267
8605	TIPTOP coffee table glass top	266
8610	TIPTOP KIDS table	306
8800	STONE stool-table	271
8801	STONE stool-table metal	271
8805	SPARKLE coffee table	273
8810	PRINCE AHA stool	270
8818	SPARKLE stool	273

COD.	FAMILY	PAGE
8820	SAINT ESPRIT stool-table	277
8821	ATTILA stool-table	277
8822	NAPOLEON stool-table	277
8831	ATTILA stool-table metal	277
8832	NAPOLEON stool-table metal	277
8836	TOY lamp	218
8837	TOY lamp gold	218
G8850	JOLLY coffee table	272
8851	CALICE vase	276
8852	PILASTRO stool-table	276
8853	COLONNA stool-table	276
8854	ROY stool-table	279
8855	EUR stool-table	278
G8860	PANIER coffee table/container	275
8904	ADAM WOOD bookcase 3 shelves 2 struts 1 cont.	256
8905	ADAM WOOD bookcase 6 shelves 3 struts 2 cont.	256
8906	ADAM WOOD bookcase 6 shelves 3 struts 2 cont.	256
8914	ADAM WOOD bookcase 10 shelves 4 struts	256
8915	ADAM WOOD bookcase 10 shelves 3 struts	256
8916	ADAM WOOD bookcase 14 shelves 4 struts	256
8917	ADAM WOOD bookcase 10 shelves 60 cm.	256
8920	MISSES FLOWER POWER vase	295
8930	ADAM WOOD bookcase 2 shelves	258
8931	ADAM WOOD 3 shelves	258
8932	ADAM WOOD 1 strut	259
8933	ADAM WOOD 2 struts	259
8934	ADAM WOOD 2 shelves 60 cm.	258
8935	ADAM WOOD 3 shelves 60 cm.	258
8937	ADAM WOOD container	259
9005	TEA table lamp	216
9008	TEA wall lamp	217
9030	FL/Y suspension lamp	226
9035	FL/Y suspension lamp metallic	226
9038	FL/Y suspension lamp mat painted	226
G9040	E suspension lamp	231
G9045	E wall lamp	231
9050	TAKE table lamp	209
9053	SMALL FL/Y suspension lamp	227
9058	BIG FL/Y suspension lamp	228
9060	TOOBE floor lamp (for certain countries only)	223
9065	TOOBE table lamp (for certain countries only)	223
9066	SMALL FL/Y suspension lamp metallic	227

COD.	FAMILY	PAGE
9068	SMALL FL/Y suspension lamp mat painted	227
9070	BOURGIE table lamp dimmable	206
9071	BOURGIE table lamp On/Off (for cert. countries only)	206
9072	BOURGIE table lamp chrome	206
9074	BOURGIE table lamp gold	206
9076	BOURGIE table lamp white-gold version	206
9077	BOURGIE MAT table lamp	207
G9080	GE suspension lamp	230
G9082	GE suspension lamp metal	230
9097	BIG FL/Y suspension lamp mat painted	228
9100	CINDY table lamp	222
9105	TERESA table lamp	188-189
9110	LIGHT-AIR table shade fabric	214
9120	LIGHT-AIR wall lamp sculpted (for cert. countries only)	215
9125	LIGHT-AIR wall lamp fabric (for cert. countries only)	214
9130	LIGHT-AIR susp. lamp sculpted (for cert. countries only)	215
9131	LIGHT-AIR suspension fabric (for cert. countries only)	214
9135	LIGHT-AIR table lamp sculpted	215
G9140	BATTERY table lamp	210
G9145	BATTERY table lamp metal	210
9175	KABUKI suspension lamp	199
9180	KABUKI floor lamp	198
9185	KABUKI outdoor floor lamp (for cert. countries only)	198
9190	ALEDIN table lamp tec	219
9195	ALEDIN table lamp dec	219
9200	MINI KABUKI table lamp	208
9220	SPACE table lamp	213
9225	SPACE outdoor table lamp	213
9250	BLOOM suspension lamp	233
9260	BLOOM suspension lamp small	232
9263	BLOOM suspension lamp small metallic	232
9265	BLOOM suspension lamp medium	232
9268	BLOOM suspension lamp medium metallic	232
9270	BLOOM wall lamp small	232
9275	BLOOM ceiling lamp	232
9280	BIG BLOOM suspension lamp	232
9300	TAJ table lamp (for certain countries only)	220
9320	TAJ MINI table shade (for certain countries only)	221
9325	TAJ MINI table shade metal (for cert. countries only)	221
G9335	LANTERN table lamp	212
9385	PLANET table lamp high	196
9386	PLANET table lamp low	196

COD.	FAMILY	PAGE
9387	PLANET floor lamp	194
9388	PLANET floor lamp	194
9390	PLANET suspension lamp	195
9400	ANGELO STONE floor lamp	190
9405	ANGELO STONE table lamp	191
9410	MINI PLANET battery table lamp	197
9420	MINI PLANET table lamp	197
9425	K-LUX floor lamp	200
9430	PLANET ceiling lamp (for cert. countries only)	195
9450	BELLISSIMA suspension lamp mat	229
9455	BELLISSIMA suspension lamp glossy	229
9460	BELLISSIMA suspension lamp wood finish	229
9470	BIG BATTERY table lamp	211
9475	BIG BATTERY battery table lamp	211
9480	FATA wall lamp	201
G9545	KHAN suspension lamp metal	225
9546	KHAN 2 light bulbs 2.700 K	224
G9500	PUMO LAMP table lamp	205
G9550	KHAN suspension lamp	224
G9555	KHAN suspension lamp bronze	225
9560	GOODNIGHT battery lamp	202
9561	GOODNIGHT outdoor battery lamp	202
9562	GOODNIGHT battery lamp with diffuser	203
95625	GOODNIGHT diffuser	203
9570	GOODNIGHT wall lamp	204
9700	GEEN-A floor lamp	192
9710	MINI GEEN-A battery table lamp	193
9720	MINI GEEN-A table lamp	193
9900	MAX-BEAM stool	269
9910	SOUND-RACK container	268
9920	SHELFISH shelf	286
9921	SHELFISH shelf metal	286
9930	RAIL towel rack small	287
9935	RAIL towel rack medium	287
9940	RAIL towel rack large	287
9950	ALL SAINTS mirror	284
9951	ALL SAINTS mirror metal	284
9953	ALL SAINTS mirror with light (for certain countries only)	284
9962	BOXY toothbrush holder	285
9963	BOXY soap holder	285

INDEX OF PRODUCTS

SEATING7

	H.H.H.	8
	A.I.	16
	A.I. STOOL	18
	A.I. STOOL LIGHT	19
	PIUMA	20
	RE-CHAIR	21
	MASTERS	22
	MASTERS STOOL	24
	SMATRIK STOOL	25
	SMATRIK	26
	GENERIC A/C	28
	CATWALK MAT	30
	VENICE & VENICE MAT	31
	LOUIS GHOST	32
	VICTORIA GHOST	33
	LOU LOU GHOST	34
	ONE MORE	36
	ONE MORE PLEASE	37
	CHARLES GHOST	38
	LA MARIE	39
	P/WOOD	40
	Q/WOOD	42
	C.KOYA	45
	ELEGANZA	46
	ELEGANZA MISSONI	48
	CHARIA	50
	CLAP	52
	MADAME	54
	MADEMOISELLE	57
	AUDREY	60
	LIZZ MAT	62
	AMI AMI	63
	PAPYRUS	64
	EROISI	65
	MAUI	66
	SPOON/SPOON CHAIR	70
	BE BOP	71
	DR. NO	72
	DR. NA	73

SOFT75

	HIRAY SOFA	76
	HIRAY	78
	UNCLE JACK, UNCLE JIM	86
	BUBBLE CLUB	87
	K/WOOD, S/WOOD	88
	A.I. LOUNGE	90
	CARA	92
	JOE COLOMBO	97
	ASIA	98
	K-WAITING	102
	AALAND	108
	LUNAM	110
	LARGO	114
	PLASTICS DUO	118
	PLASTICS	120
	TRIX	126
	FOLIAGE	128
	POP	130

TABLES137

	ALBERT	138
	FOUR	140
	VISCOUNT OF WOOD	146
	EARL OF WOOD	150
	LUNAT	151
	GLOSSY	152
	MULTIPLO XL	158
	MULTIPLO	160
	MULTIPLO LOW	164
	SIR GIO	166
	BLAST	167
	UNDIQUE MAS	168
	UNDIQUE	169
	THIERRY XXL	170
	THIERRY BISTROT	171
	THIERRY	172
	INVISIBLE TABLE	173
	K-TOP	174
	TOPTOP	176
	TOPTOP OUTDOOR	180
	SPOON TABLE	184
	MAX	185

LIGHTS187

	TERESA	188
	ANGELO STONE	190
	GEENA	192
	MINI GEENA	193
	PLANET	194
	MINI PLANET	197
	KABUKI	198
	K-LUX	200
	FATA	201
	GOODNIGHT	202
	PUMO LAMP	205
	BOURGIE	206
	MINI KABUKI	208
	TAKE	209
	BATTERY	210
	BIG BATTERY	211
	LANTERN	212
	SPACE	213
	LIGHT-AIR	214
	TEA	216
	TEA APPLIQUE	217
	TOY	218
	ALEDIN	219
	TAJ	220
	TAJ MINI	221
	CINDY	222
	TOOBE	223
	KHAN	224
	FL/Y	226
	SMALL FL/Y	227
	BIG FL/Y	228
	BELLISSIMA	229
	GÈ	230
	È	231
	BLOOM	232

*AVAILABLE ONLY
IN CERTAIN COUNTRIES

ACCESSORIES
AND TABLEWARE235

	COMPONIBILI	236
	COMPONIBILI SMILE	242
	MOBIL	243
	CORTEZA	246
	A.I. CONSOLE	248
	GHOST BUSTER	249
	GASTONE	250
	BATTISTA	251
	FIIP	252
	INVISIBLE SIDE	253
	TRAYS	254
	ADAM WOOD	256
	POLVARA	260
	BOOKWORM	262
	KITE SHELF	263
	AL WOOD	264
	T-TABLE	265
	TIPTOP	266
	SOUND RACK	268
	MAX-BEAM	269
	PRINCE AHA	270
	STONE	271
	JOLLY	272
	SPARKLE	273
	OPTIC	274
	PANIER	275
	CALICE, COLONNA, PILASTRO	276
	ATTILA/NAPOLEON	277
	EUR	278
	ROY	279
	ONLY ME	280
	FRANÇOIS GHOST	282
	ALL SAINTS	284
	BOXY	285
	SHELFISH	286
	RAIL	287
	TIC&TAC	288
	AIR DU TEMPS	289
	TIRAMISÙ	290

	UPPER	291
	MAGAZINE RACK	292
	FRONT PAGE	293
	UMBRELLA ST./WASTE BASKET	294
	MISSES FLOWER POWER	295
	JELLIES COAT HANGERS	296
	WALL CLOTHES HOOK	297
	HANGER	298
	ALTA TENSIONE	300
	K-LIM	301
	KLEO	302
	AALAND	304
	PARAYS	305
	TIPTOP KIDS	306
	INVISIBLE TABLE KIDS	307
	LOU LOU GHOST	308
	HHORSE	* 310
	DISCOVOLANTE	* 311
	TEATIME	314
	OKRA	315
	PUMO	316
	TRULLO	317
	JELLIES FAMILY	318
	TRAMA	322
	NAMASTÈ	324
	I.D. ISH BY D'O	325
	PIAZZA	326
	ABBRACCIAIO	327
	MOON	328
	DUNE	329
	I SHINE	330
	U SHINE	331
	MATELASSÉ	332
	JELLY	333
	SHANGHAI	334
	SHIBUYA	335
	INFINITY	336
	L'AMERICANA	337



This catalogue was printed using 100% self-generated electricity produced using photovoltaic panels and other renewable sources.



This catalogue is printed on "Burgo Selena Green" natural wood-free pure cellulose machine-made paper with a handmade look, for luxury printing. Bleached without the use of chlorine and ECF (Elemental Chlorine Free) certified; 100% recyclable and FSC® certified for the responsible management of the world's forests.



Project and Art Direction
Ferruccio Laviani

Graphic Design
Alessandro Pensotti

Printing
Target Color S.r.l.

Copyright Kartell 2025

Kartell

via delle Industrie, 1 • 20082 Noviglio (MI)
t. +39 02 900121 • f. +39 02 90091212
kartell@kartell.it • kartell.com



The inks used for the printing process are vegetable-based and mineral oil-free. The oil carrier in which the coloured pigments are dissolved is obtained from specially cultivated plant seeds, further limiting Co² emissions. The use of solvents and additives containing VOCs (volatile organic compounds) has been eliminated from the entire printing process.



The printing presses used are Co² Neutral certified, and the printer offsets the inevitable additional Co² emissions associated with the production process with reforestation activities managed by Rete Clima.

